## Safety Data Sheet

Section 1 - Product Information													
Product Name: 0	Product Name: CL BUILDER BREAK						Intercon Chemical Company						
Product Code Nu	umber: 699C	Information Pho	one: 1-314-771-6600				1100 Central Industrial Drive						
Product use:	oduct use: Builder/Break Emergency Contact: CHEMTREC 1-800-424-93				Address:		St. Louis, MO 63110						
		Se	ction 2 - Hazard Id	lentif	ication								
GHS Classification: Skin Corrosion Category 1C, Eye corrosive Category 1, Corrosive to Metals Category 1, Oral Toxicity Category 4													
Section 2.1 - Label Elements													
Signal Word: Hazard Pictograms Hazard Statements:													
	Danger Causes severe skin burns and eye damage. Harmful if swallowed. M corrosive to metals.												
Precautionary Statements: Prevention													
Keep only in original container. Wear protective gloves/protective clothing/eye protection/face protection. Wash thoroughly after handling. Do not breathe mist or dust. Do not eat, drink or smoke when using this product.													
Precautionary Statements: Response													
IF ON SKIN(or hair): Remove immediately all contaminated clothing. Rinse skin with water. Wash contaminated clothing before reuse. IF IN EYES: Rinse cautiously with water for several minutes. Remove contacts if present and easy to do. Continue rinsing. IF SWALLOWED: Rinse mouth, Do NOT induce vomiting. Rinse mouth. IF INHALED: Remove to fresh air and keep at rest position comfortable for breathing. Immediately call a POISON CENTER or physician. <b>Precautionary Statements: Storage</b>													
Store locked up			Drace stienen Ctetemen	to . Die	nocal								
			Precautionary Statemen		•								
	Dispose of contents/conta	iner to an appro		-		ocal/regional/na	tional regulations						
			Section 3 - Comp										
	Chemical Name	CAS #				Percent w/w							
Sodium Hydroxid	de	1310-73-2				37							
			ection 4 - First Aid										
IF ON SKIN(or ha	air): Remove immediately all contam	inated clothing.	Rinse skin with water. Wa	asn con	taminated cloth	ning before reus	e.						
IF IN EYES: Rinse	e cautiously with water for several m	inutes. Remove	contacts if present and ea	asy to d	o. Continue rins	sing.							
IF SWALLOWED:	Rinse mouth, Do NOT induce vomit	ing.											
IF INHALED: Remove to fresh air and keep at rest position comfortable for breathing.													
Immediately call a POISON CENTER or physician.													
		Section	5 - Fire and Explos										
Flash Point:	Limits		inguishing Media:			-	es: Avoid exposure to fumes or vapors. ressurized breathing apparatus						
None	LEL: NA		fog, foam,dry chemical, c ol foam, if product involv	arbon			ivalent to maintain TLV. UNUSUAL FIRE &						
	UEL: NA		or roam, in product moon	EXPLOSION HAZARD: Product will not burn.									
	<b>bustion products:</b> Carbon oxides. Not sensitive to mechanical impact.	It is sensitive to	static discharge.										
		Section	n 6 - Accidental Re	lease	Measures								
Neutralize with o	dilute acid, or sodium bicarbonate. N					ippery. Use care	e to avoid falls.						

			6	ation 7 110	به ما انه م م ما	Chavasa				
Store locked up	Store upright	in original closed con		ction 7 - Ha	naling and	Storage				
Store locked up	. Store upright									
			Sec	ction 8 - Exp	osure Cont	rols/PPE				
Ingredient OSHA PEL: ACGIH T			ACGIH TLV		PPE	-	General Hygiene Considerations:			
Sodium Hydroxide		2mg/m <sup>3</sup>	2mg/m <sup>3</sup>	Respiratory:	: not normally required		Handle in accordance with good industrial hygiene and			
,				Eye:	: safety glasses, face shield		safety practices. Provide suitable facilities for quick drenching or flushing of the eyes and body in case of			
			Skin: Apron, alkali proof gloves		oof gloves	contact or splash hazard.				
				Ventilation	n Normal room ventilation		]			
			Section	9 - Physical			es			
						Evaporation		Upper/lower	Vapor	
Appearance	odor	odor threshold	рН	Melting Point	Boiling point	rate	Flammability	flammability limits	pressure	
colorless liquid	mild	NE	14	NE	212ºF	>1(water =1)	NA	NA	17mm Hg	
	Density				Partition	Auto Ignition				
Vapor Density	(lbs/gal)	Specific Gravity	pH(use dil)	Solubility	coefficient	temp	Viscosity	Decomposition Temp		
0.62(air =1)	11.8	1.41	13	100% in water	NE	NA	thin	NE		
(- )				tion 10 - Sta		leactivity				
Product is stabl	e, hazardous po	olymerization will not			-		stion products: (	Carbon Dioxide, Carbon Mo	noxide, Nitrous	
Oxides.										
			Sect	ion 11- Toxi	cological In	formation				
			Acute						STOST	
Ingredient		Acute toxicity(oral LD50) rat	toxicity(derm. LD50)rabbit	Skin and Eye	Carcinogen	Mutagen	Reproduct. Toxicity	STOST -single Exposure	Repeated exposure	
		200mg/kg	1350mg/kg	corrosive	Not listed	No info	No info	No info	No info	
Sodium Hydroxide		200111g/ kg	13301118/ Kg	corrosive	NOUTISLEU	NOTINO	NOTITO	Nomo		
	Section 1	2 - Ecological Ir	formation			Section	13 - Disposal Considerations			
No Information	available.					-	-	orm, are considered corros		
					waste(waste code D002) according to RCRA(40 CFR 261). Dispose of in accordance with applicable Federal, State and Local regulations.					
						cial, State and L				
			Sec	tion 14 - Tra	ansport Info	ormation				
UN number			Basic Descrip	tion(DOT)			Class	Packing Group	LTD QTY	
UN1719		Caustic Alkali Liquids, n.o.s(Contains sodium hydroxide)					8		< 1Liter	
				tion 15 - Reg	. ,	ormation	-			
SARA Title 3: Do	oes not contain	reportable chemicals					endments and Re	eauthorization Act of 1986.		
CERCLA: Sodiur	n Hydroxide. Fo	or more information c	onsult 40 CFR pa	arts 302, 355, 37	0, 372, and 40 C	CFR part 68				
			·			·				
			S	ection 16 - (	Other Infor	mation				
				1	Health - 3	Flam 0	R - 0	PPE- X		
Date Prepared:										
		is Safety Data Sheet i	s correct to the					ne information given is desig	gned only as	
guidance for sa	fe handling, use	e, processing, storage	, transportation,	disposal, and re	lease and is not	to be considere	d a warranty or	quality specification. The information of the second second second second second second second second second se	formation	
legend for Abb	reviations: NA -	• not applicable NE - N	lot Established							