






A DIVISION OF CASH-WA DISTRIBUTING


## DESIGN

## RESTAURANTS C-STORES SCHOOLS HEALTHCARE HOSPITALITY











**SUNFLOWER PHONE # 785-823-6394** 

**CWD-MAIN PHONE # 308-237-3151** 

**CWD-FARGO** PHONE # 701-282-8200














## **Table of Contents**

Useful Guides	2
Tabletop	3-13
Buffet & Dining	14-21
Bar Supplies	22-26
Furniture	27, 28
Kitchen	29-49
Protective Apparel	50
Food Prep	51-55
Countertop Equipment	56-66
Cooking Equipment	67-73
Refrigerated Equipment	74-82
Storage & Transport	83-88
Warewashing	89-95
Janitorial	96-102
Index	103, 104









## **Standard Weights & Measures**

#### **Liquid Capacity** Liter = 7.219 cu in = 0.1183 4 gills = 1 pint = 28.2875 cu in = 0.4732 2 pt = 1 quart = 57.75 cu in = 0.9463 = 1 gallon 4 qt = 231 cu in = 3.7853 **31.5 gal** = 1 barrel liquid = 119.24 **42 gal** = 1 barrel petrol = 158.98

#### **Basic Liquid Equivalents**

Dash	=	=	less than 1/4 teaspoon
3 teaspoo	ns =	=	1 tablespoon
4 tablesp	oons =	=	1/4 cup
5⅓ tables	spoons =	=	⅓ cup
8 tablesp	oons =	=	½ cup
10⅔ table	espoons =	=	²⁄₃ cup
12 tables	oons =	=	3/4 cup
14 tables	oons =	=	⅓ cup
16 tables	oons =	=	1 cup
1 cup	=	=	1/2 pint (8 fl. oz)
2 cups	=	=	1 pint (16 fl. oz)
2 pints	=	=	1 qt. (32 fl. oz)
4 qt	=	=	1 gallon (128 fl. oz)
16 oz	=	=	1 pound (dry weight)

## **To Substitute for Liquid Eggs**

Liquid Egg Equivalent lb		Egg Blends oz	Plus Ib	Water b
1	-	4	-	12
2	-	8	1	8
3	-	12	2	4
4	1	0	3	0
5	1	4	3	12
6	1	8	4	8
7	1	12	5	4
8	2	0	6	0
9	2	4	6	12
10	2	8	7	8

## **To Substitute for Shell Eggs**

Shell	Whole	Egg Blend
Eggs	Egg Blend	Plus Water
1	⅓ cup	⅓ cup
2	1/4 cup	⅓ cup
3	½ cup	½ cup
4	²⁄₃ cup	²⁄₃ cup
5	5⁄8 cup	5⁄8 cup
6	1 cup	1 cup
7	11/8 cups	11/8 cups
8	1⅓ cups	1⅓ cups
9	1½ cups	11/2 cups
10	12/3 cups	12/₃ cups

## **Avoirdupois Weight**

	1 grain	= 0.0648 gm
27.343 gr	= 1 dram	= 1.7718 gm
16 dr	= 1 ounce	= 28.3495 gm
16 oz	= 1 pound	= 453.5924 gm
100 lb	= 1 hundredweight	= 45.3592 kg
2000 lb	= 1 short ton	= 907.18 kg

#### **Household Capacity**

	1 teaspoon	= 1/8 fl oz
3 tsp	= 1 tablespoon	= ½ fl oz
16 tbs	= 1 cup	= 8 fl oz
2 cups	= 1 pint	= 16 fl oz
2 pints	= 1 quart	= 32 fl oz
4 quarts	= 1 gallon	= 128 fl oz

#### **Ice Cream Scoops**

Size	Equivalent Sc	oops per Gallon
No. 6	²⁄₃ cup	16
No. 8	½ cup	22
No. 10	³⁄8 cup	24
No. 12	⅓ cup	26
No. 16	1/4 cup	35
No. 20	3+ TBSP	42
No. 24	2⅔ TBSP	51
No. 30	2+ TBSP	62
No. 40	11/2 TBSP	-

### **Recipe Abbreviations**

tsp	teaspoonful
TBSP	tablespoonful
С	cup
pt	pint
qt	quart
pk	peck
bu	bushel
oz	ounce or ounces
lb	pound or pounds
sq	square
min	minute or minutes
hr	hour or hours
mod	moderate
dz	dozen
E.P.	edible portion
A.P.	as purchased

#### **Standard Packing** ner Boy: Fresh Fruit

per box:	rresii rruit
Cherries	20 to 50 per lug
Grapefruit	18, 23, 27, 32
·	or 40 per crate
Pineapple	9, 12, 15, 18,
	or 24 per crate
Melons	5, 6, 8, or 9 per crate
Honeydew	·
Cantaloupe	20, 24, 32, 36,
	or 48 per crate
Peaches	½ bushel basket;
	60 or 72 to a flat (25 lb)
Oranges/Fla.	88, 100,
	or 125 per box
Oranges/Calif.	56, 72, 80,
	or 100 per box
Watermelon	18 to 32 lb each
Strawberries	12 pints per flat
Raspberries	12 pints per flat
Bananas	6 lb per hand; 27, 36,
	or 45 per crate
Lemons	95, 115, 140, 165, 200;
	or 230 per 4/5 bushel
Plums	6 lb per till;
	4 tills per carton

#### **Dry Capacity**

			Liter
	1 pint	= 33.6 cu in	= 0.5506
2 pt	= 1 quart	= 67.2 cu in	= 1.1012
8 qt	= 1 peck	= 537.6 cu in	= 8.8096
4 pk	= 1 bushel	= 2150.4 cu in	= 35.238
	1 barrel	= 7056 cu in	= 115.62

#### **Counting**

	1 dozen	= 12 units
12 dozen	= 1 gross	= 144 units
12 gross	= 1 great gross	= 1728 units

#### **Boiling Temperatures** of Water at Various Altitudes

Sea Level	212.0°F	100.0°C
2,000 ft	208.4°F	98.4°C
5,000 ft	203.0°F	95.0°C
7,500 ft	198.4°F	92.4°C

#### **Steam Pressures at Various Altitudes and Temperatures**


Tempe	ratures	Sea	4,000	6,000	7,500
°F	°C	Level	Feet	Feet	Feet
228	109	5 lb	7 lb	8 lb	9 lb
240	115	10 lb	12 lb	13 lb	14 lb
250	121	15 lb	17 lb	18 lb	19 lb
259	126	20 lb	23 lb	23 lb	24 lb

#### **Oven Temperatures**

Slow	250 - 300°F
Slow-Moderate	325°F
Moderate	350 - 375°F
Moderately Hot	400°F
Hot	425 - 450°F

## Eroch Vogetables

Fresh Vegetables				
Lettuce	24 heads per box			
Tomatoes	20 lb per flat; 40 to 80 lb per lug			
	6 lb til: 12-24 tomatoes			
String Beans	28 lb per bushel			
Spinach	20 lb per bushel			
Washed Spinach	8 oz per bag; 16-20 bags per case			
Broccoli	12 bunches per case			
Artichokes	24 to 48 heads per box			
Carrots	50 lb per bushel			
Onions	50 lb per bushel			
Potatoes	50 lb per bag			
Peeled Potatoes	30 lb per box			
Peeled Onions	20-25 lb per box			
Asparagus	30 lb per crate			
Cauliflower	50 lb per box			
Beets with tops	50 lb per box			
Mushrooms	3 lb per basket			
Leeks	½ bushel basket			
• •	, 16-20 heads per case			
Romaine				
Radishes	30 Bunches per box			
Watercress	25 bunches per box			
Celery	24, 30, 36, or 48 heads			
	per crate			
Eggs	30 dz per crate			



- Porcelain White
- Wide rim

CASH-WA#	MFG #	DESCRIPTION	CS PK
617251	ALA-062	Plate, 6¼"	3 dz
617252	ALA-074	Plate, 7½"	3 dz
617253	ALA-090	Plate, 9"	2 dz
617254	ALA-104	Plate, 10½"	1 dz
617255	ALH-116	Oval Platter, 11¾" x 8½"	1 dz
617256	ALH-136	Oval Platter, 13¾" x 10"	1 dz



#### **Colorado**

• Porcelain White

MFG#

CLA-064

CLA-074

**CLA-090** 

CLA-104

CLH-114

CLH-132

Narrow rim

CASH-WA#

617281

617282

617283

617284

617285

617286

DESCRIPTION	CS PK
Plate, 6½"	3 dz
Plate, 7½"	3 dz
Plate, 9"	2 dz

Plate, 101/2"

Oval Platter, 11%" x 85%"

Oval Platter, 131/8" x 101/8"

Tuxton<sup>®</sup>

1 dz

1 dz

1 dz




## **Green Bay**

- Eggshell with Green band
- Wide rim rolled edge

CASH-WA#	MFG#	DESCRIPTION	CS PK
617288	TGB-007	Plate, 71/8"	3 dz
617287	TGB-016	Plate, 10½"	1 dz
617297	TGB-004	Bouillon, 8 oz, 4"	3 dz
617298	TGB-015	Nappie, 13 oz, 5 <sup>5</sup> ⁄8"	3 dz
617289	TGB-011	Fruit Dish, 4½ oz, 4¾"	3 dz







Plate, 9"

Plate, 101/2"

Oval Platter, 111/2" x 91/8"

Oval Platter, 131/4" x 101/2"

TNR-008

TNR-016

TNR-013

TNR-014



#### Reno

Eggshell

2 dz

1 dz

1 dz

1 dz

· Wide rim rolled edge



CASH-WA#	MFG#	DESCRIPTION	CS PK
617210	TRE-005	Plate, 5½"	3 dz
617201	TRE-031	Plate, 6¼"	3 dz
617202	TRE-007	Plate, 71/8"	3 dz
617211	TRE-022	Plate, 8¾"	3 dz
617203	TRE-908	Plate, 9"	2 dz
617204	TRE-016	Plate, 10½"	1 dz
617207	TRE-051	Plate, 111/8"	1 dz
617205	TRE-013	Oval Platter, 115/8" x 8"	1 dz
617206	TRE-039	Oval Platter, 13½" x 9"	1 dz



## **Squares & Rectangles**

• Lead free - fully vitrified

617222


617223

617224

617225

- · Microwave safe, oven proof and dishwasher safe
- White (GSP-006 is porcelain white)





Tuxton





#### Sonoma™

- Embossed pattern in Porcelain White
- · Lead free and fully-vitrified
- Microwave-safe, oven-proof and dishwasher-friendly
- · Lifetime edge chip limited warranty

0.4.01.1.14.4.4.4	1450 "	DECODIDATION	00 01/
CASH-WA#	MFG #	DESCRIPTION	CS PK
140165	YPA-062	Plate, 6¼"	3 dz
140164	YPA-072	Plate, 7¼"	3 dz
140163	YPA-090	Plate, 9"	2 dz
141281	YPA-096	Plate, 9¾"	2 dz
140161	YPA-102	Plate, 101/4"	1 dz
140158	YPA-120	Plate, 12"	1 dz
141286	YPB-0752	Bouillon, 7 oz, 3 <sup>5</sup> ⁄₃"	3 dz
141284	YPD-052	Fruit Dish, 3½ oz, 5¼"	3 dz
141285	YPD-063	Grapefruit, 6½ oz, 6¾"	3 dz
141217	YPB-1203	Bowl, 11 oz, 5"	3 dz
141216	YPD-112	Pasta Bowl, 22 oz, 11¼"	1 dz
140167	YPE-054	Saucer, 5½"	3 dz
140169	YPF-070	Tall Cup, 6 oz	3 dz
141282	YPM-080	Mug, 7½ oz	3 dz

#### Crème Brûlée

- Porcelain White
- Round, fluted
- Cs Pk 1 dz





CASH-WA# MFG# 141213 BPK-0805

DESCRIPTION 8 oz, 5" x 11/4"



## **Monterey**



- Embossed pattern in American White
- Lead free and fully-vitrified
- Microwave-safe, oven-proof and dishwasher friendly
- · Lifetime edge chip limited warranty

CASH-WA#	MFG#	DESCRIPTION	CS PK
803742	YEA-062	Plate, 61/4"	3 dz
804885	YEA-072	Plate, 71/4"	3 dz
804884	YEA-090	Plate, 9"	2 dz
803377	YEA-096	Plate, 93/4"	2 dz
804881	YEA-102	Plate, 101/4"	1 dz
805584	YEH-117	Racetrack Platter, 113/4" x 81/2"	1 dz
815762	YEB-0752	Bouillon, 7 oz, 35/8"	3 dz
802753	YED-052	Fruit Dish, 31/2 oz, 51/4"	3 dz
811708	YED-084	Rim Soup, 9 oz, 81/2"	2 dz
801282	YEB-1203	Bowl, 11 oz, 5"	3 dz
817962	YED-112	Pasta Bowl, 22 oz, 111/4"	1 dz
817961	YEE-054	Saucer, 51/2"	3 dz
804883	YEF-0752	Short Cup, 7 oz, 35/8"	3 dz
803297	YEM-080	Mug, 7½ oz, 2¾"	3 dz









790527

620527

45/8" Blade w/Pointed Tip

cashwa.com

Jumbo, 5" Blade w/Round Tip

2 dz

1 dz

631500

644625

C.

## **Breckenridge™ Tumblers**

- Sure Guard™ Guarantee
  Cs Pk 3 dz










**DESCRIPTION** 





#### **New Orleans**

- Durable— the most popular style of barware
- Sure Guard™ Guarantee
- Cs Pk 3 dz

CASH-WA#	MFG#	DESCRIPTION	MAX H x W
E58686	90004	Rocks, 4 oz	31/8" x 27/8"
E58840	90005	Rocks, 5 oz	31/8" x 27/8"
E58841*	90006	Rocks, 7 oz	33/8" x 31/4"
E58843*	90007	Rocks, 8 oz	33/8" x 33/8"
E58847*	90008	Rocks, 9 oz	33/8" x 33/8"
D79195	799U	Rocks, 9 oz	31/8" x 31/2"
E58850	90009	Rocks, 10 oz	31/8" x 31/2"
E58864*	90010	Double Rocks, 12 oz	41/4" x 37/8"
D79174*	7729U	Hi Ball, 9 oz	43/4" x 31/8"
D79176*	7730U	Beverage, 10 oz	43/4" x 31/8"
D79179*	7732U	Beverage, 12 oz	47/8" x 33/8"
D79180*	7733U	Cooler Glass, 12 oz	57/8" x 35/8"
D79000*	77746	Cooler Glass, 16 oz	63/8" x 33/8"
D79183*	7745U	Ice Tea Glass, 141/2 oz	63/8" x 33/8"
D78999*	77722	Ice Tea Glass, 22 oz	7" x 3¾"
*Rim Tempere	d		



#### The Stackables™ Cooler

- Easily stack and separate
- Rim tempered
- Sure Guard™ Guarantee
- Cs Pk 3 dz

#### ANCHOR # HOCKING



CASH-WA# D79146

MFG# 73017

DESCRIPTION 16 oz

MAXHxW 6" x 3½"



#### Clarisse®

- Beauty and flexibility designed into one
- Rim tempered
- Sure Guard<sup>™</sup> Guarantee
- Cs Pk 3 dz

MFG #	DESCRIPTION	MAX H x W
77787	Rocks, 7 oz	33/8" x 31/4"
77788R	Rocks, 8 oz	33/8" x 31/4"
77770	Rocks, 10 oz	3¾" x 3½"
77790R	Rocks, 12 oz	4" x 35/8"
77792R	Beverage, 12 oz	4 <sup>7</sup> / <sub>8</sub> " x 3 <sup>1</sup> / <sub>4</sub> "
77794	Beverage, 14 oz	51/8" x 33/8"
77796	Cooler, 16 oz	61/8" x 33/8"
	77787 77788R 77770 77790R 77792R 77794	77787 Rocks, 7 oz 77788R Rocks, 8 oz 77770 Rocks, 10 oz 77790R Rocks, 12 oz 77792R Beverage, 12 oz 77794 Beverage, 14 oz










### **Tumblers**

Sure Guard<sup>™</sup> Guarantee

ANCHOR # HOCKING


CASH-WA #N	IFG#	DESCRIPTION	MAX H x W	CS PK
TUMBLER				
A. <b>D79055</b>	2238U	Room, 8 oz	35/8" x 23/4"	6 dz
CONCORD O	LD FASHIO	NED		
B. D79089	3141U	10½ oz	3½" x 3¼"	3 dz
C. D79090	3143U	Double, 121/2 oz	4" x 31/4"	3 dz



## **Mixing Glasses**

- A must have for every bar and restaurant
- Rim tempered
- Sure Guard<sup>™</sup> Guarantee

CASH-WA#	MFG #	DESCRIPTION	MAX H x W	CS PK
D78993	77174	14 oz	5 <sup>7</sup> / <sub>8</sub> " x 3 <sup>1</sup> / <sub>2</sub> "	3 dz
D79045*	176FU	16 oz	51/8" x 31/4"	2 dz
D79135	7176FU	16 oz	51/4" x 31/4"	2 dz
D78994	77420	20 oz	61/8" x 35/8"	2 dz
D83500 *Not Rim Tem	<b>77422</b> pered	22 oz	6¾" x 3¾"	2 dz



## **Heavy Base Tumblers**

- Traditional style with durability
- Sure Guard<sup>™</sup> Guarantee

CASH-WA # D79100 D79086 D79095 D79096 D79097 D79101 D79098	MFG # 3178FU 3113U 3169U 3170U 3172U 3181EU 3175U	DESCRIPTION Rocks, 9 oz Dbl. Rocks, 13 oz Hi Ball, 9 oz Hi Ball, 10½ oz Beverage, 12½ oz Collins, 10½ oz Iced Tea, 15 oz	MAX H x W 3½" x 3½" 4" x 3½" 4" x 3½" 4¾" x 2½" 5½" x 2½" 6" x 2½" 6½" x 3"	CS PK 3 dz 3 dz 6 dz 6 dz 6 dz 3 dz 3 dz	
--	--	--	---	---	--

## **Reality™ Rocks Glass**

- The perfect blend of fashion, sophistication, elegance and durability
- Rim tempered
- Sure Guard<sup>™</sup> Guarantee
- Cs Pk 2 dz

CASH-WA # MFG # DESCRIPTION **E89846 90044** 10 oz




MAX H x W 3¾" x 3¾"

### ANCHOR # HOCKING

#### **Tartan® Tumblers**

- An abstract interpretation of Scottish tartan makes a striking piece in clear glass
- Sure Guard™ Guarantee
- Cs Pk 1 dz





## **Barbary**

- Serve your customers four different beers using shots beer tasters and a serving paddle
- Serving paddles increase your beer sales and profits
- Great for serving sampler tastings of beer, cocktails or desserts

CASH-WA#	MFG#	DESCRIPTION	MAX H x W	CS PK
E80555	93013A	Taster, 5 oz	4" x 2 <sup>2</sup> / <sub>5</sub> "	2 dz
E80554	93012	Beer Glass, 13 oz	61/4" x 3"	2 dz
E80553	93011	Beer Glass, 16 oz	61/8" x 31/4"	2 dz
E82542	90038	Serving Paddle	5/8" x 141/2"	1 dz

## **Beer Mugs**

- Stylish silhouettes capitalize on the popularity of beer
- Sure Guard<sup>™</sup> Guarantee









CASH-WA#	MFG#	DESCRIPTION	MAX H x W	CS PK
NEW ORLEAN	S™ BEER MU	GS		
A. D79026	1150U	10 oz	51/8" x 43/8"	2 dz
D79027	1152U	12 oz	5¾" x 4½"	2 dz
B. D79028	1153U	1 liter	8" x 6"	1 dz
HANDLED BEI	ER MUG			
		10	53/8" x 43/4"	2 dz
C. D79047	18U	12 oz	578 X 474	2 02
CLARISSE® TA	NKARDS			
D. D79033	1170U	10 oz	51/8" x 41/8"	1 dz
D79034	1172U	12 oz	51/8" x 41/8"	1 dz

#### **Beer Glasses**

- Rim tempered
- Sure Guard<sup>™</sup> Guarantee



	CASH-WA#	MFG#	DESCRIPTION	MAX H x W	CS PK
A.	D27923	90054A	Cooler, 153/4 oz	55/8" x 31/4"	2 dz
В.	E26104*	80436	Pilsner, 23 oz	9" x 33/8"	2 dz
C.	D96619	H023202	Tall Beer, 14 oz	93/8" x 27/8"	2 dz
D.	D79154	7410U	Pilsner, 10 oz	53/4" x 27/8"	3 dz
	D79155	7412U	Pilsner, 12 oz	6" x 31/4"	3 dz
	*Not Rim Tem	pered			

Whiskey Shot Glass	
• Cs Pk 6 dz	





ANCHOR # HOCKING

**DESCRIPTION** #100085



CASH-WA#	MFG #	DESCRIPTION	MAX H x W	CS PK
D88133	3666EU	Shot Glass, 3/4 oz	21/4" x 17/8"	6 dz
D86087	3667EU	Shot Glass, 7/8 oz	21/4" x 2"	6 dz
D79111	3668U	Shot Glass, 1 oz	21/4" x 2"	6 dz
D5280V	5280VU	Shot Glass, 11/4 oz	21/8" x 21/4"	6 dz
D85830	3661U	Shot Glass, 11/2 oz	21/4" x 2"	6 dz
D79123	5281U	Shot Glass, 11/2 oz	21/8" x 21/4"	4 dz
D79126	5282U	Shot Glass, 2 oz	21/8" x 21/4"	4 dz
D89980	2283Q	Taster, 3 oz	25/8" x 21/8"	3 dz
LINED SHOT	GLASSES			
D89447	5280/1612UL	11/4, Lined at 1/2 oz	21/8" x 21/4"	6 dz
D79121	5281-931U	11/2 oz, Lined at 3/4 oz	21/8" x 21/4"	4 dz
D79122	5281-932U	1½ oz, Lined at ⅓ oz	21/8" x 21/4"	4 dz
D79124	5282-928U	2 oz, Lined at 1 oz	21/8" x 21/4"	4 dz

## ANCHOR & HOCKING

## **Excellency® Stemware**

- · Classic lines, with added durability at an exceptional value
- Sure Guard<sup>™</sup> Guarantee









Ε






	CASH-WA#	MFG#	DESCRIPTION	MAX H x W	CS PK
	D79067	2926M	Wine, 6½ oz	5%" x 2%"	3 dz
A.	D79068	2928M	Wine, 81/2 oz	5%" x 3"	3 dz
В.	D79073	2936M	Wine, 6½ oz	61/4" x 21/2"	3 dz
	E27500	2938M	Wine, 81/2 oz	63/8" x 23/4"	3 dz
C.	D79071	2932M	Goblet, 11½ oz	6" x 31/8"	3 dz
D.	D79141	7221M	Goblet, 10½ oz	51/4" x 31/8"	3 dz
E.	D79079	2942M	Pilsner, 12 oz	71/8" x 27/8"	3 dz
	D79062	2908M	Footed Hi Ball, 8 oz	53/8" x 23/4"	3 dz
F.	D79063	2910M	Footed Hi Ball, 10 oz	6" x 21/8"	3 dz
G.	D79114	3933M	Brandy, 9 oz	4½" x 3¾"	2 dz
H.	D79116	3951M	Brandy, 12½ oz	4¾" x 35/8"	2 dz

## ANCHOR # HOCKING

#### **Martinis**

 Catch your customers' attention with these stylish martinis





CASH-WA	#
D90644	

MFG# 80226X B. D87645 80278X D96628 H037491

**DESCRIPTION** Marbeya, 9 oz Celebrate, 9 oz Ashbury, 6 oz

MAXHxWCS PK 7" x 4½" 1 dz 6¾" x 4½" 1 dz 5¾" x 4½" 3 dz

## **Hot Drinks**

- Sure Guard™ Guarantee





	CASH-WA
A.	D83045
ь	E02/112

83045A 308U

Café, 16 oz Irish Coffee, 8 oz

## ANCHOR # HOCKING

## **Specialty Stemware**

Sure Guard™ Guarantee





	CASH-WA#	MFG#
Α.	D79053	2085M
	D79064	2912UX
	D79054	2095UX
в.	D79066	2917UX
_	D70400	E0.41197

DESCRIPTION Margarita, 16¾ oz Hurricane, 15 oz

#### **Dessert Dishes**

- Sure Guard™ Guarantee
- Cs Pk 3 dz







D79130 C. D79127

CASH-WA# MFG# DESCRIPTION

ANCHOR # HOCKING



D79201

CASH-WA#

Cs Pk 3 dz



**Presence Plate** 

Sure Guard™ Guarantee



DESCRIPTION 8" dia

ANCHOR # HOCKING



## **Ash Trays**

- Sure Guard<sup>™</sup> Guarantee
- Cs Pk 3 dz

MFG# CASH-WA# DESCRIPTION A. D79038 143U Square, 35/8" B. D79040 148U Round Snuffer, 43/8"

## ANCHOR # HOCKING

#### **Cruet with Stopper**

- Sure Guard<sup>™</sup> Guarantee
- Cs Pk 6 ea

CASH-WA# E25325

MFG# 980R

DESCRIPTION 10 oz

## **Carafes**

- Sure Guard™ Guarantee
- Cs Pk 1 dz



#### ANCHOR # HOCKING

CASH-WA# D79037

139UR

MFG#

1 liter

DESCRIPTION

MAX H x W 11" x 41/8"

#### **Square Cruets and Rack**

- Cruets made of clear glass with S/S cap
- Rack holds (2) 6 oz square cruets



CASH-WA# A. 143195 143196

MFG# G-104 WH-3

DESCRIPTION Square Cruet, 6 oz Cruet Rack

CS PK 6 ea 1 dz



cashwa.com

## **Pepper Mill**

- Mahogany finish
- Forged steel mechanism for everyday use





CASH-WA# 143141

MFG# PM1912

DESCRIPTION 121/2"

## **Sugar Pourer**

- · Clear fluted glass jar with stainless steel top
- Easy to clean and refill



CASH-WA# 140291

MFG# 57S

**DESCRIPTION** 12 oz, Side Flap





## **Salt & Pepper Shakers**

- Stainless steel top
- Cs Pk 2 dz







CASH-WA#

MFG# A. 140280 150S&P-2

140281 154S&P-2 132S&P-2 C. 143142

DESCRIPTION 1 oz, Paneled

2 oz, Square 3 oz, Round



#### **Cheese Shaker**

Clear fluted glass jar with

MFG#



12 oz, Perforated Top





#### **Cheese Shakers**

Swirl style glass shaker with chrome-plated top

260SL







## Syrup Dispenser

MFG#

1371

 Clear glass with chrome-plated top

CASH-WA#

141198



**DESCRIPTION** 12 oz



## **Sugar Caddy**

- Holds 20 packets
- Dishwasher safe
- White
- Cs Pk 2 dz





CASH-WA# 140288

MFG# 4550-02



## **Sugar Packet Holder**

- Plastic
- Black
- Cs Pk 1 dz

CASH-WA# MFG# 143199 PPH-1K





## **Stainless Sauce Cup**

- Stainless steel
- Cs Pk 1 dz

CASH-WA# MFG# 141385 SCP-25 DESCRIPTION 2½ oz





#### Ramekin

- Smooth
- Black

143198

Cs Pk 1 dz

CASH-WA#

MFG# RP-4K





## **Stackable Oval Baskets**

- Attractive lattice design
- Microwave, dishwasher and heat lamp safe up to 150°F/65°C
- Cs Pk 3 dz

CASH-WA # MFG # **DESCRIPTION** CLASSIC BASKET - POLYETHYLENE

143111 1074BK 93/8" x 6" x 17/8", Black 87220 1074R 9¾" x 6" x 1¾", Red

CHICAGO PLATTER BASKET - POLYPROPYLENE 143113 1076BK 10½" x 7" x 1½", Black 143114 1076R 10½" x 7" x 1½", Red



#### **Ramekins**

- (NSF.)



CASH-WA#

MFG# RAM2BK RAM2W RAM3W

**DESCRIPTION** 



#### **Acrylic Pebbled Bowl**

- Pebbled exterior resists scratches
- · Heat polished, high gloss rim on bowl
- Dishwasher safe
- Clear



CASH-WA# 140292

MFG# SB68-07

DESCRIPTION 1.4 qt



## **6-Compartment Cafeteria Tray**

- Heavyweight melamine
- Six multi-sized molded compartments fit entrees, side dishes, desserts, drinks and silverware
- Left-handed orientation
- Color: Sandshade

CASH-WA# MFG# 140722 4398192 **DESCRIPTION** 10" x 14"





## **Tulip Dish**

- Ideal for serving ice cream, puddings, salads and more
- Easily stacks with similar glass or plastic dessert dishes
- Made of break-resistant SAN
- Clear
- Cs Pk 2 dz



CASH-WA# 140047

MFG# 4530-07 DESCRIPTION







## **Pebbled Stacking Tumblers**

- Break resistant SAN plastic stands up to years of use and abuse
- Pebbled textured exterior hides wear and tear
- · Easy to stack and pull apart, inside lugs prevent jamming
- Clear
- Cs Pk 2 dz

CASH-WA#	MFG #	DESCRIPTION
140072	5501-207	5 oz
140073	5526-207	8 oz
140074	5506-207	9½ oz
140075	5212-207	12 oz
140076	5216-207	16 oz
140078	5220-207	20 oz





## Straw Boss® **Straw Dispensers**

- Single-sided
- 140445 holds .275" .310" dia x 7½" 8¾"l straws 140446 holds .230" .265" dia x 7½" 8¾"l straws

• Color: Dark Walnut Woodgrain

CASH-WA# MFG# 140445 3815-12

140446 3825-12 **DESCRIPTION** 

Wrapped, 200 Straw Capacity Bulk, 250 Straw Capacity



## Risch

#### **Guest Check Presenter**

- Durable padded and stitched
- Includes credit card holder and two inside corner pockets
- Black

CASH-WA # MFG # **5000P** 

DESCRIPTION 5" x 9"







Single

Double

## **Tray Stands**

- · Washable, replaceable webbing
- Rubber slip-proof top rings





CASH-WA # MFG # DESCRIPTION

 A.
 143124
 22
 Wood, Mahogany Finish, 18" x 17" x 38"h

 B.
 143123
 24
 Double Bar, Chrome-Plated, 19" x 16½" x 31"h



#### **Deluxe Sewn Menu Covers**

- Deluxe sewn, turned edge and double stitching
- Gold tipped corners
- Holds individual insert sheets (sizes listed below are insert sizes)
- Black leatherette binding



CASH-WA#	MFG #	DESCRIPTION
143135	TES 8.5X11	Single, 2 View, 81/2"w x 11"l
143136	TES 8.5X14	Single, 2 View, 81/2"w x 14"l
143137	TED 8.5X11	Double, 4 View, 81/2"w x 11"l
143138	TED 8.5X14	Double, 4 View, 81/2"w x 14"l
143139	TET 8.5X11	Triple, 6 View, 81/2"w x 11"l
143140	TET 8.5X14	Triple, 6 View, 81/2"w x 14"l

## TABLECRAFT.

#### **High Chair**

- ASTM404-18 Compliant
- Warning label with certification and ASTM number
- · Permanent passive restraint
- Natural finish
- Shipped unassembled
- 201/8" x 23" x 291/2"h

CASH-WA # MFG # **140070 6565004** 



## **Booster Seat**

Built-in antimicrobial eliminates the growth of odor-causing bacteria

Polypropylene construction is

sturdy and lightweight

Stackable with straps

 Built-in cup holder keeps a tumbler or sippy cup within reach

Black



CASH-WA # **130163** 

MFG # 9114-03



#### Salad/Buffet Spoons

- One-piece solid polycarbonate construction
- Recommended for temperatures up to 212°F; withstands dry heat up to 270°F
- Handle has notch so spoon can rest on edge of food pan, has a hanging hole on the end
- 2-year warranty
- Dishwasher safe





CASH-WA # **139027** 

139026

WA # MFG # 446003 447003 DESCRIPTION 1/2 oz, 8" long 3/4 oz, 10" long



## Carly® Tongs

- Can be used on high temperature surfaces like steam tables
- Withstands heat up to 212°F
- One-piece polycarbonate
- Dishwasher safe





CASH-WA#

A. 139028 B. 139029 139156 MFG # 460603 470903 471203 DESCRIPTION Salad, 6" long Utility, 9" long Utility, 12" long





#### **Buffetware**

- Hollow handle
- Stainless steel



CASH-WA#

141497 140429

141379

141380

C.

MFG # BW-SL2 BW-SS1 BW-SP2 BW-BF DESCRIPTION

113/4" Slotted Spoon 113/4" Solid Spoon Ladle w/Spout, 2 oz 11" Pot Fork





## One-Piece Heavy-Duty Basting Spoons

• 1.5mm thick stainless steel

CASH-WA# MFG# DESCRIPTION 140414 BSOT-11H 11" long, Solid 140416 BSOT-13H 13" long, Solid 140418 BSOT-15H 15" long, Solid 140426 BSPT-11H 11" long, Perforated 13" long, Perforated 140427 BSPT-13H BSPT-15H 15" long, Perforated 140428 C. 140420 BSST-11H 11" long, Slotted 140422 BSST-13H 13" long, Slotted BSST-15H 15" long, Slotted 140424





#### **Basting Spoons with Bakelite Handles**

• Stop-hook handle prevents spoon from sliding into pan

• 13" long

CASH-WA #
A. 140696
B. 140695

MFG # BHOP-13 BHPP-13 DESCRIPTION Solid Perforated

#### **Newburg Chafer and Cover**

- Mirror finish cover
- Clips on frame conveniently hold cover when open
- High legs allow for extra space to prevent fuel holder bottoms from overheating table surface
- Chafer includes water pan, food pan, two fuel holders and plastic handle
- Hinged Dome Cover has dual handles



## **Disposable Liquid Candles**

- · Convenient and safe, provide clean light without wax candle mess
- The simplest way to operate your lamps
- No maintenance or adjustments







**DESCRIPTION** CASH-WA# MFG# 8 hour, 11/2" dia x 113/16"h 48914 HD8-180 48915 HD15 15 hour, Votive, 13/4" dia x 13/4"h 48911 26 hour, 2" dia x 21/4"h HD26 48912 HD36 36 hour, 25/8" dia x 23/5"h 48913 HD50 50 hour, 23/8"dia x 35/16"h

#### **Number Stand**

Stainless steel



CASH-WA# 143144

MFG# 1306



**DESCRIPTION** 6" high

## **Buffet Heat™ Wick Chafing Fuel**

- Non-hazardous
- · An external wick means the can stays cool



CASH-WA# 48910

MFG# **BUFF6-24** 

DESCRIPTION 6-Hour Burn Time





## Easy Heat® Adjustable Heat **Liquid Chafing Fuel**

- · Adjustable wick has three heat settings: standard, high and low, for multiple service applications
- · Patented wick and twin flame burner produces maximum output
- Reusable
- Odorless
- Non-hazardous
- Can does not get hot



CASH-WA# 48909

MFG#

EZ 6-3-8

6-, 3- or, 8-Hour Burn Times

steelite



### **Gel Chafing Fuel**

• Clean burning methanol: least amount of soot residue or odor compared to other available gel chafing fuel products



CASH-WA# 48908

MFG# **GHBLUE**  DESCRIPTION 21/2 Hour Burn Time













## **Beverage & Condiment Station Accessories**

MFG # DESCRIPTION STAINLESS STEEL CONSTRUCTION

A. CMND-1V Built-In Vertical Napkin Dispenser, Dispenses 4½"-5" x 6½" Napkins

B. TCD-2NB Drop-In Trash Chute, 75/8" dia x 6"d, Requires 61/4" Cutout

BLACK POLYSTYRENE CONSTRUCTION

C. LID-4BT Lid & Cup Organizer, 4 Section, Holds Lids & Cups up to 4¾" dia
 D. DLCO-5BT Multi-Purpose Organizer, 6 Section, 20¾" w x 5½"d x 16¾"h
 E. HLCO-3BT Multi-Purpose Organizer, 8 Section, 17" w x 7½"d x 11¾"h
 F. NLO-SWNH Organizer w/Silverware Holders, 8 Section, 10" w x 17"d x 14¾"h
 G. TLO-DL-3BT Countertop Dome Lid & Straw Organizer, 3 Section, 6½" w x 14"d x 24¼"h

H. TLO-3BT Countertop Lid & Straw Organizer, 3 Section, 6½"w x 14"d x 24"h
 I. TLO-4BT Countertop Lid & Straw Organizer, 4 Section, 6½"w x 14"d x 32"h

REINFORCED WELDED WIRE CONSTRUCTION

. WR-CT-4 4 Section, 61/4"w x 20"d x 243/4"h, Holds Cups up to 25/6" - 43/4" dia







CWD is an authorized Dispense-Rite Dealer....for many more options go to www.dispense-rite.com and our equipment specialists can provide you a competitive quote.









(NSE)







**One-Size-Fits-All Dispensing Cabinets** 

Cabinets dispense a variety of 8 oz to 44 oz paper, plastic or foam cups

MFG # DESCRIPTION

ADJUSTABLE DISPENSERS - STAINLESS STEEL CONSTRUCTION

K. ADJ-2 In-Counter Adjustable Cup Dispenser, 22"I, Holds 3"-4%" dia Cups
 L. CTC-R-3SS Countertop Cup Dispensing Cabinet w/3 ADJ-2 Dispensers

BLACK POLYSTYRENE CONSTRUCTION, INTERCHANGEABLE BAFFLE

M. SLR-2 In-Counter Cup Dispenser, 22"I, Holds 3"-4½" dia Cups
 N. SLR-S-3BT Countertop Cup Dispensing Cabinet w/3 SLR-2 Dispensers
 O. SLR-S-4BT Countertop Cup Dispensing Cabinet w/4 SLR-2 Dispensers

P. SLR-SL-2BT Countertop Cup & Lid Dispensing Cabinet w/2 SLR-2 Dispensers, Top Organizer

Q. SLR-C-3LBT Countertop Cup & Lid Dispensing Cabinet w/3 SLR-2 Dispensers on Left, Lid & Straw Storage on Right
 R. SLR-C-4RBT Countertop Cup & Lid Dispensing Cabinet w/4 SLR-2 Dispensers on Right, Lid & Straw Storage on Left

STAINLESS STEEL CABINET (SLR-2 COMES W/SILVER SATIN RIM)

SLR-C-4RSS Countertop Cup Dispensing Cabinet w/4 SLR-2 Dispensers on Right (not shown)

S SLR-C-4LSS Countertop Cup Dispensing Cabinet w/4 SLR-2 Dispensers on Left

ABS PLASTIC CONSTRUCTION

T. STL-2 In-Counter Adjustable Cup Dispenser, 22"I, Holds 3%"-4½" dia Cups
U. STL-C-3LBT Countertop Cup & Lid Dispensing Cabinet w/3 STL-2 Dispensers on Left









#### VersaPour® Pitcher

- Break-resistant polycarbonate
- Ergonomic handle provides a sure comfortable grip
- Ice trap retains ice or beer foam
- Thumb grip aids in control of pitcher while pouring
- Dishwasher safe





CASH-WA# 140100

MFG# 5540-07 DESCRIPTION 60 oz, Clear









## **Trimline™ Beverage Dispenser**

- Crystal clear polycarbonate reservoir with convenient quart and liter capacity indicators on both sides
- Deluxe, no-drip, locking faucet
- Removeable drip tray
- Includes one set of labels: Fruit Punch, Iced Tea, Lemonade, Sweetened Tea and Unsweetened Tea



CASH-WA# MFG# 113720 10850-03

**DESCRIPTION** 3 gallon, 8" wide, Black

#### **Vacuum Server**

- Heat retention: 10 hours at 175°F, 24 hours at 151°F

  • Swivel base for easy access
- Double-wall insulated
- Stainless steel satin-finish body
  Includes four (4) "Lift & Twist" color tags for Coffee, Decaf, Tea & Hot water

CASH-WA# 141381

MFG# **APSK-725**  DESCRIPTION 2.5 Liter

Color Tags





#### **Swirl Beverage Servers**

- Plastic construction
- Double wall insulation
- Includes tags for regular, decaf and tea

CASH-WA# 141382 141383

MFG# VSW-42K VSW-42W **DESCRIPTION** 42 oz, Black 42 oz, White

#### **Crystalline™ Coffee Decanters**

- Break resistant tempered glassLogos won't chip, peel, or flake
- Provides longer service life with "like new" look
- Extended curved handle for better leverage and comfort
- Tight locking gasket handle that won't crack or leak

**DESCRIPTION** CASH-WA# MFG# 111800 70280000306 64 oz, Regular 111900 70280200406 64 oz, Decaf



#### **Coffee Decanters**

- Polycarbonate with stainless steel base
- FDA approved
- BPA free
- 10-12 cup capacity

CASH-WA# MFG# **DESCRIPTION** 111850 18 64 oz, Black Handle 140463 64 oz, Orange Handle 19



## **AIPOINTS**

## Replacement **Deliming Spring**

Stainless steel



CASH-WA# MFG# 140194 26-1510 DESCRIPTION 20"l x 1/4" dia

### **Stainless Steel Teapot**

- Mirror finish
- Hinged cover



CASH-WA# 140948

GN10



**DESCRIPTION** 

10 oz

## **Hot Water Dispenser**

- LED display provides simple temperature adjustment
- Thinsulate® tank insulation provides
- increased energy efficiency
   Programmable "Energy Saver Mode" reduces operating cost during idle periods
- Digital thermostat provides constant and
- accurate temperatures of 60° to 212°F
- 240V

MFG# **DESCRIPTION** 43600.0003 5 Gallon

igotimesBUNN







#### Twin Automatic Electric Coffee Urn

- Unique design assures extremely low evaporation loss to maintain the brew at its flavorful peak
- All stainless steel construction
- Top mounted components for ease of service
- Brews 16.3 to 18.8 gallons per hour
- 120V



#### **Pourover Coffee Brewer**

- Ideal simple switch control office coffee service that does not require plumbing or special wiring
- Individually controlled warmers
- SplashGard® funnel deflects hot liquids away from the hand
- · Hood, base and pour-in basin are non-magnetic stainless steel
- 120V

MFG # DESCRIPTION

4275.0031 12 Cup, 3 Warmer Stations, 3.9 Gal/hr





#### **Iced Tea Brewer**

- Adjustable steep time
- Brews directly into any style portable server
- SplashGard® funnel deflects hot liquids away from the hand
- 120V

MFG #

DESCRIPTION

**36700.0009** 3 Gallon, 16.3 Gallons/hr









Server sold separately

## **Automatic Coffee Brewers**

- · All stainless steel construction
- Hot water faucet (requires plumbing) and pour over feature
- · Brew into decanters
- SplashGard® funnel deflects hot liquids away from the hand
- 12 cup capacity
- 120V

MFG # DESCRIPTION

12950.0212 3 Lower Warmers, 3.9 Gallon/hr

12950.0213 3 Warmers: 2 Upper & 1 Lower 3.8 Gallon/hr








## iMIX® Silver Series® Plus Hot Beverage System

- Powdered beverage dispenser featuring advanced mixing technology to deliver exceptional hot drinks
- · Large, lighted front graphics
- 4.4 gallon hot water tank
- Easy access to tank drain, dump valves, auger and whipper motors for servicing
- Low product detection system
- 120V

MFG # 38600.0050

DESCRIPTION (3) 8 lb Hoppers





## **Waiter's Corkscrew**

• Chrome plated metal with plastic handle

CASH-WA# 143089

MFG# 1226

DESCRIPTION w/Curved Knife



Stainless steel

MFG# CASH-WA# 140455

376 143084 377 16 oz 28 oz





## **Winged Corkscrew**

• Easily extracts any size cork

CASH-WA# 142094

MFG# 1229



#### **Foil Cutter**

- Chrome plated
- An essential tool for bar and wine service

CASH-WA# MFG# H1235 143090







#### **Bar Strainer**

Stainless steel

CASH-WA# MFG# 140753 S209

DESCRIPTION

4-Prong



#### **Flat Bottle Opener**

Stainless steel

DESCRIPTION CASH-WA# MFG# 143091 396 7" long





#### **Jiggers**

Stainless steel



CASH-WA# MFG# 143206 J-1 141387 J-2

**DESCRIPTION** ½ x 1 oz 3/4 x 11/4 oz



#### 3HP Commercial Blender

- Quiet, powerful 3 hp motor and stainless steel blades crush ice with ease
- Durable 64 oz BPA-Free Eastman Tritan® Copolyester plastic container
- Easy operation On/Off and 2-speed toggle switches
- Rubber pad between motor housing and container minimizes vibration and noise
- · Four gripper feet aid stability
- Combination plunger/spatula pushes ingredients into a continuous blend and moves ingredients inside container sides without coming in contact with blades
- 2-year Commercial Warranty (must register with Bar Maid)





CASH-WA# 141332

MFG# **BLE-300**  **DESCRIPTION** 

64 oz



#### **Ultra NX Frozen Drink Machine**

- Patented beverage monitoring technology and reversing auger design ensure consistent, great tasting frozen beverages
- Two large product hoppers
- LED lighted merchandisers in hopper lids
- Enhanced auger drive system and seal design for longlasting, reliable performance
- USB for easy software updates and downloads
- R290 all-natural refrigerant
- 120V

MFG# 58000.0015 DESCRIPTION (2) 3 Gallon Hoppers





#### **Glass Rimmer**

- Rim glasses with salt, sugar, or other mixes in secondsPlastic, with sponge

## **Liquor Pourers**

- · Eliminates over pouring
- Improves consistency of drinks
- Color coding indicates measurements
- Packed 1 dozen per poly bag

CASH-WA# MFG# DESCRIPTION PROPER POUR™ PLASTIC LIQUOR POURERS 143034 2246A

1 oz, Red Dip Tube, Clear Spout, Black Collar 143035 2248A 11/4 oz, Clear Dip Tube, Red Spout, Black Collar

STAINLESS STEEL FREE FLOW POURER

143036 330 Tapered Speed, Chrome Plated PLASTIC ECONOMY FREE FLOW POURERS WITH SCREEN

143037 35R Red Plastic 143038 35BK Black Plastic

SCREEN 'EM™ PLASTIC FREE FLOW POURERS W/SANITARY SCREEN

87680 Clear/Black Collar 295 143083 295X Smoke/Black Collar







#### Store 'N Pour® Drink Mix Container

- Complete unit including neck and container, pouring spout and cap
- Backup unit includes cap and container
- Dishwasher safe

CASH-WA#

140772

MFG#

101

• White container and neck, assorted lid and spout colors

CASH-WA # MFG # DESCRIPTION

140285 PS601N-00 Quart Complete





#### **Condiment Holder**

140756

- Black ABS plastic with clear polycarbonate lid



**DESCRIPTION** 

Black

102

(6) 1-Pint Compartments

#### **Manual Glass Washer**

- All plastic construction prevents chips and helps seal out moisture
- Positive-suction molded plastic base
- Black bristles



CASH-WA# MFG# 111480 40461-03



#### UltraLiner™ **Shelf Liner**

- Mesh pattern allows for thorough drainage
- Provides skid resistance and high impact absorption to minimize glassware breakage
- Improve hygiene by keeping glassware apart from bacteria breeding surfaces





CASH-WA# 143098

MFG# UL5105 DESCRIPTION 2' x 10', Black

## **Bar Service Mat**



CASH-WA# 143097

143095

143096

MFG# 1218BK **DESCRIPTION** 12" x 18", Black

#### **Single Speed Rails** Stainless steel

Holds quart/liter bottles



5122

5132

## **Speed Rails**

20 gauge stainless steelAvailable in single and double tier styles

Keyhole mount



MFG # SINGLE TIER	DESCRIPTION	MFG # DOUBLE TIER	DESCRIPTION
S-24	24" long	D-24	24" long
S-30	30" long	D-30	30" long
S-36	36" long	D-36	36" long
S-48	48" long		-

## **Overflow Pipes**

• Includes rubber grommet

CASH-WA# MFG# 141114 C-11 141112 23-155

**DESCRIPTION** 1" OD, pk 6 11/4" OD



KRÖWNE



## **Bar Mop Towel**

- 100% high grade absorbent cotton
- Unique "narrow-ribbed" construction
- Cs Pk 1 dz

CASH-WA# DESCRIPTION MFG# 700BRT28 141323 16" x 19", 28 oz



22" long

32" long

#### **Royal Series Ice Bins**

- Stainless steel construction
- Foamed-in-place polyurethane insulation
- Cold plate units have soda line access and plate sealed into bottom of ice bin
- 1" IPS drain connection



**DESCRIPTION** MFG# KR19-24 24"w, 74 lb Ice Capacity KR19-30 30"w, 92 lb Ice Capacity KR19-36 36"w, 110 lb Ice Capacity

WITH 10-CIRCUIT COLD PLATE KR19-24-10 24"w, 74 lb Ice Capacity KR19-30-10 30"w, 92 lb Ice Capacity KR19-36-10 36"w, 110 lb Ice Capacity







#### **Royal Series Underbar Sinks**

- Stainless steel construction
   10" x 14" x 10"d sink bowls
   Stainless steel reinforced drainboard(s) with welded braces
   1½" IPS drain
   Royal Series wall mount faucet and drains with overflows included

4-COMPARTMENT **KR19-64C** 72 **KR19-74C** 8

#### **Royal Series** Freestanding **Drainboards**

- Stainless steel construction
- Reinforced drainboard with welded braces every 6"
- 1" IPS drain





MFG# **DESCRIPTION** KR19-GS24 24"w x 19"d KR19-GS30 30"w x 19"d KR19-GS36 36"w x 19"d KR19-GS48 48"w x 19"d





## **Royal Series Blender Dump Sinks**

- Stainless steel construction
- 7" deep bowls
- 1/2" hot and cold water supply lines
- 1" IPS drain connection
- 4" center wall mount Royal Series faucet

MFG# DESCRIPTION

KR24-12BD 12"w x 24"d, 10" x 12" Bowl KR24-18BD 18"w x 24"d, 10" x 14" Bowl





(NSF.)

### **Glass Storage Cabinets**

- Stainless steel construction
- Open front base for glass storage
- Drainboard top with built-in drain
- Holds 20" x 20" glass racks
- 24"w x 24"d

DESCRIPTION

A. KR24-GSB1 Adjustable Slides, Holds 3 Racks B. KR24-GSB3 Middle Shelf, Holds 2 Racks





#### **Vertical Channel Booths**

- Made in the USA and built tough for heavy commercial use
- Hardwood frame with 5-year warranty
  Removable seat with elastic webbing on bottom (no springs to break)
- Crumb strip standard on back of seat
  Available heights: 36", 42", 48", 54" and beyond
- Any length and shape available
  1000's of vinyl and cloth choices mix and match
- colors for a custom appearance

   Available options include: diamond and square tuft, wood trim or pull-over style (no trim)
- Wood legs also available







Pull-Over Style Booth



Booth with Custom Wood Arch



Half Round Booth with Custom Trim

## **Tabletops**

- All tabletops are completely handcrafted and built to your specific needs
- Many types of wood to choose from with endless stain options

  Many other materials to choose from
- including laminate, formica and faux-granite
- Lots of edge and corner styles to choose from
- Made in the USA and built tough for heavy commercial use



Faux-Granite





Hand Carved Knotty Alder

Solid Oak Edge with Oak Inlay




Solid Oak Edge with Oak Veneer










## **Bar Stools & Seating**

- 1000s of vinyl and cloth choicesMix and match with any base
- High quality, commercial vinyl over a sturdy steel frame
- High density foam for lasting comfortHigh quality tilt swivel
- Powder coated base
- Lifetime warranty on steel frame under the vinyl









#### Traditional® Solid Turners

- The warmth and feel of a real wood handle
- Individually ground and honed edge
- Natural Rosewood handles with brass compression rivets
- 8" x 3" offset blade

<ul> <li>Made in USA</li> </ul>		
CASH-WA # 141523	MFG # S8698PCP	D G
141524	LS8698PCP	T
141525	S8698SQ-PCP	Н

#### ESCRIPTION

irill Turner

urner, Long Handle, 20"l OA lamburger Turner, Square End

## **SOFGRIP® Slicer & Shears**

- Soft rubber grip reduces stresses
- Stain-free, high-carbon steel blades



CASH-WA # MFG #

140188 SG140-14WGEB-PCP 140205 SGS01B-CP

Duo-Edge Slicer, 14" Blade Kitchen/Poultry Shears

#### SANI-SAFE® Sharpener

- Tungsten carbide cutting heads
- Just 3 or 4 strokes and it's sharp
- · Left or right-handed sharpening









#### **Cutting Boards**

- Color coded system reduces the risk of cross-contamination
- Polyethylene won't chip, crack, peel or warp
- Easy to clean dishwasher safe
- ½" thick





### **Acero Advanced Forged Professional Cutlery**



(NSF.)

• True forged blade; one piece full tang steel forged from high carbon German steel

• Ergonomic black POM handle

CASH-WA#	MFG#	DESCRIPTION
141582	KFP-35	Paring Knife, 31/2" Blade
141583	KFP-50	Utility Knife, 5" Blade
141587	KFP-80	Chef's Knife, 8" Blade
141588	KFP-100	Chef's Knife, 10" Blade
141585	KFP-70	Santoku Knife, 7" Blade
141584	KFP-61	Boning Knife, 6 Blade
141590	KFP-102	Fish/Roast Slicer, Granton Edge,
		10" Blade
141587	KFP-82	Bread Knife, 8" Blade
141592	KFP-83	Bread Knife, Offset, 8" Blade



#### V-LO® Professional Cutlery



- Patented state-of-the-art handle design
- Soft comfort with solid handle control
- DEXSTEEL™ stain-free, high-carbon steel blades, individually ground and honed
- Protective finger guard
- Made in USA



	CASH-WA#	MEC #	DESCRIPTION
	CASH-WA#	IVIFG #	
Α.	141498	V105PCP	Paring Knife, 3½" Blade
В.	141516	V136F-PCP	Boning Knife, Flexible, 6" Blade
C.	141518	V156SC-PCP	Utility Knife, Scalloped, 6" Blade
D.	141520	V144-7GE-PCP	Santoku Chef's Knife, Duo-Edge, 7" Blade
	141514	V145-8PCP	Chef's Knife, 8" Blade
E.	141499	V145-10PCP	Chef's Knife, 10" Blade
F.	141513	V163-9SC-PCP	Sandwich Knife, Offset Scalloped, 9" Blade
G.	141522	V147-10SC-PCP	Bread Knife, Scalloped, 10" Blade
H.	141521	V140-12SC-PCP	Roast Slicer, Scalloped, 12" Blade
I.	141515	V140-12GE-PCP	Roast Slicer, Duo-Edge, 12" Blade

## **Cutting Board Refinisher**

- Removes bacteria-harboring scratches and cuts
- Dishwasher safe



CASH-WA# D78902

MFG# 1178902



#### The Protector™ Cut-Resistant Gloves

- · Seamless knit weave is designed for comfort and safety for either hand
- Tactile material prevents cuts and slippage during knife washing
- Stainless steel core, polyester and vinyl FDA/USDA material
- Hand or machine washable



CASH-WA# 140708 **GLOVE2** 140709 140721

**GLOVE3** GLOVE4 **GLOVE5**  Small, Yellow Cuff Medium, Green Cuff Large, Blue Cuff X-Large, Black Cuff

## Sparta® Potato Brush

- Stiff polyester bristles for aggressive cleaning along with a unique scraper edge grip for removing hard to reach blemishes on potatoes and other firm vegetables
- White bristles

140774



CASH-WA# 143147

MFG# 40412-02

**DESCRIPTION** 53/4" long

## Sparta® Vegetable Brush

 Crimped white polyester bristles set in heavy gauge steel wire

 Plastic handle and a large hang-up hole



CASH-WA# 143146

MFG# 40164-02 DESCRIPTION 91/2" long

## Firm Grip® Peeler

- Patented, ergonomic soft grip black handle
- Non-slip grip provides comfort and safety
- Made of durable stainless steel
- Dishwasher safe



CASH-WA# 143143

MFG # E5601

DESCRIPTION Straight Edge



CASH-WA# 140245

MFG# 3005

**DESCRIPTION** 21/2" x 23/4" x 10"



#### Tomato King® Scooper



## **Measuring Spoon Set**

- Made of stainless steel
- Sizes: ¼, ½, 1 tsp, 1 Tbsp





CASH-WA # MFG # 141392

**DESCRIPTION** 

MSPD-4X

4-Piece Set

## **Measuring Cup Set**

- Made of stainless steel
- Cup sizes: 1/4, 1/3, 1/2 and 1 cup





CASH-WA# 141393

MFG#

MCP-4P

DESCRIPTION 4-Piece Set

## winco

#### **Dredge**

Made of stainless steel



CASH-WA# MFG# 140538 DRG-22H

**DESCRIPTION** 



## **Camwear® Measuring Cups**

- Graduations imprinted in red on one side for US standard and blue on the other for metric
- Full size molded-in handle
- · Resists stains and odors
- Dishwasher safe

CASH-WA# MFG# DESCRIPTION 141176 25MCCW-135 1 Cup 140541 50MCCW-135 1 Pint 100MCCW-135 140546 1 Quart 200MCCW-135 140547 2 Quart 140548 400MCCW-135 4 Quart

## Camwear® Shaker/Dredge w/Lid

- Break-resistant clear CamView® high impact material for easy identification
- Salt and pepper lid





CASH-WA# MFG# 140639 96SKRD135 **DESCRIPTION** 10 oz

## **Dredges**







• "Molded into-the-handle" hook

 Soft flagged bristles are molded into handle to prevent bacteria harboring air pockets

CASH-WA# 140604

140605

MFG# 40401-02 40379-00 DESCRIPTION

2" wide, White Nylon Bristles

3" wide, Boar Bristles

## **CARLISLE**

## Sparta® Chef Series™ **Basting Brushes**

Wood handled

• Epoxy-set boar bristles can withstand temperatures of 500°F

CASH-WA # MFG #

B.

A. 140562 40373-00 140564 40374-00 140566 40375-00

DESCRIPTION

11/2" wide 2" wide 3" wide

## Sparta® Chef Series™ **Pastry Brushes**

- Hardwood lacquered handle
- Epoxy-set white nylon bristles, brown plastic ferrule





CASH-WA # MFG # 140558

40397-00 B. 140567 40398-00

## DESCRIPTION

#### 2" wide 3" wide

## Silicone Basting Brushes

- · Unique bristle design carries and spreads liquid better than ordinary silicone basting brushes
- Red color-coding for high heat cooking applications; withstands temperatures up to 500°F
- Convenient molded-in hanging hook grabs pan edges to keep brush from sliding in
- Stain and odor resistant
- Dishwasher safe

CASH-WA# MFG# 141495 40403-05 2" wide 141496 40405-05 3" wide



#### **Pastry Bag**

 Canvas exterior with plastic-coated interior

CASH-WA# 141417

MFG# **PRC-18**  DESCRIPTION 18" long

winco



## **Decorating Tip Set**

- Stainless steel
- Rust resistant

CASH-WA# MFG# 141418

CDT-24

DESCRIPTION 24 Pieces



### Icing/Cooling Grate

• Built-in feet

CASH-WA# 143200

MFG# **DESCRIPTION** ICR-1725 161/4" x 25"



#### **Pom Tongs**

Stainless steel



CASH-WA# MFG#


141422 PT-6 141423 PT-9

DESCRIPTION

## winco<sup>®</sup>

#### **Non-Slip Utility Tongs**

 Stainless steel with black texturized non-slip polypropylene handles



CASH-WA# 141428

141429

141430

MFG# UTPH-9K UTPH-12K UTPH-16K DESCRIPTION 12" 16"

#### **Potato Masher**

- Round head
- Wooden handle



141440

DESCRIPTION



# **China Cap Strainers** Heavy gauge 18/8 stainless steel Permanently welded handle, band and clip 10" dia x 10"d x 20"l CC-10-C CC-10-F











#### **Economy Mixing Bowls**

Stainless steel

CASH-WA#	MFG #	DESCRIPTIO	ON
140743	MXB-300Q	3 qt	
140744	MXB-400Q	4 qt	•
140745	MXB-500Q	5 qt	
140746	MXB-800Q	8 qt	
140740	MXB-1300Q	13 qt	
140747	MXB-1600Q	16 qt	

#### **Colanders**

- Stainless steel
- Tapered sides, sturdy rounded handles and footed base



CASH-WA#	MFG#	DESCRIPTION
141455	COD-5	5 qt, 115⁄⁄8" dia
141456	COD-8	8 qt, 131/4" dia
141457	COD-14	14 qt, 161/4" dia

# winco

# **Heavy-Duty** Colander

- Aluminum
- Riveted handles for added strength and easy transport



CASH-WA # MFG # **140732 ALO-16BH** 

DESCRIPTION 16 qt , 16½" dia

#### **One-Piece Portioners**

- One-piece construction
- 1.2 mm thick stainless steel
- Color-coded handles for easy size selection



PRIME



CASH-WA # MFG # DESCRIPTION 141290 BHKS-21 21" long

#### **One-Piece Ladles**

Stainless steel

CASH-WA#	MFG #	DESCRIPTION
141399	LDI-0	½ OZ
141411	LDI-1	1 oz
141412	LDI-2	2 oz
141413	LDI-3	3 oz
141414	LDI-4	4 oz
141415	LDI-6	6 oz
141416	LDI-8	8 oz
		17.0

#### **Color-Coded Ladles**

 One-piece stainless steel with coated handles



#### **Spatulas**

· Molded design forms a sanitary seal, preventing bacteria from growing and making cleaning a breeze

Dishwasher safe



#### **High-Heat Spatulas**

- Heat resistant to 500°F
- Silicone blade with nylon handle
- Dishwasher safe

CASH-WA#	MFG#	DESCRIPTION
SPOON-SHA	PED	
139017	1865	10" long
139018	1866	14" long
139019	1867	16" long
FLAT		
139012	1862	10" long
139013	1863	14" long
139016	1864	16" long

#### Ice Cream Spade

- Stainless steel blade
- Black plastic handle

CASH-WA# MFG# DESCRIPTION 141175 47165 9" lona

#### **Round Squeeze Dishers**

- Constructed entirely of stainless steel
- Blade extends beyond bowl to prevent sticking
- · For use with either left or right hand
- Not recommended for use with ice cream, frozen foods or other hard food products

DESCRIPTION CASH-WA# MFG# 140521 47158 #50, 5⁄8 oz 140518 47160 #70, ½ oz



#### Squeeze Disher/ **Portioners**

**ISS-10** 

# **Thumb Press Dishers**



#20, 2 oz, Yellow

#24, 13/4 oz, Red

#30, 11/4 oz, Black

#40, 7/8 oz, Purple

#### **Color-Coded** (NSF.) **Squeeze Dishers**

- Perfect portion control
- For use with either left or right hand Not recommended for use with ice cream, frozen foods or other hard food products

2120

2124

2130

2140



140511

140513

140515 140517



#### **Plastic Spatula &** SoftSpoon™ Utensils

- Spatulas have a contoured flexible blade for use with any shape container
- SoftSpoon<sup>™</sup> has spoon shaped blade for convenient scooping of food products
- Flexible blade retains its shape up to 212°F
- Dishwasher safe







#### **Aluminum Scoops**



CASH-WA#	MFG #	DESCRIPTIO
142024	612	12 oz
142030	624	24 oz
140544	658	58 oz
140537	685	85 oz



# Camwear® Scoop

- Made of clear Camwear® polycarbonate
- Molded-in, sure grip handle with hanging hole
- Dishwasher safe





CASH-WA#

140098

MFG# SCP64CW-135 DESCRIPTION

64 oz

#### **Polycarbonate** Scoops

- Easy-grip handleHole for hangingDishwasher safe



4332-07




#### **Stainless Steel Scoop**



CASH-WA# MFG#

140658 512 DESCRIPTION

4 oz



# Rapi-Kool® Cold Paddle

- Fill with water and freeze
- Helps cool soups, stews and other hot liquids safely and quickly
- Dishwasher safe
- Blue



CASH-WA# 140989

MFG# RCU64 DESCRIPTION 64 oz





#### Saf-T-Ice® Tote

- Tri-grip design for easier, more controlled handling
- Reduce back injuries and transport ice with ease
- HACCP Hanger™ attaches tote to ice bin for faster, easier filling
   Durable polycarbonate material
- Integrated hook for hanging upside down to dry
- Dishwasher safe
- Clear Blue



CASH-WA# #88372

MFG# SI6000 DESCRIPTION 6 Gallon



(NSE)

#### **Plastic Pump Kit**

• Includes a 1 oz pump, one 9" dip tube and 5 caps, size 38mm, 89mm, 110mm, NT110mm snap cap and 160mm snap cap





CASH-WA# 140650

MFG # 662K

DESCRIPTION 1 oz Pump Kit



#### **Squeeze Dispensers**

- · Soft molded polyethylene construction
- PerfectFlex<sup>™</sup> for faster prep

CASH-WA#	MFG #	DESCRIPTION
140110	112C-1	12 oz, Natural
143102	112K-1	12 oz, Red
143103	112M-1	12 oz, Yellow
140111	124C-1	24 oz, Natural



#### InvertaTop™ ValveTop™ Squeeze Dispensers



#### **Poly Tuf™ Crock**

- Resilient polypropylene resists chipping and cracking
- 32° to 180°F temperature range, dishwasher safe
- Translucent snap on lid included







CASH-WA# MFG# 140586 0302-06 140588 0311-30

DESCRIPTION Crock, 2.7 qt, Beige Replacement Lid, Fits 1.2 qt

#### **Classic™ Crocks** with Lids

- Thick-walled heavy weight design made of high quality SAN
- Excellent chemical resistance to food acids, dressings
- · High gloss finish is scuff resistant
- 0° to 180°F temperature range
- Dishwasher safe









# WideMouth™ Squeeze Dispensers



- Wide opening (63mm) for easy loading and thorough cleaning
- · Soft polyethylene will not leak
- Standard tip cap
- Natural

DESCRIPTION CASH-WA # MFG # 140112 11663C 16 oz 140113 12463C 24 oz

#### **All Purpose Dispenser**

- Polyethylene jar
- Almond ABS top
- Dishwasher safe





CASH-WA # MFG # 140458

**DESCRIPTION** 

748A 48 oz

#### Salt & Pepper **Refillers**

- Saves labor
- No messy cleanup
- ½ gallon capacity



CASH-WA# 140618

140619

MFG# 90S 90P



DESCRIPTION Salt Refiller Pepper Refiller



Stainless steel



CASH-WA# MFG# 141389 CO-302





#### **Hamburger Press**

- Aluminum
- Adjustable patty thickness



CASH-WA# MFG# 659000

HP-4

DESCRIPTION 41/2" dia



- · Meats cook faster without curling Wood handle stays cool
- 81/4" x 41/4" w x 21/2" h



140534

MFG#





#### **Pail Opener**

- Cast aluminum
- · Opens pails and buckets quickly and easily

DESCRIPTION CASH-WA# MFG# 140682 16"l x 5"w 15



#### **Manual Patty Presses**

- Anodized aluminum base with stainless press bowls and press plate
   Heavy-duty, single-level
- press handle

  Detachable paper holder

  1-year replacement
- replacement parts warranty







#### Traex® Batter Boss® **Portion Control Dispenser**

- Easily dispense pancake, waffle or hush puppy batters
- Eight portion control settings dispense from 1-3 ounces
- Comes with a clear lid to help reduce the risk of food contamination
- Made in the USA



CASH-WA# MFG# **DESCRIPTION** 113703 2803-18 Holds up to 48 oz

#### Swing-A-Way **407 Series Can Opener**

- All steel construction
- · Razor-sharp, high-carbon steel cutting wheel provides skip-proof, smooth, easy cutting
- Built-in bottle opener
- White ergonomic handles

CASH-WA# 140683

MFG#

407WHFS



#### "Old Reliable®" **Manual Can Openers**

- Tough cast iron construction
- Tempered steel reversible knife
- · Steel-plated table base with plastic insert
- Rust-resistant arbor
- · Made in the USA



CASH-WA #

140684

141548

140686

141549



# TAYLOR SWING-A-WAY

#### **Swing-A-Way Extra Easy-Crank Can Opener**

- All steel construction
- · Large crank handle to make it easier to open cans by providing a more secure grip
- Extra long, soft-cushion grip handles for maximum comfort, control and less fatigue
- Built-in bottle opener

CASH-WA# 140044

MFG# 6090FS



#### Edvantage™ #1® Manual Can Opener

MFG #

KT1100

KT1200

#2

- Large ergonomic knob provides comfort and reduces operator fatigue

  Tool-free disassembly for easy cleaning
- and part replacement
- Made in the USA

DESCRIPTION

Up to 50 per Day

Up to 15 per Day

1° Opener for Cans up to 7" Tall,

Knife & Gear Replacement Kit for #1°

Knife & Gear Replacement Kit for #2®

#2® Opener for Cans up to 11" Tall,

139042 EDV-1KT



# **NSF Manual Can Opener**

- · Easily disassembled for cleaning and maintenance
- Opens up to 50 cans per day
- Stainless steel knife, shaft and gear
- Nickel-plated base
- 16" bar length
- Made in USA

CASH-WA# 142026 142143

MFG # U-12

DESCRIPTION Can Opener KT1415

S/S Knife &

Gear Replacement Kit

(NSE)



# **G Series Manual Can Opener**

- Stainless steel knife and gear
- Base eliminates metal-to-metal wear and enhances can opener performance
- Stainless steel reversible blade for longer life
- · Welded stainless steel shaft
- Base design features a replaceable insert for tighter and smoother action
- 16" bar length
- Made in USA

CASH-WA# 142029

MFG# G-2


**DESCRIPTION** Up to 15 Cans per Day

#### Electric Can Openers

- Spring-loaded mechanism opens
- Durable stainless
- Replaceable knife and gear







**DESCRIPTION** 

2 Speed Knife & Gear Repair Kit

#### Roasting **Thermometer**

- 120° to 200°F/49° to 93°C
- Accuracy: ±2°F
- 2½" dia dial with pointer
- 6" stem

CASH-WA# MFG# 746101 323-0-1





### **COOPER-ATKINS**

#### **Grill Surface Thermometer**

- 100° to 600°F/50° to 300°C
- Accuracy: ±25°F/±12°C
- Cast aluminum construction
- HACCP reference dial face
- 2½" dia dial
- Unique grips for easy removal from hot grill surface

CASH-WA# MFG# 746075 3210-08





COOPER-ATKINS

#### Candy/Jelly/Deep **Fry Thermometer**

- 200° to 400°F/90° to 200°C
- Accuracy: ±5°F
- · Can be used for candy/jelly making
- 2½" dia with pointer
- 6" stem w/adjustable vessel clip

CASH-WA# MFG# 746200 322-01-1



#### **Oven Thermometer**

- 100° to 600°F/50° to 300°C
- Accuracy: ±25°F/±12°C
- 2" HACCP color zoned dial
- Helps meet HACCP guidelines

(NSF.)

(NSE)

- Stainless steel construction
- Hangs or stands

CASH-WA# MFG# 746055 **24HP** 



**COOPER-ATKINS** 

#### **Refrigerator/ Freezer Thermometer**

- -20° to 80°F/-30° to 30°C
- Accuracy: ±2°F/±1°C
- 2" HACCP color zoned dial
- Helps meet HACCP guidelines
- Stainless steel construction
- · Hangs or stands

CASH-WA# MFG# 25HP-01-1 746015



# **Digital Refrigerator/ Freezer Thermometer**

- 22° to 122°F/-30° to 50°C
- Accuracy: ±1°F/±0.5°C
- FDA approved ABS plastic housing and frame with antimicrobial protection
- 3/4" LCD display
- Hangs or stands
- · Guaranteed accurate for life

CASH-WA# MFG# 141309 2560










#### **Digital Thermocouple Thermometer**

• 1.5mm dia folding stepdown probe Accuracy: -40° to 212°F is ±2°F;

- 212° to 572°F is ±3.69°F
- Field recalibratable
- · Large easy-to-read display
- 2 AAA batteries included





DESCRIPTION -40° to 572°F/ -40° to 300°C

(NSE)

#### **TempRite Refrigerator/ Freezer Thermometer**

- Propylene glycol filled for more accurate readings
- Accuracy: ±2°F/±1°C
- · Bright blue, red and green graphics with safe temperature zone indicators
- Stands or hangs

CASH-WA # MFG # 141329 5927

DESCRIPTION


-20°F to 60°F/-30°C to 30°C






#### Refrigerator/Freezer **Thermometers**

- · Non-toxic spirit filled glass tube
- Accuracy: ±2°F
- #746000 hangs or permanently mounts
- #914802 has CWD logo





NSF



CASH-WA# MFG# **DESCRIPTION** 

A. 746000 -40° to 80°F/-40° to 25°C, 5" Tube 335 B. 914802 -40° to 120°F/-40° to 50°C, 3" Tube 330

#### **Digital Pocket Test Thermometer** with Temperature Alarm

- -40° to 450°F/-40° to 232°C
- Accuracy: ±2°F/±1°C
- 4¾" stem length
- 1.5V
- Dishwasher safe
- Auto shut off
- Waterproof
- Extra battery included
- Guaranteed accurate for life









DFP450W-0-8



**EMERSON** 

**COOPER-ATKINS** 

#### **Digital Pocket Pen Style Thermometer**

- -40° to 392°F/-40° to 200°C
- Accuracy: ±2°F/± 1°C
- 2¾" stem length
- Auto shut off
- Waterproof
- Reduced tip for <6 second response time

Guaranteed accurate for life







CASH-WA# 141310

MFG# DPP400W



- Combination pocket sheath and adjustment tool



CASH-WA#

1246-03-1

50° to 550°F, Accuracy ±5°



(NSE



- -27° to 428°F/-33° to 220°C
- Accuracy: ±4°F/±2.0°C
  Distance to spot ratio: 1:1

- -67° to 626°F/-55° to 330°CAccuracy ±2°F/±1°C



- Accuracy: 2%
- Distance to spot ratio: 1.1 Lock/Min/Max/Hold functions
- Lanyard and battery included

CASH-WA# 141898

MFG# 470



**COOPER-ATKINS** 



# **Digital Cooking** Probe/ Thermometer/

- View desired internal cooking temperatures without opening the oven door
- Tracks the cooling rate of foods to help ensure proper cool down
- View timer countdown, actual temperature and preset temperature at the same time
- Memory feature
- 21/4" x 11/2" LCD
- Accuracy: ±4°F/±2°C (from 32° to 104°F/0 to 40°C), ±6°F/±3°C (from 105° to 158°F/41° to 70°C), ±9°F/±4°C (from 159° to 266°F/71° to 130°C)

(€

CASH-WA# 141899

MFG# DTT361-0-8 DESCRIPTION

32° to 392°F / 0° to 200°C



#### **Probe Wipes**

- Cleans and sanitizes thermometer probes to avoid cross-contamination
- Each wipe contains 70% isopropyl alcohol
- Designed for single use

CASH-WA# MFG# 746305 9150-0-8



**COOPER-ATKINS** 



#### **Digital Dishwasher Temperature Plate**

- Designed for use in commercial dishwashers to accurately measure the surface temperature of water
- FDA Food Code compliant for sanitization
- IP67 rated and NIST-Traceable Certificate included
- Accuracy: ±1.8°F/±1°C





CASH-WA# MFG# 139141 8791

DESCRIPTION 32° to 194°F/0° to 90°C



#### **Digital Portion Control Scale**

- 7.15" x 7.15" stainless steel platform with marine edge
- Fully sealed sub platform
- Tare, hold, auto and manual off features
- AC adapter (included) or 2 AAA batteries (not included)
- Large 0.9" easy-read LCD display
- · Low battery indicator and overload indicator
- Field recalibrateable
- 1-year warranty

CASH-WA# MFG# 140039 TE22FT DESCRIPTION 22 lb x 0.1 oz/10 kg x 1 g



#### **Portion Control Scales**

- Stainless steel construction
- Rotating dial, dual read
- · Easy to read, angled dial with bold graphics
- Protective shatter-proof lens
- Spacious, removable platform

**TAYLOR** 



CASH-WA# MFG# **DESCRIPTION** A. 140581 TS32 32 oz x 1/4 oz/900 g x 5 g B. 140069 TS5 5 lb x  $\frac{1}{2}$  oz/2.2 kg x 20 g C. 140084 TS25KL 25 lb x 2 oz/11 kg x 50 g

#### **Digital Timer**

- · Volume control dial can be adjusted up to 90 decibels
- A red light flashes as the alarm goes off
- Large LCD
- · Automatically counts up once the time has elapsed, allowing you to know how long it has been since the timer went off
- Non-skid rubber feet
- Uses (4) 1.5V AAA batteries

CASH-WA# MFG# 139163 FT24-0-3



#### **Manual Kitchen Timer**

- 60-minute timer
- Stainless steel construction
- Non-skid feet
- Easy to read dial
- One-handed operation
- Bell rings for 8 seconds

CASH-WA# MFG# 140580 TM60-0-8







#### **Digital Kitchen Timer**

- Four different color-coded timer mode stations
- 3" x 3" LCD display
- 99 hours/59 minutes
- (4) 1.5 volt, "C" HD batteries included
- Optional AC adaptor #9374 available

CASH-WA# MFG # 141241 TFS4



#### Call Bell

- back of the house





CASH-WA # MFG #






#### **Order Racks**

- Aluminum
- An essential tool for every restaurant

CASH-WA # MFG # DESCRIPTION 140995 5524 24" long 140996 5536 36" long



#### Arkadia™ Cookware

 Arkadia™ Cookware offers a complete collection of aluminum frying pans, sauce pans and stock pots to meet the demands of your kitchen

(NSF.)

Constructed of 3000 series aluminum with riveted handles

#### Arkadia™ Fry Pans

- Available in natural and non-stick finishes
- Non-stick coating made without PFOA
- Optional silicone grips are heat-resistant up to 400°F - sold separately



NATURAL FINISH

CASH-WA# MFG# DESCRIPTION 141256 7007 7" dia 141258 7008 8" dia 141261 7010 10" dia 141263 12" dia 7012 141266 7014 14" dia



NON-STICK COATING CASH-WA # MFG #

DESCRIPTION 141255 N7007 7" dia 141257 N7008 8" dia 10" dia 141259 N7010 141262 N7012 12" dia 14" dia 141264 N7014

# Arkadia<sup>™</sup> Stock Pots & Covers

 Ideal for preparing stocks, soups, and liquids

• 6 gauge

#### STOCK POTS

CASH-WA # MFG # 141268 7303 141267 7305 141270 7306

141270 7306 141269 7310 COVERS

141271 7389 141272 7393 141273 7351C Fits 12 qt Stock Pot Fits 20 & 24 qt Stock Pots Fits 40 qt Stock Pot

(NSE)

**DESCRIPTION** 

12 qt 20 qt

24 qt

40 qt

#### Arkadia™ Sauce Pans & Covers

- Ideal for sauces, broths, stocks and more
- 3000 series aluminum
- Natural finish

#### SAUCE PANS

CASH-WA# MFG# DESCRIPTION 141254 7341 1½ qt 2¾ qt 141253 7342 141252 7344 4½ qt 141251 7347 7 qt COVERS

 141276
 7341C
 Fits 1½ qt Sauce Pan

 141277
 7342C
 Fits 2½ qt Sauce Pan

 141278
 7344C
 Fits 4½ qt Sauce Pan

 141274
 7347C
 Fits 7 qt Sauce Pan

(NSF,)



#### **Optio™ Induction Cookware**

- High chrome construction distributes heat quickly and will not pit, discolor or carry flavors
- Aluminum-clad bottom provides quick and even distribution of heat
- Clad bottom is encapsulated by stainless steel to prevent denting and scratching
- Domed cover included
- Induction ready
- Non-stick coating made without PFOA





	CASH-WA#	MFG#	DESCRIPTION
A.	141528	3504	Stock Pot w/Cover, 18 qt
В.	141529	3802	Sauce Pan w/Cover, 2¾ qt
C.	141531	3902	Sauce Pot w/Cover, 6¾ qt
	141532	3903	Sauce Pot w/Cover, 10 qt
	141534	N3808	Fry Pan, Non-Stick, 8" dia
D.	141535	N3809	Fry Pan, Non-Stick, 9½" dia
	141536	N3811	Fry Pan, Non-Stick, 11" dia
E.	141530	3809	Fry Pan, Natural Finish, 9½" dia



#### **Countertop Induction Range**

- Touch pad control with six temperature levels: 150° to 450°F
  Digital timer with repeat time selection from 0 to 170 minutes







- Pizza Peel Aluminum
- 12" x 14" blade
- 34" long OA



MFG# APP-36



#### **Pizza Screens**

Aluminum



CASH-WA#	MFG#	DESCRIPTION
141448	APZS-10	10" dia
141449	APZS-12	12" dia
141450	APZS-14	14" dia
141451	APZS-16	16" dia



#### **Pizza Trays**

 Aluminum with a wide rim

CASH-WA#	MFG#
141445	APZT-13
141446	APZT-15
141447	APZT-16




DESCRIPTION 13" dia 15" dia 16" dia

#### **DuraPan® Steam Table Pans and Covers**

- 18/8 stainless steel steam table pans will not jam together during storage
- Double reinforced corners and unique impact-resistant edge design
- Tapered pans fit standard food pan templates and will stack or nest with most other leading brands of food pans
- Spoonable<sup>™</sup> bottoms allow easy access to food and makes clean up easier
- Go from freezer to oven to serving line; ideal for cook-chill operations
- 24 gauge









CASH-WA	MFG #	DESCRIPTION
SLOTTED C	OVERS	
140320	607120CS	Fits Half Size Pans
140319	607130CS	Fits Third Size Pans
140326	607140CS	Fits Fourth Size Pans
140339	607160CS	Fits Sixth Size Pans
140388	607190CS	Fits Ninth Size Pans
SOLID COV	ERS	
140308	607000C	Fits Full Size Pans
140313	607120C	Fits Half Size Pans
140318	607130C	Fits Third Size Pans
140325	607140C	Fits Fourth Size Pans
140337	607160C	Fits Sixth Size Pans
140387	607190C	Fits Ninth Size Pans





#### **Aluminum Sheet Pans**

- Seamless one-piece drawn construction
- Fits standard bakers racks
- Tapered to nest and stack easily
- · Rounded corners for easy cleaning
- 18 gauge





CASH-WA # 140376 140378

MFG # **18-8A-13** 

18-8A-13 18-8A-26 DESCRIPTION Half Size, 18" x 13"

Full Size, 26" x 18"

#### **Sheet Pan Covers**



- Polypropylene construction
- Protect food products during transport or storage
- Snap-on, reusable alternative to film or foil
- Dishwasher safe



CASH-WA # MFG # DESCRIPTION
130144 CXP-1013 Quarter Size, 10" x 13"
130146 CXP-1318 Half Size, 13" x 18"
130147 CXP-1826 Full Size, 18" x 26"



#### Wire Grate

- Footed grate elevates food to prevent sticking to bottom of full-size steam pans
- · Can also be used as a cooling or icing rack



CASH-WA # **141452** 

MFG # PGW-1018 DESCRIPTION 10" x 18"

#### Bake Pan w/Drop Handle

Aluminum





CASH-WA # **141453** 

MFG # ALBP-1218 DESCRIPTION 11½" x 17¾" x 2¼"

#### **Muffin Pan**

- Aluminum
- 20½" x 14"





CASH-WA # **141454** 

MFG # AMF-24 DESCRIPTION 24 (3 oz) Cups


#### StorPlus™ Polycarbonate Food Pans & Lids

- Reinforced top and bottom corners on both pan and lid helps prevent chipping and cracking
- Spoonable bottom makes removal of contents easier and helps prevent food waste
- Molded-in capacity indicators are listed in both quarts and liters
- Textured non-slip finish on corners, sides, bottom and lid to reduce scratches
- Smooth interior finish makes clean-up easy
- Polycarbonate containers can withstand temperatures from -40° to 212°F
- Food Pan sizes meet specifications for use in food bars and steam tables
- Pans meet EN 631-1 Euro Norm standards for inter-stacking with existing pans
- Dishwasher safe
- Clear (unless noted)





CASH-WA#	MFG #	DESCRIPTION
FULL SIZE - 20	3/4" x 123/4"	
130249	10200B-07	7.6 qt, 2½" deep
130250	10201B-07	12.7 qt, 4" deep
130247	10202B-07	19.4 qt, 6" deep
130104	10210U-07	Universal Lid, Handled
HALF SIZE - 12	3/4" x 103/8"	
130037	10220B-07	3.6 qt, 2½" deep
130026	10221B-07	5.6 qt, 4" deep
130022	10222B-07	8.7 qt, 6" deep
130111	10230U-07	Universal Lid, Handled
130112	10231U-07	Universal Notched Lid, Handled
THIRD SIZE - 12	2 <sup>3</sup> / <sub>4</sub> " x 7"	
130036	10260B-07	2.4 qt, 2½" deep
130025	10261B-07	3.8 qt, 4" deep
130021	10262B-07	5.7 qt, 6" deep
130113	10270U-07	Universal Lid, Handled
130114	10271U-07	Universal Notched Lid, Handled





#### **Carlisle Squares Food Storage Containers**

- Smooth interior finish with spoonable bottom helps prevent food waste, and makes clean-up easy
- · Tight fitting, color-coded lids encourage organization and reduce cross-contamination
- Clear polycarbonate

CASH-WA#	MFG #	DESCRIPTION	
140620	1195007	2 qt	
140621	1195107	4 qt	
140622	1195207	6 qt CARLISLE	
140623	1195307	8 qt	
140624	1195407	12 qt	
140625	1195507	18 qt (NSF.)	
140626	1195607	22 qt	
140640	1197008	Cover for 2 & 4 qt, Forest Green	
140641	1197105	Cover for 6 & 8 qt, Red	
140642	1197260	Cover for 12, 18 & 22 qt, Blue	

#### **Polycarbonate Food Storage Boxes**

0.7 qt, 21/2" deep

1.0 qt, 4" deep

Universal Lid

- Perfect for organizing and storing supplies, inventory,
- Withstands temperatures from -40° to 212°F

30686307

10336U-07

3068707

NINTH SIZE - 63/4" x 41/4"

130038


130023

130119



143190

Half Size, 12" x 18" x 9"d Cover for Half Size



#### Camwear® Round Storage **Containers & Lids**

- Crystal clear Camwear® virtually unbreakable polycarbonate
- Withstands temperature ranges from -40° to 210°F
- Colored graduation marks
- Stain-resistant
- Snap on covers that fit tightly, yet can be easily removed

CASH-WA#	MFG #	DESCRIPTION
142341	RFSCW1-135	1 Quart
142343	RFSCW2-135	2 Quart
142344	RFSCW4-135	4 Quart
142346	RFSCW6-135	6 Quart
142347	RFSCW8-135	8 Quart
143105	RFSCW12-135	12 Quart
143104	RFSCW18-135	18 Quart
143106	RFSCW22-135	22 Quart
142342	RFSCWC1-135	Lid for 1 Quart
142345	RFSCWC2-135	Lid for 2 & 4 Quart
142348	RFSCWC6-135	Lid for 6 & 8 Quart
143107	RFSCWC12-135	Lid for 12, 18 & 22 Quart



#### StoreSafe® Food Rotation Labels

• Both adhesive and label dissolve completely off any container in less than 30 seconds, leaving no sticky residue

 Use for labeling all stored food products, both bulk and prepared, in the cooler, freezer or for dry storage ■ 2" x 3", White



CASH-WA# 104365

MFG # 23SLINB250

DESCRIPTION 250 Labels per Roll



#### "Use By" Dissolving Labels

- Save time and money with a professional food rotation system
- Improve inventory control by serving the freshest food in the kitchen
- Assure health inspectors the kitchen is safe and up to code
- 2" x 3", White

DESCRIPTION CASH-WA# MFG# 104394 DSLBX23R 250 Labels per Box

#### "Use First" Trilingual **Removable Label**

 Helps avoid cross-contamination and ensure customer safety

2" circle, Red

CASH-WA# MFG# DESCRIPTION 104393 RUF2R 500 Labels per Roll

#### **Ingredient Bin**

- · Advanced super clasp lid design makes it easy to scoop ingredients without removing the entire cover
- · Built-in storage holds the included scoop, keeping the handle out of ingredients
- 3" caster wheels with brakes





MFG# **IB-27** 



#### **White Bib Aprons**

- Poly-cotton blend
- 34" x 34"
- 40" ties on each side

CASH-WA# 140680 600024

MFG# 600RAW 600BAW-NP

DESCRIPTION Pencil Pocket No pocket





#### **Front-Of-House Aprons**

- EZ Blend™ poly-cotton blend with matching color, non-tangle ties
- Comes with 3-compartment front pockets - one will hold a computer tablet

CASH-WA# MFG# BIB APRON - 28" X 25"

> 602BAFH-BG 602BAFH-BK

Burgundy Black White

DESCRIPTION

D79477

D79489

D79487



#### 600022 602BAFH-WH WAIST APRONS - 23" X 12" 605WAFH-BK Black



#### **Vinyl Bib Apron**

- · Heavy-weight leather-look vinyl with cotton knit backing
- · Waterproof and fire-retardant
- 25" x 28"



CASH-WA# 140681

MFG# 604VBA-BR **DESCRIPTION** Brown

#### Silicone Pot Holder

- Silver non-stick quilted silicone coating
- Effective but also economical
- Protects to 350°F

CASH-WA# 140705

MFG # 802SPH DESCRIPTION

7" x 7"





#### **BestGuard® Oven Mitts**

- One size fits all
- Protects up to 450°F for 30 seconds
- Fire retardant
- WebGuard™ Gusset between thumb and forefinger for extra comfort and protection
- · Wipes clean with damp cloth
- Tan

CASH-WA# MFG# DESCRIPTION

100400 800FG13 13" 800FG15 D79520 15" 140672 800FG17 17"

#### **Terry Oven Mitt**

- · Made with heavy-duty, institutional grade terry cloth
- Protects to 500°F for 30 seconds
- Machine washable

CASH-WA# 140665

MFG# 817TM

17"



#### Pan Grabber Baker's Pad

- With wrist strap
- Terry cloth outside with a Bestex™ interior steam barrier
- Protects to 400°F for 15 seconds
- Machine washable

CASH-WA#

MFG#

DESCRIPTION

140670 803PG 9½" x 11"



#### **Multi-Stripe Towel**

• 100% cotton terry cloth

CASH-WA# 140660

MFG# **705MSK** 



#### **Herringbone Towel**

- Heavyweight 100% cotton towel
- Smooth, non-linting properties make it ideal for polishing
- · White with Green Stripe

CASH-WA# 140662

MFG# **703HB** 

**DESCRIPTION** 15" x 26"



15" x 26"

#### **Potato Cutter**

- Stainless steel "V" trough
- Nickel-plated cast iron frame and sure grip handle
- · Permanent mounting to table or wall
- French fry cut
- 2-year limited warranty





45682 Wall Hanger Bracket for Cutter



- Serrated blades require up to 50% less force than straight blades while maintaining the food quality
- Pop-in, pop-out thermoset blade is easy to clean, never needs adjustment and will never corrode
- Pusher block with cleaning tool included, which stows in the pusher block assembly
- · Captive fasteners will not get lost in food
- 2-year limited warranty





MFG# DESCRIPTION 55457 Dicer, 1/4" Dice 55458

55470 Replacement Blade Assembly, 1/4" Dice 55471 Replacement Blade Assembly, 3/8" Dice



Dicer, 3/8" Dice

#### Onion King®

· Slices whole onions and other firm vegetables in one stroke for fast production

 Cuts in exact slice thicknesses every time, raising the quality and consistency of menu items

2-year limited warranty





MFG# DESCRIPTION

500N Onion Slicer, 3/16" Slice Onion Slicer, 1/4" Slice 501N

509 Replacement Blade Assembly, 3/16" Slice 510 Replacement Blade Assembly, 3/8" Slice



- · Great for fast-production kitchen, buffet, and bar preparation
- Cuts fruits consistently and predictably for constant high-quality food and drink presentations
- 2-year limited warranty





MFG# **DESCRIPTION** 

808N Wedger w/8-Section Blade Assembly 308 Replacement 8-Section Wedge Blade Assembly 338 Replacement 8-Section Corer Blade Assembly

#### Sectionizers

- · Makes quick work of slicing, halving and wedging a variety of fruits and vegetables- also cores and wedges
- Simple to use and safer than a knife
- Blade cups & plungers are dishwasher safe
- 3-in-1 Unit produces 2 halves, scored into 3 wedges each, so it is very easy to tear apart and eat

MFG # S-101 S-102 S-104 S-103 S-105	DESCRIPTION 4 Wedge 6 Wedge 8 Wedge 6 Slice, 5%" thick 3-in-1 Unit	
Su	<u>nkist</u>	Sunkix
	NSE	

#### **Food Processor**

- Included 3.5 qt batch bowl process soups, sauces, marinades and more, without leaks
- Sealed S-blade locks in bowl when pouring
- Includes: 5/32" slicing disc, 5/32" shredding disc, 5/64" grating disc and detachable disc stem
- Continuous-feed chute for large-volume processing
- Heavy-duty 1 hp motor
- Limited 5-year motor and 2-year parts and labor warranty







DESCRIPTION CASH-WA# MFG# 141479 WFP14SC 3.5 qt





#### nemco FOOD EQUIPMENT

#### Spiral Fry™ **Potato Cutter**

- · Turn potatoes into appetizing, fresh, thin spiral fries
- Easily releases and retracts for fast reloading
- Heavy-duty construction adds durability and long life
- · Mounts securely on any flat surface
- Removes easily for quick cleanup
- Handles up to a 70-count potato

DESCRIPTION MFG# 55050AN Spiral Fry™ 55050AN-G Fine Cut Garnish 55050AN-R Ribbon Fry 55050AN-WR Wavy Cut Ribbon Fry 55050AN-CT Chip Twister, Straight 55050AN-WCT Chip Twister, Wavy





#### **Easy Flowering** Onion™ Cutter

- Takes just one stroke to turn a colossal onion into a flowering favorite
- Adapter base lets you use smaller onions as well
- Sturdy aluminum construction
- · Includes circular cutting tool to remove core

DESCRIPTION Onion Cutter Small Core Cutter, 13/4"



ACCOUNTERED



• Cut mounds of crisp, fresh lettuce in seconds

 Scalloped blades and clean slicing action cut with no crushing and no bruising

 Angled, cast aluminum legs with no-slip feet provide stable cutting platform

MFG# **DESCRIPTION** 55650 1" sq Cut 55650-1 1/2" Slice 2" x 1" Cut (Romaine for Caesar salads) 55650-2

55650-3 1/2" Square Cut ("Chop" salads)

3/4" Square Cut (Larger size "Chop" salads) 55650-6

# Food Chopper

- Makes quick easy work of chopping vegetables and fruits
- 18/8 stainless steel construction with plastic base
- Zigzag-shaped blade rotates to dice
- 0.5 mm thickness blade

CASH-WA# MFG# DESCRIPTION 141480 FCS-3 3" dia



#### **Easy-Slicer**™ **Vegetable Slicer**

 In seconds, produce mounds of uniformly sliced fresh vegetables, fruits and more with minimal training and big savings in time and labor!

 Stainless steel blades stay razor sharp



MFG# DESCRIPTION

55200AN Adjustable Slice Thickness of 1/16" to 1/2"

#### **Easy Tomato Slicer™**

- Compact size saves valuable work space
- Razor-sharp S/S blades cut with trouble free precision
- Vertical handle and protective guards
- · High-density polyethylene slide board



TOMATO SLICER

MFG# **DESCRIPTION** MFG# **DESCRIPTION** 55600-1 3/16" Slice 466-1 3/16" Slice, (set of 13) 55600-2 1/4" Slice 466-2 1/4" Slice, (set of 10) 55600-3 3/8" Slice 466-3 3/8" Slice, (set of 7) 55600-7 3/32" Slice 466-7 7/32" Slice, (set of 11)

#### **Continuous-Feed Food Processor**

- All-aluminum hopper and housing with an anodized finish that resists harsh cleaners
- Precise cutting and dicing action without bruising or mashing product
- Front is angled 50° for ease of product loading and to reduce operator fatigue
- ⅓ hp



MFG# DESCRIPTION FP100 Process up to 11 lb/min



REPLACEMENT BLADES

Board sold

separately

(NSF.)





(NSF.)

#### Chefmate® Compact Manual Slicer

- Durable, anodized aluminum finish
- Up to % slice thickness
- Top mounted, removable, all metal knife sharpener
- Not recommended for slicing cheese
- ¼ hp
- 1-year parts and labor warranty





CASH-WA# 139140

MFG # C10

DESCRIPTION 10" Knife

# **Chefmate® Meat Chopper**

- Powerful, 1 hp high torque motor, with manual reset overload protection
- · Direct gear-driven transmission, mounted on ball bearings
- Forward and reverse switch
- Non-slip rubber feet
- Standard accessories include knife, stainless steel product tray, 1/4" plate, 5/16" plate, stuffing tube and plastic food pusher
- 1-year parts and labor warranty

MFG# CM12

**DESCRIPTION** 250 lb Meat/hr







#### **Chefmate® Medium Duty Manual Slicer**

- Stainless steel knife, food chute and slicer table
- Up to 1/8" slice thickness
- Knife cover with interlock
- · Permanently attached knife ring guard
- Removable all metal knife sharpener
- Gear driven
- 1/3 hp, 115V
- 1-year parts and labor warranty












#### **Premium Heavy-Duty Manual Slicer**

- Anodized aluminum construction
- Belt driven

GC512

- Up to 1½" slice thickness
- Tilting carriage accommodates product up to 133/4"h
- ½ hp continuous use motor
- Interlock prevents slicer from operating without the knife cover in place









13" Knife





#### **Medium Duty Manual Slicers**

- Anodized aluminum construction
- Hollow ground knife, belt driven
- Knife cover interlock
- Top mounted metal knife sharpener
- Slices up to %6" thick
- · Removable slice deflector, chute and knife sharpener
- ½ hp with motor overload protection
- 2-year parts and labor warranty

CASH-WA# 141594

MFG# G12

**DESCRIPTION** 12" Knife 14" Knife











#### **Gravity Feed Slicers**

- Stainless steel and sanitary anodized aluminum
- Top-mounted, two stone knife sharpener produces a consistently sharp knife edge
- Product table with removable meat pusher
- Positive, moisture protected, on/off switch with power light indicator

**DESCRIPTION** MFG#

MANUAL OPERATION

B10-SLC 10" Knife, 3/16" Slice Thickness, 1/4 hp

B12-SLC 12" Knife, %6" Slice Thickness, ½ hp, No Volt Release B14-SLC 14" Knife, 5%" Slice Thickness, 1/2 hp, No Volt Release

AUTOMATIC/MANUAL OPERATION

B12A-SLC 12" Knife, %6" Slice Thickness, ½ hp, No Volt Release



#### **Manual Gravity Feed Slicer**

- 1-piece polymer base and product table for reduced seams and easy cleaning
- 45° gravity feed
- Adjustable slice thickness up to 15/16"
- Removable sharpener
- · Permanent knife ring guard
- Sealed push button controls
- Includes kickstand
- 1/2 hp, 120V
- 1-year parts and labor warranty

MFG# **DESCRIPTION** X13E-PLUS 13" Knife





#### **Planetary Mixers**

- Gear-driven, high torque transmission
- Stainless steel bowl guard
- Custom built motor

SP62P

- Front mounted controls
- · Heat-treated hardened steel alloy gears and shafts
- 2-year parts & labor warranty

MFG# DESCRIPTION **SP05** Countertop Mixer, 5 qt, 10 speed, 800W SP10 Bench Mixer, 10 qt, 3 speed, 1/3 hp **SP20** Bench Mixer, 20 qt, 3 Speed, 1/2 hp SP30 Floor Mixer, 30 qt, 3 speed, 1 hp Floor Mixer, 40 qt, 3 speed, 2 hp **SP40** Floor Mixer, 60 qt, 3 speed, 3 hp **SP60** SP30P Pizza Mixer, 30 qt, 3 speed, 11/2 hp

Pizza Mixer, 60 qt, 2 speed, 3 hp







#### Floor/Bench Mixers

- Safety cutoff switch temporarily interrupts power if gears are changed without stopping the mixer
- Three speed transmission, belt driven
- · Stainless steel mixing bowl, dough hook, wire whisk and flat beater included
- 60 qt model includes bowl truck for convenient bowl transport
- 2-year limited parts & labor warranty, 5-year warranty on belt

MFG#	DESCRIPTION	
40757	20 qt	
40758	30 qt	
40759	40 qt	
40760	60 qt	1





#### **Countertop Mixers** with Guards

- · Commercial grade table model with a powerful 1/3 hp motor
- Five speed, 100% direct gear driven
- Digital control panel to make easy speed shifts while unit is running
- Non-skid rubber base
- 30 minute timer
- · Stainless steel mixing bowl, dough hook, wire whisk and flat beater included
- 2-year limited parts and labor warranty, 5-year belt warranty







MFG# **DESCRIPTION** 40755 7 qt 40756 10 qt





# HOBART

#### Legacy+® Maximum Heavy-Duty Planetary Floor Mixers

- Exclusive PLUS System features VFDadvantage variable frequency drive, maximum capacity overheat protection, and reinforced planetary shaft system
- Includes bowl, beater, wire whip and #12 attachment hub
- Patented soft start agitation
- Shift-on-the-Fly<sup>™</sup> technology for easy speed changes while mixer is running
- Exclusive swing-out bowl with single point bowl installation
- SmartTimer™ with automatic time recall and hold feature

DESCRIPTION HL300+BUILDUP 30 qt, 3/4 hp HL600+BUILDUP 60 qt, 2.7 hp





#### **Planetary Mixer**

- Includes stainless steel bowl with removable stainless steel guard, wire whip, dough hook and flat beater
- Gear transmission
- Three fixed speeds
- GearSafe<sup>™</sup> technology
- Digital timer with last time remind
- Large, easy-to-use controls
- #12 taper attachment hub
- ½ hp

MFG# **DESCRIPTION** HMM20-1STD 20 at



cashwa.com

#### **Econo 14 Popper**

- · Heated corn crisper keeps popcorn tasting fresh
- Scratch resistant tempered glass
- "Popcorn" etched into front glass with eyecatching red dome top
- 14 oz
- 120V
- 15 amp plug

CASH-WA# MFG# 2121GM 2121NS



# GOLD MEDAL

#### **FunPop Popper**

- Removable stainless steel "E-Z Kleen" kettle
- Fast three minute popping cycle
- Lexan easy-access door
- Non-skid rubber feet
- Heated corn deck (floor)
- 50 watt cabinet light
- 4 oz
- 120V

D2404

• 15 amp plug



CASH-WA # MFG #

2404



#### **Ultra Sixty Special Popcorn Popper**

- Tempered glass will not scratch
- Twin-arm kettle suspension for safety and easy cleaning
- Auto shut-off
- Stainless steel E-Z Kleen kettle
- 6 oz
- 120V
- 15 amp plug

CASH-WA # MFG # 114520 2656



#### Sno-Kone® Syrup **Topping & Cups**

- Ready to use syrups in 1 gallon jugs
- Each gallon makes about 100 Sno-Kones
- Sno-Kone® cup constructed of extra thick paper, extra-heavy dry wax















#### **Ice Cap Syrups for Snow Cones**

- Lyons Ice Cap<sup>™</sup> syrups create unique and refreshing snow-cones, fruit flavored beverages, slushes and more
- Simply add Ice Cap flavors over shaved ice to create everyone's favorite summer treat
- Cs Pk 4

CASH-WA#	MFG#	DESCRIPTION
990384	304	Grape
990383	302	Cherry
990385	306	Lime



GOLD MEDAL





Flossugai





123027

#### **Popcorn Supplies**

CASH-WA# MFG# DESCRIPTION CS PK POPCORN TOPPINGS & OIL 50498 Glaze Pop® Caramel, 28 oz Carton 2525 12 50496 2836 Corn/Oil/Salt Kit, 6 oz Kettle Kit 36 50497 2839 Corn/Oil/Salt Kit, 12 oz Kettle Kit 24 2045 47440 Popcorn Seasoning Salt, 35 oz Carton 12 48366 2639 Popcorn Oil, 3.8 oz Pouch 48 POPCORN MACHINE ACCESSORIES 90047 2095 Kettle Cleaner, 31 oz Can D41671 **BULB2656** Replacement Bulb for 2656 Ultra Sixty Popper



#### **Cotton Candy Supplies**

123014 3202		6 1000
123027 3065 123028 3021	Quick Pak Bags, Red Clown Print, 12" x 18" Paper Cones, H.D. White Kraft Paper	1000 4000

#### **NU-VIEW Concession** & Food Equipment Cleaner

- Non-toxic degreasing foam clings to vertical surfaces
- · Removes cooking oils, grease, sugar, starch and protein residues, and baked on carbon
- Also eliminates oxidation odors!
- · Safe on plexiglass, formica, aluminum, stainless steel, painted metals and plastics, acrylics and chrome



**QuestSpecialty** 

CASH-WA# 98266

MFG#

DESCRIPTION

203100001-20AR 20 oz Can

#### Cayenne® Countertop **Electric Fryers**

- Ideal for restaurants, canteens, and higher volume outlets
   Fully-welded oil tank with safety interlocked drain valve for easy
- drainage and cleaning

  Dual unit provides increased volume and separation of food types to prevent flavor transfer
- from oil Thermostatically controlled to
- "Power On" indicator light
  Ships with two nickel plated steel baskets per well









**DESCRIPTION** 15 lb Oil Capacity, 1 Well, 11%"w x 20%"d x 11"h Dual 15 lb Oil Capacity, 2 Wells, 221% w x 20%"d x 11"h

Note: Dual units feature two separate power cords and require two receptacles

#### Cayenne® Hot Food Merchandisers

- Thermostatically controlled heat with 85° to 175°F temp range
- Front and rear sliding doors for easy loading and customer self-serve convenience
- Three adjustable shelves for versatile displays
- Lights controlled separately
- 120V



MFG# DESCRIPTION

40733 26"w x 19"d x 25"h 36"w x 19"d x 25"h 40734 40735 47"w x 19"d x 25"h







#### **Hot Dog Roller Grills**

- 360° roller rotation prevents residue buildup
- Seven heat settings offer versatile temperature control
- Individual roller heating elements ensure heating consistency
- Removable drip pan makes for easy cleaning
- Electric power requires no ventilation system

- 120V



CASH-WA 141142

141143

141144

141145

#MFG

8018

8018-GD 8027 8027-GD

#DESCRIPTION 181/2"w, Holds 18 Hot Dogs, Cooks 18-360/hr

Sneeze Guard for 8018

221/4"w, Holds 27 Hot Dogs, Cooks 27-540/hr

Sneeze Guard for 8027

#### **Electric Countertop Fryer**

- Stainless steel construction
- 70° to 375°F thermostat Removable control box
- Two nickel-plated frv baskets with insulated handles
- Swing up element and lift-out fry pot
- 3½" stainless steel adjustable feet
- Manual reset

MFG#



CASH-WA# 141550

MFG# PF16E

**DESCRIPTION** 16 lb Oil Capacity, 111/16"w x 171/2"l x 17"h



#### **Nacho Chip Warmers**

- Top load style ensures first-in, first-out
- Sloping front allows secure closure and easy opening
- Stainless steel construction
- Adjustable legs - 120V

VULCAN





MFG# DESCRIPTION

VCW26 VCW46

26 gal, 261/2"w x 301/2"d x 301/2"h 46 gal, 261/2"w x 301/2"d x 38"h

#### **Glo-Ray® Infrared Warmers**

- High heat wattage aluminum
- Sturdy continuous aluminum housings eliminate sagging
- Pre-focused heat maintains serving temperatures longer

• All models feature a 2-year element guarantee



GRAH-36 36"l GRAH-48 48"l GRAH-60 60"l GRAH-72 72"I



Admiral Craft

#### **Food Cookers/Warmers**

· All stainless steel well pan and housing

Inset pans not included



CASH-WA# 141226

141227

MFG#

FW-1200W FW-1200WR

DESCRIPTION Rectangular, 22 qt Round, 11 or 7 qt\*, CE

\*Includes adaptor ring to convert 11 qt to 7 qt well

#### **Dual Heat Lamp**

- Constructed of heavy duty aluminum
- Shades designed with flared shape for strength and even heat distribution
- · Arm easily adjusts from 15" to 21"
- Includes two 250 watt clear bulbs
- 120V

CASH-WA#

MFG#

141228 HL-2



#### Glo-Ray® Designer **Merchandising Warmer**

 Ideal for marketing hot wrapped or boxed products

 Slanted shelves provide easy visibility

- Features controlled top and bottom heat
- Incandescent lighting showcases hot food
- Includes 12 divider rods
- 361/4"w x 263/4"d x 337/8"h





GR2SDS-30D

**DESCRIPTION** 2 Shelves

#### **Glo-Ray® Heated Glass Merchandiser**

- Patented heated glass shelves provide an even heat source for the top and bottom
- Slanted shelves provide easy visibility
- Thermostatically controlled, hard coated heated base
- Standard 2½" adjustable legs
- LED lighting
- Includes 12 divider rods
- $33\frac{1}{4}$ "w x  $26\frac{7}{8}$ "d x  $30\frac{1}{2}$ "h



Nothing less than the best.<sup>e</sup>



2-shelf model shown in optional Designer color





MFG# GR3SDS-33 DESCRIPTION 1 Shelf

#### Flav-R-Savor® Holding and Display Cabinet

- Keeps food at optimum serving temperatures longer using
- controlled moisturized heat
   Features tempered glass sides
  and LED lighting to heighten product awareness
- Revolving circular rack and motor
  22½"w x 24½"d x 32½"h



FSDT-1









#### Flav-R-Fresh® Holding and Display Cabinet

- Tempered glass sides and door for full-view display
- Separate heat and humidity controls
  LED lighting
  Revolving circular rack







FDWD-1



#### **Soup Kettle**

- Prepare food on rangetop and merchandise in soup kettle
- Black powder coated exterior, aluminum interior
- Removable stainless steel soup pot
- · Attached, hinged stainless steel lid
- Overheat protection
- 10-setting control knob
- Blank label area to customize soup flavor
- 41/21 power cord and plug

MFG# GS1650 DESCRIPTION 10½ qt







#### **Full Size Cooker/Warmer**

- · Stainless steel construction
- Accommodates
- 12" x 20" x 6" deep food pan Energy efficient design
- 1500W



MFG# GS1665

DESCRIPTION 13"w x 21"d x 10"h

#### **Bulb Warmer**

- Four adjustable height settings
- Polished aluminum construction
- Non-skid feet
- Includes (2) 250W bulbs





MFG# GS1670

Vacuum

DESCRIPTION 14"w x 201/8"d x 237/8"h

- **Packaging Machines**  Digital display clearly shows vacuum & sealing times
- Timed vacuum cycle up to 50 seconds and timed sealing up to 4.5 seconds
- · Domed lid for durability and larger product capacity
- Rounded steel tank is easy to clean
- Stop and Seal button allows operator to complete and seal product before end of cycle
- Non-slip, non-scratch rubber feet

MFG# DESCRIPTION GVP6 10.2" Sealing Bar GVP20 16.5" Sealing Bar







#### **Rice Cooker/Warmer**

- · Stainless steel body and lid
- Single switch controls cook and warm cycles
- Cooks up to 25 one-cup servings in about 30 minutes
- Built-in thermostat
- Removable pot with non-stick surface
- Over-heat protection with manual reset
- Includes scoop and measuring cup





#### **Bistro Series Sandwich Grills**

- Stainless steel construction
- Heavy-duty, seasoned, cast iron grill plates
- Stainless steel tube protects wires from damage
- Durable spring hinge with adjustable tension
- Temperature thermostatically controlled up to 570°F
- 120V, 1800W



MFG# GPG10 GSG10

DESCRIPTION Grooved Plates Smooth Plates

# **Electric** Sandwich Grills

- Stainless steel construction
- · Heavy-duty, seasoned, cast iron grill plates
- Durable spring hinge with adjustable tension
- Temperature thermostatically controlled from 220°F to 570°F
- 120V, 1800W









DESCRIPTION MFG # 14" x 10" COOKING SURFACE

GPG1410 Single, Grooved Top and Bottom GPGS1410 Single, Grooved Top and Smooth Bottom GSG1410 Single, Smooth Top and Bottom

14" x 14" COOKING SURFACE

**GPGDUE14D** Double, Grooved Top and Bottom **GSGDUE14D** Double, Smooth Top and Bottom

#### **4-Slot Toaster**

- Extra-wide slots
- Durable stainless steel construction
- · Even toasting with
- self-centering bread guides
- Toast boost makes slices easy to reach
- · Front crumb tray slides out for quick cleanup
- Longer-life heating elements
- 1-year warranty



CASH-WA# MFG #

141224 24850R DESCRIPTION 4 Slice



#### **Countertop Convection Ovens**

- · Heavy duty exterior/interior stainless steel construction
- · Reinforced door with double pane tempered cool-to-touch glass
- Advanced air flow design for even baking
- 120 minute timer
- Manual controls with temperature settings from 100° to 500°F
- Interior light
- Distance between oven racks is 1.85"
- Chrome oven racks
- 1-vear parts and labor warranty with option to purchase up to a 5-year warranty



MFG#	OVEN RACK DIMS	WATTS	SHELVES
CTCO-25	131/10" x 11"	1440	3
CTCO-50	18" x 121/5"	1550	4
CTCO-100	26" x 171/10"	5450	4









- Constructed of heavy-duty stainless steel
- 13½" rack accommodates products that are up to 12" dia and 2½"h
- On and off operation controlled by a 30 minute timer
- 450°F pre-set thermostat
- Upper and lower heating elements
- Crumb tray for easy cleanup

CASH-WA# MFG# DESCRIPTION 139144 CK-2 120V, 1450W



#### Matchbox® Precision **Ventless Impingement Ovens**

- · Internal catalytic filtration limits smoke, grease and odor emissions
- Two digital display interfaces
- USB menu upload capability
- FlexTemp ultra temperature control
- 208/240V

MFG# DESCRIPTION M1313 (2) 13" x 13" Cook Surfaces (2) 17" x 18" Cook Surfaces M1718



Admiral Craft





#### Toast-Qwik® Electric Conveyor Toaster

- · Easy-to-load rack with front or rear discharge
- Opening height is 2"
- Insulation and an interior fan provide cool surface temperatures
- Maximum product size: 9½"w x 1½"h
- 14½"w x 17¾"d x 13¾"h

MFG# TQ-10

**DESCRIPTION** 5 Slices per Minute





#### Impinger® Digital Countertop Ovens

- Up to four times faster than conventional ovens
   Uniform heating/cooking of food products offers a wide tolerance for rapid baking at a variety of temperatures

- Reversible conveyor direction
  Stackable up to two high
  50" long x 16" wide conveyor belt and 20" baking chamber
  208/240V

DESCRIPTION

2500-4/1346 V2500-4/1346

Standard Ventless





#### **Medium-Duty Microwave Ovens**

- 1000 watts of power5 power levels, including defrost and 4 cooking stages1.2 cu ft capacity

- See-through door and lighted interior
   Stainless steel exterior and interior
   Dial Timer unit: 10 minute lighted dial timer, 4 power levels
- Touch Pad unit: 20 programmable menu settings
  Non-removable air filter
  22"w x 19"d x 13%"h
  1-year full warranty

CASH-WA # 110512 110511 MFG # RCS10DSE Dial Timer Touch Pad

#### **Heavy-Volume Microwave Oven**

- 11 power levels with 4 cooking stages and one-touch programming
  Up to 100 programmable menu items
  0.6 cu ft capacity

- See-through door and lighted interior
   Stainless steel exterior and interior
   60-minute countdown cooking timer
   Removable, cleanable air filter

  Stankable

BMS2030

- Stackable
  16½"w x 21¾"d x 13½"h
  Full 3-year warranty

DESCRIPTION







20" x 30"



#### **XpressChef**

#### **XpressChef™Ventless High Speed Oven**

- Forced Convection: 2000W, 200° to 520°F temp range, Microwave: 2200W, Infrared Radiant: 3000W
- Touch pad operation
- Stores up to 360 menu items
- 1.38 cu ft capacity
- USB port compatible with standard flash drives, updates programming in seconds
- Door drops down below oven rack providing full access to oven interior
- Stainless steel exterior and interior
- Catalytic convertor filters grease and odors from the air eliminating the need for costly ventilation hood
- Two removable air filters
- 1-year parts/labor & travel or exchange warranty, 3-year magnetron part warrant

MFG# DESCRIPTION MXP22TLT 251/8"w x 273/4"d x 203/8"h







#### **Commercial High-Speed Oven**

- Durable stainless steel body
- · Combines Convection, Broil and Microwave (w/inverter technology) functions
- 3-step continuous heat setting is possible
- Easy to use color LCD touch panel • 350° to 525°F temperature range
- Adjustable fan speed
- 1-year parts and labor warranty



MFG #

DESCRIPTION

**NE-SCV2NAPR** 18<sup>2</sup>1/<sub>32</sub>"w x 22<sup>15</sup>/<sub>64</sub>"d x 16<sup>7</sup>/<sub>32</sub>"h



#### eikon™e4

- Up to fifteen times faster than conventional cooking methods
   Combines three heat technologies of convection, impingement, and microwave for fast even heating of food product
- Ability to use a standard, ¼ size metal baking pan while in microwave mode









#### eikon™ e5

- · Combines two heat technologies of convection and microwave for fast, even heating
- Up to five times faster than conventional cooking methods
- Ability to use a standard, ½ size metal baking pan while in convection mode



MFG#

DESCRIPTION 28"w x 2751/64"d x 231/2"h











#### eikon™e3

- · Stainless steel construction with cool to touch door exterior
- Ventless cooking capability through standard built-in catalytic converter with full protein capability
- EasyTouch™ control can store up to 1,024 recipes
- Quiet operation
- MenuConnect<sup>™</sup> software capability
- 208/240V

MFG# е3

DESCRIPTION 23½"w x 24½"d x 2119/32"h









#### **Heavy-Duty Gas Griddles**

- 1" thick polished steel griddle plate
- Thermostat-controlled
- 28,000 BTU/hr input per burner, natural or propane
- Piezo pilot ignition system
- 3/4" NPT gas regulator with "T" gas manifold connection for straight through rear or flush mount gas connections
- Stainless steel front, sides and back
- 4" stainless steel adjustable legs
- Stainless steel front rail; 4" deep overall with 3½" top work surface
- 23" depth with 4" wide grease trough

MFG# DESCRIPTION

GTGG24-GT24M 2 Burners, 235/8"w, 56,000 BTU GTGG36-GT36M 3 Burners, 357/16"w, 84,000 BTU GTGG48-GT48M 4 Burners, 471/4"w, 112,000 BTU



#### **Gas Charbroilers**

- · Stainless steel front, sides and back
- 4" stainless steel adjustable legs
- 3/4" NPT gas regulator with "T" gas manifold connection for straight through rear or flush mount gas connections
- Stainless steel front rail; 4" deep overall with 3½" top work surface
- Large capacity stainless steel crumb tray
- Reversible cast iron broiler racks in 3" wide sections
- Two-position adjustable broiler grates
- One cast iron radiant over an 18,000 BTU/hr burner for every 6" of broiler width
- Two-position hi/lo valve control for each burner

MFG# DESCRIPTION GTBG24-AR24 24"w, 72,000 BTU

GTBG36-AR36 36"w, 108,000 BTU GTBG48-AR48 48"w, 144,000 BTU



#### Cayenne® Medium Duty Radiant/Lava Gas Charbroilers

- 19" cooking surface depth
- 2<sup>3</sup>/<sub>4</sub>" backsplash, 2<sup>1</sup>/<sub>4</sub>" side splashes
- Stainless and aluminized steel for durability and long life
- Burners placed every 6" for optimum heat distribution
- Includes kit for both radiant and lava rock setup
- Ships natural gas includes kit with regulator for field conversion to propane



6 Burners, 36"w, 120,000 BTU

8 Burners, 48"w, 160,000 BTU

10 Burners, 60"w, 200,000 BTU

#### Cayenne® Medium Duty Gas **Flat Top Griddle**

• 19" cooking surface depth

407312

407372

407382

- 2¾" backsplash, 2¼" side splashes
- · Stainless and aluminized steel for durability and long life
- Polished-surface 3/4" thick top plate



6 Burners, 36"w, 84,000 BTU 40723

# Cayenne® Gas Hot Plates

- Full-width stainless steel drip pan Each burner has a separate individual grate for easier handling and cleaning Knobs are guaranteed for life











- 1" thick highly polished steel griddle plate fully welded to stainless steel frame
- Insulated front and side double wall construction
- · Individual adjustable pilot for each, high-performance 30,000 BTU burner
- Stainless steel U-style burners provide flame every 6"

DESCRIPTION MFG# MANUAL CONTROLS

GG24G 2 Burners, 24"w x 323/4"d x 1511/16"h GG36G 3 Burners, 36"w x 3217/25"d x 153/4"h

THERMOSTATIC CONTROLS

GG24TG 2 Burners, 24"w x 323/4"d x 1511/16"h GG36TG 3 Burners, 36"w x 3217/25"d x 153/4"h

#### **Charbroilers**

- · Stainless steel construction
- Reversible cast-iron grates with drip flavor edge
- Ships natural gas and includes LP conversion kit
- · Burner with individual adjustable pilots
- 2-year parts and labor warranty







MFG# **DESCRIPTION** 

CAST IRON RADIANT

GCB24G-CR 2 U-Style Burners, 24"w x 20"d Grill Area,

25"w x 301/3"d x 1511/16"h OA

GCB36G-CR 3 U-Style Burners, 36"w x 20"d Grill Area,

37"w x 301/3"d x 1511/16"h OA

CHAR ROCK

GCB36G-RK 3 U-Style Burners, 36"w x 20"d Grill Area,

37"w x 301/3"d x 1511/16"h OA

# (NSF.) GEG24

#### **Electric Countertop Griddles**

- Highly polished 1/2" thick griddle plate fully welded to stainless steel frame
- · Stainless steel cool-to-touch front edge
- One 150° to 480°F thermostat control per heat element
- Spatula wide grease trough
- Seamlessly welded 3½" splash guard on three sides
- Removable, easy-to-clean, stainless steel catch tray
- 31/2" stainless steel adjustable feet
- 208/240V

MFG# DESCRIPTION

24.6"w x 21.7"d x 10.6"h, 23.8" x 16.5" Cooking Space GEG24 GEG36 36"w x 21.7"d x 10.6"h, 35.8" x 16.5" Cooking Space





#### **Countertop Radiant Broilers**

- · Stainless steel exterior and interior
- 35,000 BTU stainless steel burners with standby pilot
- Independent manual controls every 12"
- Heavy-duty, reversible cast iron grates
- Top grates are adjustable multi-level
- · Adjustable, stainless steel legs standard
- ¾" NPT rear gas connection and regulator standard

DESCRIPTION MFG #

ATRC-24 2 Burners, 231/10" x 201/5", 70,000 BTU 3 Burners, 351/10" x 201/5", 105,000 BTU ATRC-36 4 Burners, 479/10" x 201/5", 140,000 BTU ATRC-48

#### Electric Countertop Economy Griddle

- Highly polished griddle plate fully welded to stainless steel frame, 3/8" plate thickness
   Stainless steel cool-to-touch front edge
- Heat elements and thermostats control every 12" to 18"
  Two 70° to 575°F thermostats
  Spatula wide grease trough
  Seamlessly welded 3½" splash guard
  Removable, easy-to-clean, stainless steel catch tray

MFG # PG24E PG36E DESCRIPTION
Griddle Area: 231/6" x 13", 241%2" w x 171/6" d x 111/6" h OA
Griddle Area: 3513/6" x 13", 36" w x 211/6" d x 1222/32" h OA





#### **Convected Drawer Warmer**

- Keeps food products hot and flavor-fresh and crisp for serving
- Non-humidified, single cavity/single temperature controlled unit provides even, dry heat for food products that do not require humidity
- Built of rugged stainless steel with durable nylon rollers
- 12-gauge stainless steel slides, and heavy-duty hardware
- The insulated top, sides and back provide maximum energy efficiency
- 2-year warranty on heating elements
- 165/8"w x 283/32"d x 30"h

DESCRIPTION CDW-3N 3 Drawers



#### **Heavy-Duty Countertop Gas Griddles**

- Stainless steel front, sides and front top ledge with "Cool Bullnose" design
- Fully welded stainless and aluminized steel chassis frame
- 11" low profile cooking height on 4" adjustable legs
- 1" thick polished steel griddle plate with 12 gauge, 4" stainless steel back and tapered side splashes
- Spatula wide 3½" grease gutter and chute is fully welded for easier cleaning and to stop grease migration
- (1) 27,000 BTU "U" shaped aluminized steel burner every 12"
- One embedded snap action thermostat per burner with temperature adjust from 200° to 550°F
- 1-year limited parts and labor warranty

MFG#

**DESCRIPTION** MSA24 54,000 BTU, 24"w x 24"d Griddle Plate MSA36 81,000 BTU, 36"w x 24"d Griddle Plate 108,000 BTU, 48"w x 24"d Griddle Plate MSA48 MSA60 135,000 BTU, 60"w x 24"d Griddle Plate



#### **Achiever Countertop Gas Charbroilers**

- Stainless steel sides, control panel, backsplash, top trim and grease trough
- Standing pilot ignition system
- 17,000 BTU burner with infinite control manual gas valves





VACB25 4 Burners, 68,000 BTU, 251/8"w VACB36 6 Burners, 102,000 BTU, 36"w VACB47 8 Burners, 136,000 BTU, 461/8"w VACB60 11 Burners, 187,000 BTU, 621/8"w












#### **Gas Countertop Griddles**

• 1" thick polished steel griddle plate



- 121/2" cooking height on 4" adjustable legs
- (1) 25,000 BTU "U" shaped aluminized steel burner every 12"
- High capacity 41/2 quart capacity grease can
- Temperature adjusts from 200° to 450°F

MFG# DESCRIPTION

VCRG24-T 50,000 BTU, 24"w x 201/2"d Griddle Plate VCRG36-T 75,000 BTU, 36"w x 201/2"d Griddle Plate VCRG48-T 100,000 BTU, 48"w x 201/2"d Griddle Plate

#### **Free Standing Warming Drawers**

- Heavy-duty, 20 gauge polished stainless steel cabinet with 1" thick insulation
- Heavy-duty, 14 gauge stainless steel drawer slides
- Each self closing drawer includes one 12" x 20" x 6" stainless steel pan, one recessed thermostat adjustable to 190°F and one humidity control
- One 475W heating element per drawer
- · Lifetime warranty on heating elements and drawer slides



MFG# DESCRIPTION VW2S

2 Drawer, 271/2"w x 231/2"d x 25"h 3 Drawer, 271/2"w x 231/2"d x 333/4"h VW3S



#### **Heavy-Duty Countertop Gas Ranges**

- · Stainless steel exterior and interior
- Stainless steel full width crumb tray
- 32,000 BTU burners
- Heavy-duty burners with a standing pilot for open top burners
- Heavy-duty cast iron top grates
- Independent manual controls for each burner
- Stainless steel legs standard
- 3/4" NPT rear gas connection and regulator standard
- 1-year parts and labor warranty with option to purchase up to a 5-year warranty

MFG# ACHP-2 DESCRIPTION

ACHP-4

2 Burners, 12"w x 273/5"d

4 Burners, 24"w x 273/5"d





#### Countertop Gas Charbroiler

- Stainless steel exterior and interior
- 35,000 BTU stainless steel burners with standby pilot
- Independent manual controls every 12"
- · Heavy-duty, reversible cast iron grates
- Top grates are adjustable multi-level
- Units include lava briquettes standard · Adjustable, stainless steel legs standard
- 3/4" NPT rear gas connection and regulator standard
- 1-year parts and labor warranty with option to purchase up to a 5-year warranty

MFG#

DESCRIPTION

ATCB-36

3 Burners, 36"w x 273/5"d













#### **Gas Griddles**

- · Stainless steel exterior & interior
- · Stainless steel grease drawer
- Heavy-duty polished steel griddle plate
- 1 burner per 12" section with standby pilots
- Stainless steel legs standard
- 3/4" NPT rear gas connection and regulator standard
- 19% d work area
- 1-year parts and labor warranty with option to purchase up to a 5-year warranty

DESCRIPTION THERMOSTATIC CONTROLS

ATTG-24 2 Burners, 50,000 BTU, 23% "w Work Area 3 Burners, 75,000 BTU, 351/10"w Work Area ATTG-36

MANUAL CONTROLS

ATMG-24 2 Burners, 60,000 BTU, 23% "w Work Area ATMG-36 3 Burners, 90,000 BTU, 357/10"w Work Area





C24F03



#### **Boilerless Countertop Steamers**

- 304 series stainless steel exterior and cooking compartment
- Stainless steel generator pan with stamped water level line
- Steam generating system requires no water or drain connection
- 1-year limited parts and labor warranty
- C24EO3 is shipped for 208/60-50/3 electrical service can be field converted to 208/60-50/1 and 240/60-50/3 and 240/60-50/1
- C24EO5 is shipped for 208 or 240V, 60 Hz, 1 or 3 phase -Phase is field convertible

MFG# DESCRIPTION

24"w x 33"d x 191/2"h, (3) 12" x 20" Pan Capacity C24EO3 C24E05 24"w x 33"d x 26"h, (5) 12" x 20" Pan Capacity

# SteamCraft® Ultra 10 Convection Steamer Stainless steel exterior and cooking compartments Two compartment floor model steamer Gas fired atmospheric steam generator Remote probe type water level controls 60 minute electro-mechanical timer Steam generator with automatic water fill on start up Automatic generator blowdown Electronic spark ignition Generator stand-by for instant steam 125,000 BTU CLEVELAND AWelbit Brand Wist

#### SteamCraft® Ultra Convection Steamers

- Durable 14 gauge, stainless steel construction
- Generator cleaning port located on outside for easy access
- Instant steam stand by mode allows unit to start cooking immediately
- One 60 minute electro-mechanical timer and switch for manual operation
- Exclusive steam cooking distribution system
- Removable stainless steel slide racks for easy cleaning
- Automatic generator drain contains a "water jet" spray
- 12" x 20" x 2½"d pans
- "Cool to the Touch" door



MFG#

DESCRIPTION

21CET8 21CET16

Holds up to 3 Pans, 21"w x 321/8"d x 181/4"h OA Holds up to 5 Pans, 21"w x 321/8"d x 25"h OA

#### **Countertop Gas Convection Steamer**

DESCRIPTION

- · Heavy duty stainless steel construction
- Electric or gas steam generator
- · Easy access generator cleaning port
- Standard with 60 minute electro-mechanical timer and switch for manual operation
- Main power on/off switch
- · Automatic generator drain
- Unique patented steam cooking distribution system
- Patented automatic remote probe type water level control
- Exclusive "Cool to the Touch" two-piece compartment door design
- 70,000 BTU

MFG#

24CGA10



MFG#

DESCRIPTION

**21-CGA-5** Holds (5)

Holds (5) 12" x 20" x 2½"d pans, (10) 12" x 20" x 1"d pans or (3) 12" x 20" x 4"d pans, 21"w x 32"d x 29"h

# SteamChef® Boilerless Convection Steamers

- Easy-to-clean open "boilerless style" electric steam generator
- Fan forced convection steam with KleanShield® cooking compartment design - eliminates foaming and avoids contamination of the reservoir water - Automatic water fill
- · High Temperature safety shut-off
- Comes standard with SureCook compartment controls,
   60 minute electro-mechanical timer with load compensating feature, LED indicator lights for SureCook cycle, Power On and Reset - Timed and Manual Bypass switch for constant steaming
- Exclusive SteamChef® automatic drain control
- Heavy-duty 4" skid resistant stainless steel adjustable legs with flanged feet



cashwa.com

21.83"w x 32.16"d x 31.07"h OA

#### **Electric Kettles**

- Self-contained, ⅓ steam jacketed tilting kettles
- · High capacity pouring lip
- Precise, consistent temperature control with less than 1°F variance, ideal for simmering
- Type 304 stainless steel
- Recessed combination pressure/vacuum gauge
- 208-240V



 MFG #
 DESCRIPTION

 KEL-25-T
 25 Gallon

 KEL-40-T
 40 Gallon

 KEL-60-T
 60 Gallon

 KEL-80-T
 80 Gallon

#### **Gas Fired Kettles**

- Self-contained, ⅔ steam jacketed tilting kettles
- Precise, consistent temperature control with less than 1°F variance, ideal for simmering
- Type 304 stainless steel
- Supplied with cord and plug
- 115V



 MFG #
 DESCRIPTION

 KGL-25-T
 25 Gallon, 90,000 BTU

 KGL-40-T
 40 Gallon, 140,000 BTU

 KGL-60-T
 60 Gallon, 190,000 BTU

 KGL-80-T
 80 Gallon, 190,000 BTU



#### PowerPan™ Series Tilting Skillets

- 12 gauge, 304 stainless steel pan construction
- 5%" mild steel clad bottom plus a 1%" stainless steel plate for even temperature distribution
- Bead blasted cooking surface prevents food from sticking
- Low 35" rim height for easy operation and cleaning
- Easy-to-turn manual hand tilt, optional power tilt with manual override available
- Splash-proof controls and construction
- Open base design for easy cleaning and maintenance
- Spring-assist cover with full width handle and vent

#### Electric Models

- Standard voltages 208-240V, 1 and 3 phase
- High efficiency heating system: 12 kW (30 gal);18 kW (40 gal)

#### Gas Models

- Electronic "spark ignition system"
- Exclusive ultra efficient power burner (forced-air) gas combustion system with automatic ignition
- Exclusive dual power setting

MFG # DESCRIPTION

ELECTRIC MODELS

 SEL-30-T1
 30 Gallon

 SEL-40-T1
 40 Gallon

**GAS MODELS** 

**BSGL-30-T1** 30 Gallon, 90K and 125K BTU **SGL-40-T1** 40 Gallon, 160K and 200K BTU

#### **Electric Cook & Hold Oven Cabinets**

- All stainless steel construction
- Mechanical temperature controls, Double Deck model has separate controls for each cavity
- 5" casters
- Roasts at 250°F
- 25½"w x 33"d
- 208V
- 1-year limited parts and labor warranty

MFG# DESCRIPTION

Single, Deck, 421/2"h, 3 Wire Shelves, (8) 18" x 26" Baking Pans or VRH8

(16) 12" x 20" Steam Table Pans

VRH88 Double Deck, 79"h, 6 Wire Shelves, Holds (16) 18" x 26" Baking Pans or

(32) 12" x 20" Steam Table Pans



#### Metro° C5<sup>™</sup> Series **Proofer/Holding Cabinets**

- Aluminum construction
- Full length clear doors
- Adjustable universal wire slides on 1½" increments with SiteSelect™
- · Lip-load slides for sheet pans
- Holds (18) 18" x 26" or (34) 12" x 20" x 21/2" pans
- Universal wire slides adjustable on 11/2" increments
- Removable bottom mount module
- Removable water pan for passive humidity generation
- · High quality 5" casters
- · Easy to clean polymer drip trough
- 120V, 2000W C5™1 Series
- Non-insulated
- Brushed aluminum exterior

C5™ 3 Series

- Exclusive cool-to-touch Insulation Armour™ both insulates the cabinet and protects employees from hot surfaces
- Built-in hand holds make it easy to handle in mobile applications





**VULCAN** 



C5™ 3 Series

CASH-WA# MFG# **DESCRIPTION** 

C519-CFC-U 809337 C5™ 1 Series - Max. Temp. 190°F, 251/8"w x 301/4"d x 603/4"h 805765 C539-CFC-U C5™ 3 Series - Max. Temp. 200°F, Red, 275% "w x 311/2"d x 71"h 805766 C539-CFC-U-BU C5™ 3 Series - Max. Temp. 200°F, Blue, 275/8"w x 311/2"d x 71"h











#### **G Series Gas Restaurant Ranges**

- Stainless steel front, sides, back and 5" wide front rail
- Stainless steel backguard with removable shelf
- 33,000 BTU (natural gas) Starfire-Pro two-piece cast iron open top burners
- Split cast iron top ring grates
- One piece oven with porcelain interior
- Nickel plated oven rack on three-position removable guide
- 6" stainless steel legs with adjustable feet
- Fast recovery snap action modulating oven thermostat
- 1-year limited parts and labor warranty







MFG#

G36-6R 36"w, 6 Burners, 1 Oven G60-10RR 60"w, 10 Burners, 2 Ovens

G60-6G24RR 60"w, 6 Burners, 2 Ovens, 24" Griddle

DESCRIPTION

Other configurations available upon request

#### **U Series Gas Restaurant Ranges**

- All stainless steel exterior
- · Stainless steel front, sides, plate rail, backguard with removable shelf
- Powerful 32,000 BTU cast-iron burners
- Expanded cooktop with 27" of usable surface depth
- · Larger oven accommodates full-size sheet pans loaded in either direction
- Gas regulator
- 6" adjustable stainless steel legs
- 1-year limited parts and labor warranty







MFG # DESCRIPTION

U36-6R 36"w, 6 Burners, 1 Oven U60-10RR 60"w, 10 Burners, 2 Ovens

U60-6G24RR 60"w, 6, Burners, 2 Ovens, 24" Griddle

Other configurations available upon request



#### **Endurance™ Gas Restaurant Ranges**

- · Stainless steel front, sides, back riser, lift-off high shelf and 6" adjustable legs
- 30,000 BTU open top burners with lift-off burner heads for quick and easy cleaning
- · Fully MIG welded frame
- Extra deep pull-out crumb tray
- Oven thermostat adjusts from 250° to 500°F
- Rear gas connection and gas pressure regulator
- 1-year limited parts and labor warranty
- Specify natural or propane gas





MFG#

36S-6B 60SS-10B 60SS-6B-24G **DESCRIPTION** 

36"w, 6 Burners, 1 Oven 60"w, 10 Burners, 2 Ovens 60"w, 6, Burners, 2 Ovens,

24"w x 1/8" thick Griddle

Other configurations available upon request





60"w, 6 Burners, (1) 24" Griddle, 2 Ovens

#### **Electric Hot Food Tables**

- Fully insulated open wells
- Individual infinite switch temperature control
- Stainless steel die-stamped opening
- 7" wide x 1/2" thick poly cutting board
- 18 gauge stainless steel top, body and undershelf
- Mechanical guards on all switches for safety and reliability
- Includes water pans
- 291/2"w x 331/2"d

AGR-6B24GR-NG

- Optional sneezequard/overshelf available
- 1-year parts and labor warranty with option to purchase up to a 5-year warranty

MFG# **DESCRIPTION** CSTEA-3C (3) 500W Wells, 441/8"h CSTEA-4C (4) 500W Wells, 58"h CSTEB-5C (5) 750W Wells, 721/2"h



#### Gas Convection **Ovens**

- Stainless steel exterior and enamel interior with coved corners
- 50/50 dependent doors with double pane thermal tempered glass
- Accepts (5) 18" x 26" standard full-size baking pans
- Solid state digital controller with Cook 'n' Hold feature
- Temperature ranges from 150° to 500°F
- 46,000 BTU per oven
- · Interior oven light standard
- Features broil function and steam injection for humidity control
- · Electronic spark ignition with an automatic pilot system with safety shut off
- 1-year parts and labor warranty with option to purchase up to a 5-year warranty

MFG# DESCRIPTION STANDARD DEPTH, 381/8"W × 483/5"D ATCO-513B-1

1 Oven, 59<sup>2</sup>/₅"h ATCO-513B-2 2 Ovens, 69"h

BAKERY DEPTH, 381/4"W × 42"D

ATCO-513NB-1 1 Oven, 592/5"h ATCO-513NB-2 2 Ovens, 69"h







#### **Convection Ovens**

- Stainless steel front, sides, top and legs
- Independently operated stainless steel doors with double pane windows—simultaneous doors available at no extra charge
- ½ hp two speed oven blower-motor
- Solid state temperature controls from 150° to 500°F
- Oven cool switch for rapid cool down
- · Porcelain enamel on steel oven interior
- Five nickel plated oven racks with eleven rack positions per section
- 1-year limited parts and labor warranty

VC4, VC44GD, VC4ED, VC44ED

1-hour timer

VC5GD, VC55GD, VC5ED, VC55ED

- 5-hour timer
- Patented, award-winning dishwasher safe removable doors
- 3-year limited warranty on doors

MFG# DESCRIPTION

GAS UNITS, (1) 50,000 BTU BURNER PER DECK

VC4GD Single Deck, 40"w x 421/4"d x 543/4"h on 233/4" Legs, 120V VC5GD Single Deck, 401/4"w x 40"d x 543/4"h on 233/4" Legs, 120V VC44GD Double Deck, 40"w x 421/4"d x 70"h on 8" Legs, 120V Double Deck, 401/4"w x 40"d x 70"h on 8" Legs, 120V VC55GD

#### **ELECTRIC UNITS**

VC4ED Single Deck, 40"w x 421/4"d x 563/4"h on 253/4" Legs, 208V VC5ED Single Deck, 401/4"w x 40"d x 543/4"h on 233/4" Legs, 208V Double Deck, 40"w x 421/4"d x 70"h on 8" Legs, 208V VC44ED Double Deck, 401/4"w x 40"d x 70"h on 8" Legs, 208V VC55ED

#### **VULCAN**



Gas Units

**Electric Units** 

NSF.











**VULCAN** 

Gas Units









#### **High Performance/Summit Convection Ovens**

- · Solid state control with electro-mechanical timer
- Two-speed fan control (high and low) with ¾ hp fan motor
- Stainless steel front, sides, top, and legs
- 60/40 dependent door design with double pane thermal window in left-hand door and interior lighting
- Porcelain enameled oven interior with coved corners
- Five chrome plated ovens racks on 10-position rack guides
- 38"w x 411/4"d
- 1-year limited parts and labor warranty
- 5-year limited door warranty, excluding window

#### **Electric Units**

- Total of 10.4 kW loading per oven cavity
- Full length, stainless steel positive door closure

#### Gas Units

- Direct spark ignition with 100% safety shutoff
- Total of 53,000 BTU (15.53 kW) loading per oven cavity
- Natural or propane gas



#### **Boilerless Combi Ovens**

- Solid state control with electro-mechanical timer
- Multiple cooking capabilities include: Baking, steaming, roasting, grilling, air-fry, rethermalization, proofing, finishing, poaching, stewing, low temp, defrosting, cook & hold and more
- Three separate control displays for operator experience and comfort levels
- Self-cleaning and descaling modes for easy maintenance
- Exclusive grab-and-go racks with cutout design for easy
- Continuous timer tracks up to 99:00 hours and minutes
- 80° to 482°F temperature and 0-100% humidity ranges
- PC software provided facilitates transfer of recipes, photographs and profiles via USB
- 1-year limited parts and labor warranty
- · Gas units are available for natural or propane gas









MFG#

**ELECTRIC UNITS** 

TCM61E 6 Level Half Size, 8.6/11.4 kW TCM101E 10 Level Half Size, 14.7/19.6 kW TCM102E 10 Level Full Size, 31 kW

**GAS UNITS** 

6 Level Half Size, 56,000 BTU TCM61G TCM101G 10 Level Half Size, 93,000 BTU TCM102G 10 Level Full Size, 156,000 BTU

MFG# **ELECTRIC UNITS** 

**SUME-100** Single Deck, 571/2"h **SUME-200** Double Deck, 701/2"h

**GAS UNITS** 

**SUMG-100 SUMG-200**  Single Deck, 571/2"h

Double Deck, 701/2"h



Electric Units



#### **Gas Hose Connector Kits & Accessories**

- Designed to be used with stationary and caster-mounted equipment
- · Complete kits include: gas connector, quick disconnect, shut-off valve, restraining kit, (2) 90° elbows
- Ends rotate for simple installation and durability
- · Heavy-duty stainless steel corrugated tubing with stainless steel radial wrap
- Welded construction for added durability
- Stainless steel hose with antimicrobial PVC-coated protective layer

CASH-WA# MFG# DESCRIPTION COMPLETE KITS

A. 141558 M7548K 3/4" ID x 48"I 143215 M10048K 1" ID x 48"I

SWIVELKING™ CONNECTORS

B. 143218 SW75 Fits 3/4" Connectors 143217 SW100 Fits 1" Connectors





ATFS-40

(NSF.)

#### **Cook Rite Gas Fryers**

- Durable stainless steel structure is corrosion-resistant and easy to clean
- Heavy-duty burners with a stable flame, standby pilots
- · Imported high quality thermostat, temperature control between 200° to 400°F
- Self-reset high temperature limiting device
- Nickel plated baskets with wire mesh crumb screen included
- Oil cooling zone seated in the bottom of the tank, to avoid the influence of food residue
- Casters included
- 5-year full vessel warranty, 1-year parts and labor warranty with option to purchase up to a 5-year warranty on unit







#### **Fryer Casters**

- 5" grease resistant wheel with brake
- Set of four universal plate casters
- 250 lb load capacity per wheel
- Fits SR42 and MJ35 fryers

CASH-WA#

MFG# 143110 28-111S



#### **Dean Super Runner** Value Tube-Type **Gas Fryers**

- Exclusive Thermo-Tube design ensures controlled transfer of heat into oil
- Stainless steel frypot, front, door and backsplash/flue cover are standard
- · Wire form basket hanger and two fry baskets are standard
- Accommodates a variety of menu items
- Millivolt pilot system-no need for electrical hook-up
- 14" x 13¾" frying area
- 105,000 BTÚ for fast recovery





CASH-WA# MFG #

140844 SR42G 140843 SR42G **DESCRIPTION** 43 lb Oil Capacity, LP 43 lb Oil Capacity, Natural Gas

# Shown with optional casters

#### **Performance Open-Pot Gas Fryer**

- Stainless steel frypot & door, with enamel cabinet
- Open pot design is easy to clean
- Deep cold zone with sloping bottom and 11/4" IPS ball-type drain valve
- Reliable, centerline fast-action temperature probe assures accurate temperatures right where the food is being cooked
- · Millivolt controls, no electricity needed
- Features an over-the-flue basket hanger, EZSpark ignitor, flue deflector, a frypot cover, 2 twin baskets and a full set of legs and casters
- 110,000 BTU









MFG# MJ140

DESCRIPTION 40 lb Oil Capacity, Natural Gas



#### Reach-Ins

- Heavy-duty stainless steel interior and exterior, with galvanized steel finished top, bottom and back wall of exterior
- Environmentally friendly R290 refrigerant
- Multi-function digital controller with easy to read LED display
- Epoxy-coated wire shelves
- LED lighting
- Door locks
- Field reversible doors
- · Casters, two with brakes
- 3-year parts and labor, 5-year electrical components, 10-year compressor warranty









MFG # BOTTOM MC		WIDTH	CU. FT.	HP
FREEZERS, 3				
EBF1	1/3	27"	21	1/2
EBWF1	1/3	291/4"	23	1/2
EBNF2	2/6	39¾"	33	1
EBF2	2/6	541/8"	50	1
EBF3	3/9	74¾"	71	(2) 1/2
REFRIGERAT	ORS, 331/8"D x 77"H			
EBR1*	1/3	27"	21	1/4+
EBWR1	1/3	291/4"	23	1/4+
EBNR2	2/6	393/8"	33	1/3
EBR2	2/6	541/8"	50	1/3
EBR3	3/9	74¾"	71	3/4
TOP MOUNT				
FREEZERS, 3	15/8"D x 741/4"H			
ESF1	1/3	291/4"	23	1/2
ESF2	2/6	495/8"	48	1
ESF3	3/9	743/4"	71	(2) 3/4
REFRIGERAT	ORS, 315/8"D x 741/4"H			
ESR1*	1/3	291/4"	23	1/4+
ESR2*	2/6	495/8"	48	1/4+
ESWR2	2/6	59"	55	1/3
ESR3	3/8	743/4"	71	3/4
* ENERGY ST	AR®			





# MBF8505GR MBF8002GR

#### Reach-Ins

- Top mount compressor with environmentally friendly R290 refrigerant
- Stainless steel exterior & interior
- Dixell digital controller
- LED interior lighting
- Recessed door handle(s)
- Door lock(s) standard
- Magnetic door gasket(s) standard for positive door seal
- Pre-installed casters
- Down duct refrigeration to ensure even distribution of air
- 2-year parts and labor, 5-year compressor part warranty with option to purchase up to 5-years parts and labor warranty

DOORS/SHELVES 17/10" x 813/10"	WIDTH	HP	
1/3	287/10"		
2/6	51 <sup>7</sup> /10"	3/4	
3/9	774/5"		
S			
	287/10"		
3/9	771/5"		
IT 217/- " v 021/- "			
11, 31710 X 03710			
1/2	27"		
3/3	01710		
S			
1/3	27"		
2/6			
3/9	81‰"		
	7/10" x 81¾10"  1/3 2/6 3/9  S 1/3 2/6 3/9  IT, 317/10" x 83¾0"  1/3 2/6 3/9  S 1/3 2/6 3/9  S	7/10" x 81¾10"  1/3	7/10" x 81%10"  1/3

#### Turbo air

#### **Vertical Air Curtains**

- · White coated galvanized steel interior and shelves
- Environmentally friendly R290 refrigerant
- Energy saving night curtain
- Foamed with polyurethane, high-density cell insulation (CFC free)
- Perforated interior back wall and top for improved airflow
- Front air intake and rear air discharge
- · LED interior lighting under each shelf
- (2) 3/4 hp compressors
- Four shelves
- 29½"d x 80½"h
- 2-year parts and labor warranty, additional 3-year warranty on compressor

MFG# DESCRIPTION TOM-36EB-N 36"w

TOM-48EB-N 48"w







#### **Air Curtain**

- Open front and large glass sides offer easy product access and 180° product visibility
- Integrated LED interior lighting
- Large front and side graphic areas
- Three adjustable dual-position shelves provide flat or gravity fed positions
- Air curtain technology uses less energy and keeps products cooler
- Electronic temperature control with digital readout
- Pull down night curtain
- Low profile fixed rollers allow for easy movement and cleaning
- Black exterior and interior



CASH-WA# **DAHTS** 

MFG# AC S

DESCRIPTION

1 Large & 2 Small Shelves, 27.8"w x 32.2"d x 58.9"h

#### **Glass Door** Merchandisers

- Black steel exterior with stainless steel interior
- Lighted header panel LED interior lighting
- Electronic temperature controller
- Double pane glass door(s)
- Self-contained bottom mount refrigeration system with environmentally friendly R290 refrigerant
- Pre-installed casters and shelves
- 2-year parts and labor, 5-year compressor part warranty, option to purchase full 5-year parts and labor warranty





MFG #	DOORS/ SHELVES	WxDxH	HP
MCF8728GR	3/12	819/10" x 31½" x 81½"	1
REFRIGERATO	RS		
MCF8726GR	1/3	241/5" x 24" x 631/5"	1/5
MCF8727GR	2*/8	54 <sup>2</sup> / <sub>5</sub> " x 29 <sup>7</sup> / <sub>10</sub> " x 811/ <sub>5</sub> "	1/4
MCF8733GR	2/8	39½" x 31½" x 811/5"	1/5
MCF8724GR	3/12	8191/10" x 311/2" x 811/5"	1/4
* Sliding			

#### **Glass Door Merchandisers**

- · Heavy-duty white coated steel interior and exterior
- Stainless steel floor interior has rounded corners and detachable drain plug for ease of cleaning
- Bottom mounted, self-contained and fully detachable Blizzard R290 condensing unit uses environmentally friendly, EPA-compliant R290 refrigerant
- Shielded LED bar lighting with on/off switch
- Low emissivity double glass panes reflect UV rays for efficient cooling
- Four epoxy coated, steel wire shelves with airflow guard per section
- Multi-function digital controller with easy to read LED display
- 3-year parts and labor, 5-year electrical components, 10-year compressor warranty for EMGR models. 3-year parts and labor, 5-year electrical components, 5-year compressor warranty for EMGF models









	DOORS/ SHELVES		HP
FREEZERS,	ON CASTER	S	
EMGF23	1/4	291/8" x 315/8" x 801/8"	1
EMGF36	2/8	41" x 315%" x 801%"	11/4
EMGF48	2/8	54¾" x 315/8" x 801/8"	(2) x 1
EMGF69	3/12	74¾" x 315/8" x 801/8"	(2) x 1 <sup>1</sup> / <sub>4</sub>
REFRIGERA	TORS, ON L	EGS	
EMGR5	1/2	25" x 243/4" x 36"	1/5
EMGR10†	1/3	24" x 243/8" x 681/8"	1/4+
EMGR24†^	1/4	283/8" x 32" x 801/8"	1/3
EMSGR48	2/8	531/8" x 32" x 801/8"	1/2
EMGR48†	2*/8	531/8" x 303/4" x 801/8"	1/2
EMGR69	3*/12	721/8" x 303/4" x 801/8"	3/4

\* Sliding †Available in Black ^ENERGY STAR®





#### **Undercounter Refrigerators & Freezers**

- · Stainless steel exterior and interior with reinforced stainless steel top
- Electronic temperature controller
- Recessed door handle
- · Self-closing door with stay open feature
- Magnetic door gasket
- Environmentally friendly R290 refrigerant
- Pre-installed 2" casters
- 30"d x 341/8"h
- 2-year parts and labor, 5-year compressor part warranty, option to purchase full 5-year parts and labor warranty

MFG # FREEZERS	DOORS/SHELVES	WIDTH	CU. FT.	HP
MGF36FGR	2/2	36¾"	8.7	1/4
MGF8406GR	2/2	481/5"	13.4	1/4
REFRIGERATO	ORS			
MGF8401GR	1/1	27"	7.15	1/4
MGF36RGR	2/2	365/16"	8.7	1/4
MGF8402GR	2/2	48"	13.38	1/4
MGF8403GR	2/2	601/5"	17.2	1/5



#### **Countertop Refrigerated Display Cases**

- Defog feature ensures the glass stays clear
- Stainless steel exterior and interior with black frames
- Rear mount compressor with environmentally friendly R290 refrigerant
- LED interior lighting
- Electronic temperature controller
- Two stainless steel shelves and rear sliding doors
- Magnetic door gasket
- ⅓ hp

MEG #

- 221/10"d x 262/5"h
- 1-year parts and labor, 5-year compressor part warranty, option to purchase full 5-year parts and labor warranty

IVII G 17	DEGOTIII TION
CRDC-35	Curved Glass, 273/₅" wid
CRDC-46	Curved Glass, 352/5" wid
CRDS-42	Flat Glass, 273∕₅" wide
CRDS-56	Flat Glass, 35⅔ wide

DESCRIPTION







#### **Undercounter Refrigeration**

- Heavy-duty stainless steel interior/exterior with rounded corners and galvanized steel bottom and rear
- 16 gauge, high quality stainless steel worktop
- Self-contained and fully detachable Blizzard R290 condensing unit uses environmentally friendly, EPA-compliant R290 refrigerant
- Multi-function digital controller with easy to read LED display
- Epoxy coated, steel wire shelves
- Four 5" swivel casters with locks on front set
- 3-year parts and labor, 5-year electrical components, 10-year compressor warranty

MFG #	DOORS/SHELVES	WIDTH	CU. FT.	HP
		WIDIII	CO.FI.	1115
	NT, 31½"D x 30¼"H			
FREEZERS				
ETBF1	1/2	273/4"	7.5	⅓+
ETBF2	2/4	471/2"	14	
ETBF3	3/6	711/8"	22	
REFRIGERAT	TORS			
		072/	7.5	
ETBR1	1/2	273/4"	7.5	
ETBSR2	2/4	355/8"	10	
ETBR2*	2/4	471/2"	14	
ETBR3	3/6	711/8"	22	
SIDE MOUN	T REFRIGERATORS, 31½	2"D x 291/4"H		
ETR1	1/2	355/8"	9	1/4+
ETR2	2/2	471/2"	13	1/4+
ETR3	3/6	71½"	22	1/4+
* FNFRGY ST	AR®			

#### **Vertical Open Air Merchandisers**


- Heavy-duty stainless steel interior has perforated back wall for efficient air flow
- · Galvanized steel bottom and rear
- Environmentally-friendly R290 refrigerant
- 2½" thick high density polyurethane insulation
- Integrated retractable night curtain saves energy
- Shielded LED bar lighting under shelves and canopy provide bright, high color illumination at lower heat output
- 283/8"d x 601/8"h
- 2-year parts and labor, 2-year electrical components, 5-year compressor warranty
- White exterior listed, also available in black
- Conforms to NSF standard 7 type II
- · Horizontal models also available





E U E R E S T

FOMV-36-W-28-S



#### **Refrigerated Chef Bases**

- Heavy-duty stainless steel interior/exterior with rounded corners for a hazard-free workspace
- Galvanized steel bottom and rear
- 16-gauge stainless steel worktop has extra layer of high-grade insulation material and integrated air chamber/vents to redirect and mitigate heat
- Thick gauge stainless steel corner guards keep mounted cooking equipment from sliding off the worktop
- Side mounted, self-contained and fully detachable Blizzard R290 condensing unit uses environmentally friendly, EPA-compliant R290 refrigerant
- Multi-function digital controller with easy-to-read LED display
- 321/8"d x 20"h
- 3-year parts and labor, 5-year electrical components, 10-year compressor warranty

olay			Intertek	c us	NSE			
		FRIGER ER				d a	No.	
WEI	AX GHT	НР		303		1 ^		
717	7 lb 7 lb 84 lb	½+ ½+ ½+					i	
1,00		741						

				MAX	
MFG #	DRAWERS	WIDTH	PANS	WEIGHT	HP
ECB36D2	2	363/8"	(2) 12" x 20" & (6) 1/6 Size	717 lb	1/4+
ECB48D2	2	483/8"	(4) 12" x 20" & (6) 1/6 Size	717 lb	1/4+
ECB72D4	4	723/8"	(8) 12" x 20"	1,084 lb	1/4+
ECB82-84D4	4	861/4"	(10) 12" x 20"	1,084 lb	1∕3
ECB96D4	4	951/2"	(12) 12" x 20"	1,434 lb	1/3



#### **Worktop Refrigerator with Backsplash**

- Stainless steel exterior & interior with reinforced stainless steel top with foamed-in-place backsplash
- Environmentally friendly R290 refrigerant
- Dixell digital controller
- Recessed door handles
- Self-closing doors with stay open feature
- Magnetic door gaskets standard for positive door seal
- Pre-installed casters
- One pre-installed shelf per section
- 483/10"w x 30"d x 394/5"h
- 2-year parts & labor, 5-year compressor warranty, option to purchase full 5-year parts and labor warranty







#### **Refrigerated Chef Bases**

- Stainless steel exterior and interior
- Stainless steel pans included
- Electronic temperature controller
- Heavy-duty compressor with environmentally friendly R290 refrigerant
- Heavy-duty stainless steel drawer slides and rollers
- Magnetic drawer gaskets
- Recessed door handles
- Pre-installed casters
- One-piece heavy duty reinforced stainless steel top
- 33"d x 263/5"h
- 2-year parts & labor, 5-year compressor part warranty, option to purchase full 5-year parts and labor warranty

MFG #	DRAWERS	WIDTH	PANS	HP
MGF8448GR	2	355/8"	(2) 12" x 20" & (6) 1/6 Size	1/7
MGF8450GR	2	483/5"	(4) 12" x 20" & (6) 1/6 Size	1/4
MGF8453GR	4	721/2"	(8) 12" x 20"	1/4



#### **Pizza Prep Tables**

- · Heavy-duty stainless steel interior/exterior with rounded corners for a hazard-free workspace
- Vented stainless steel panel between top pan area and cabinet catches food debris
- Side mounted, self-contained and fully detachable Blizzard R290 condensing unit uses environmentally friendly, EPA-compliant R290 refrigerant
- NSF-certified polycarbonate 6" deep pans included
- 1/2" thick, foam insulated lid keeps top pan area cold and prevents moisture build-up
- 191/4" deep removable cutting board
- Multi-function digital controller with easy-to-read LED display
- 361/2"d x 361/4"h
- 3-year parts and labor, 5-year electrical components, 10-year compressor warranty

HP
1/3
1/3
1/3
1/3

#### **Refrigerated Prep Tables**

- · Heavy-duty stainless steel interior/exterior with rounded corners for a hazard-free workspace
- Vented stainless steel panel between top pan area and cabinet catches food debris
- · Galvanized steel bottom and rear
- 16 gauge, high quality stainless steel worktop and top lids
- Back mounted, self-contained and fully detachable Blizzard R290 condensing unit uses environmentally friendly, EPA-compliant R290 refrigerant
- One epoxy-coated, steel wire shelf per section
- Multi-function digital controller with easy-to-read LED display
- Four 5" swivel casters with locks on front set
- 3-year parts and labor, 5-year electrical components, 10-year compressor warranty

MFG #	DOORS/ SHELVES	WIDTH	PANS	НР
MEGA TOP,	351/4"D x 381/2"H	, INCLUDES 9	1/8"D CUTTING BOARD	
EPBR1	1/1	273/4"	(12) 1/6 Size	1/5
EPBR2	2/2	471/2"	(18) 1/6 Size	1/4+
EPBR3	3/3	711/8"	(30) 1/6 Size	1/3
MFG #	DOORS/ SHELVES 31½"D x 32¾"H	WIDTH	PANS	HP
EOTP1	1/1	273/4"	(12) 1/6 Size	1/5
EOTP2	2/2	471/2"	(18) 1/6 Size	1/4+
EOTP3	3/3	71½"	(30) 1/6 Size	1/3









EREFRIGERATION
UEREST







#### Refrigerated Sandwich Prep Tables

- Stainless steel exterior and interior
- Environmentally friendly R290 refrigerant
- Electronic temperature controller
- Includes stainless steel food pans
- 10" deep poly cutting board
- Recessed door handle
- Self-closing door with stay open feature
- Magnetic door gasket
- Pre-installed 5" casters
- 30"d x 443/10"h

EPBR1

 2-year parts and labor, 5-year compressor part warranty, option to purchase full 5-year parts and labor warranty

MFG #	DOORS/ SHELVES	WIDTH	PAN CAPACITY	HP
MSF8301GR	1/1	271/2"	8	
MSF3610GR	2/2	365/16"	12	
MSF8302GR	2/2	481/5"	12	
MSF8303GR	2/2	601/s"	12	
MSF8304GR	3/3	72½10"	18	

#### **Bar Equipment**

Let us help plan your new or updated bar. State-of-the-art commercial equipment is our specialty. From spec help in planning, to competitive bid, our dedicated staff will help you select the right models for your sales volume, space, and budget. No job is too large or too small for our experienced team.

#### **Back Bar Coolers**



### **M95**N

#### **Horizontal Bottle Coolers**



#### **Back Bar Coolers**





#### **Glass & Plate Chillers**















#### **Elevation Series**™ **Modular Ice Makers & Storage Bins**



- Sealed food zone
- · Produces half, full and Grande cubes
- Dual exhaust
- Parts snap in and out and are dishwasher safe
- One touch to sanitize, one touch to de-lime, with LEDs that signal when cleaning is required
- Uses R-404A refrigerant
- · Air-cooled condenser
- 3-year parts/labor warranty, 5-year parts warranty on evaporators and compressors
- Additional sizes & models available

MFG# DESCRIPTION ICE MAKERS - 221/4" WIDE

CIM0320A 313 lb Ice Production CIM0520A 561 lb Ice Production CIM0826A 896 lb Ice Production CIM1126A 932 lb Ice Production

ICE BINS - DURABLE ALUMINUM FINISH B25PP 242 lb Storage Capacity, 30"w B40PS 344 lb Storage Capacity, 30"w B42PS 351 lb Storage Capacity, 22"w B55PS 510 lb Storage Capacity, 30"w

Ice Production is based on 24 hr at 70° Air/50° Water Temperatures



#### Water Filter Assembly

- Provides protection against unpleasant taste, odors and scale formation
- Water filter manifold designed for ice makers producing up to 1,000 lb of ice per day
   Reduces maintenance frequency and cost and extends equipment life
- Improves equipment operating efficiency
- Replace every 6 months

**DESCRIPTION** IFQ1

every 6 months, and Ice-O-Matic will extend the limited cuber evaporator warranty to 7-year parts and labor.



(NSE)



#### **Self-Contained Cube Ice Makers**

- · Space-saving undercounter design with a front-breathing, air-cooled condenser
- Produces full cubes (HA) or full cubes (FA)
- Harvest assist provides consistent ice production 24/7 by pushing the ice into the bin rather than waiting for gravity to overpower the scale
- Pure ICE®: Built-in antimicrobial protection for the life of the ice maker prevents bacteria and slime fungus growth
- Constructed from corrosion-resistant stainless steel and fingerprint-proof plastic
- 3-year parts and labor warranty, 5-year parts warranty on evaporator and compressor

ICEU150HA or FA 241/2"w, 238 lb Ice Production, 74 lb Storage ICEU220HA or FA 241/2"w, 251 lb Ice Production, 74 lb Storage ICEU300HA or FA 301/3"w, 356 lb Ice Production, 112 lb Storage Ice Production is based on 24 hr at 70° Air/50° Water Temperatures





Ice-O-Matic

#### Indigo® NXT Modular Ice Machines & Storage Bins

- Stainless finish with DuraTech® exterior, resists fingerprints and dirt
- Produces full size dice cubes
- Air-cooled, self-contained condenser
- Easy-to-clean foodzone features select components made with AlphaSan® antimicrobial
- Acoustical ice-sensing probe allows for reliable operation in challenging water conditions and environments
- Intelligent diagnostics provide 24-hour preventative maintenance and diagnostic feedback with an easyTouch™ icon-based touchscreen display
- Uses R-410A refrigerant
- 3-year parts & labor warranty on ice maker, 5-year parts & labor warranty on evaporator, 5-year parts/3-year labor warranty on compressor
- Additional sizes & models available

MFG# **DESCRIPTION** 

ICE MACHINES

IDT0420A 470 lb Ice Production, 22"w IDT0620A 560 lb Ice Production, 22"w IDT0750A 680 lb Ice Production, 30"w IDT1200A 1196 lb Ice Production, 30"w

BINS

D320 264 lb Storage Capacity, 22"w D420 383 lb Storage Capacity, 22"w D570 532 lb Storage Capacity, 30"w

Ice Production is based on 24 hr at 70°F Air/50°F Water Temperatures





#### **Neo™ Undercounter Ice Machines**

- Offers a forward-sliding storage bin for ease of service
- Produces full size dice cubesSmooth, sealed food-zone with removable water trough, distribution tube, and damper door for faster cleaning
- Provides feedback with full bin and service indicators
- Air-cooled condenser
- Uses R-404A refrigerant
- 3-year parts/labor on ice maker, 5-year parts/labor on evaporator, 5-year parts/3-year labor on compressor
- Additional sizes & models available







**DESCRIPTION** MFG# UDF-0140A UDF-0190A







#### **Self-Contained Undercounter Cuber**

- Corrosion-resistant exterior
- Produces cube ice
- Sliding back door allows easy access to ice in the bin
- Intuitive control panel allows for quick and easy operation
- Includes ice scoop
- Unique evaporator produces crystal clear cubes
- Air-cooled condenser
- Uses R-134A refrigerant
- 15"w x 24"d x 38"h
- 3-year parts and labor warranty







**DESCRIPTION** 

CU0715MA-1 80 lb Ice Production, 36 lb Storage Capacity Ice Production is based on 24 hr at 70°F Air/50°F Water Temperatures

#### Scotsman<sup>\*</sup>

#### **SSM Plus** Water Filtration System

- · Ultrafine half-micron filtration, combined with food-grade polyphosphate, assures that chlorine, off-tastes, odors and particles stay out of your ice
- For cubers up to 650 lb and flakers, nuggets and nugget dispensers up to 1200 lb
- 1.67 gpm
- · Features AquaArmor with AgION, a silver-based antimicrobial compound that reduces the growth of bacteria, microorganisms, algae, mold and slime on ice machine surfaces, preventing premature clogging





#### Prodigy® Undercounter Cuber

- Produces medium cube ice
- AutoAlert™ control panel can communicate operating status and signal when it's time to descale, sanitize and more- making upkeep easier
- The patented WaterSense adaptive purge control delivers maximum reliability by reducing scale buildup for a longer time between cleanings
- Easily-removed door, top panel and storage bin allowing clear access to all internal components and a diagnostic code display ensuring the right fix the first time
- Includes ice scoop, 6" adjustable legs and 6' power cord
- Air-cooled condenser
- Uses R-404A refrigerant
- 30"w x 30"d x 33"h
- 3-year parts and labor on all components, 5-year parts and labor on the evaporator, 5-year parts on the compressor and condenser

**DESCRIPTION** 

313 lb Ice Production, 110 lb Storage Capacity CU3030MA-1 Ice Production is based on 24 hr at 70°F Air/50°F Water Temperatures



#### **Prodigy Plus® Modular Cube Ice Machines & Bins**

- One-touch cleaning reduces labor costs and saves time
- Front-located air filter for more efficient operation
- Self-aligning front panel for easy access to key components
- Patented WaterSense purge control automatically reduces scale buildup
- Patented Harvest Assist efficiently moves cube ice to the bin
- Smart-Board™ advanced feature module available for additional diagnostic capabilities
- Optional Vari-Smart™ ice level control allows operators to customize ice levels
- Antimicrobial protection guards internal surfaces between cleanings
- Air-cooled condenser
- Uses R-404A refrigerant
- 3-year parts and labor on all components, 5-year parts and labor on the evaporator, 5-year parts on the compressor and condenser

DESCRIPTION ICE MACHINES, CUBE ICE, 30"W C0330SA-1 400 lb Ice Production, CE C0530SA-1 525 lb Ice Production, CE

ICE MACHINES, NUGGET ICE, 22"W NS0422A-1 420 lb Ice Production

BINS, 30"W

B330P 344 lb Storage Capacity, 30"h B530P 536 lb Storage Capacity, 44"h

Ice Production is based on 24 hr at 70°F Air/50°F Water Temperatures







# **Super Erecta® Wire Shelving System Metroseal 3 with Microban**

- Enhanced with built-in Microban® antimicrobial product protection, which protects the Metroseal 3 coating from bacteria, mold, mildew and fungi that cause odors, stains and product degradation
- Plastic sleeves and wedges are included with each shelf
- Easy assembly without the use of special tools
- · Adjustability at 1" increments
- 12-year limited warranty against rust formation

SHELVES 18" DEEP	21" DEEP	24" DEEP	WIDTH
1824NK3	2124NK3	2424NK3	24"
1830NK3	2130NK3	2430NK3	30"
1836NK3	2136NK3	2436NK3	36"
1842NK3	2142NK3	2442NK3	42"
1848NK3	2148NK3	2448NK3	48"
1854NK3	2154NK3	2454NK3	54"
1860NK3	2160NK3	2460NK3	60"
1872NK3	2172NK3	2472NK3	72"





#### **Super Erecta Pro™ Shelving**

- · Lift-off polymer shelf mats resist abrasion from rough stuff like polycarbonate containers, stainless pans and heavy boxes;
- Shelf mats are dishwasher safe
- 1" shelf adjustability
- Built-in Microban® antimicrobial protection
- Holds up to 800 lb per shelf—2000 lb per stationary unit

SHELVES 18" DEEP	21" DEEP	24" DEEP	WIDTH
PR1824NK3	PR2124NK3	PR2424NK3	24"
PR1830NK3	PR2130NK3	PR2430NK3	30"
PR1836NK3	PR2136NK3	PR2436NK3	36"
PR1842NK3	PR2142NK3	PR2442NK3	42"
PR1848NK3	PR2148NK3	PR2448NK3	48"
PR1854NK3	PR2154NK3	PR2454NK3	54"
PR1860NK3	PR2160NK3	PR2460NK3	60"
PR1872NK3	PR2172NK3	PR2472NK3	72"



# Posts for Super Erecta® & Super Erecta Pro™ Shelving

STATIONARY	HEIGHT	MOBILE	HEIGHT
33PK3	33"	54UPK3	5313/16"
54PK3	54"	63UPK3	6113/16"
63PK3	63"	70UPK3	69¾"
74PK3	74"	74UPK3	731/8"
86PK3	865/8"	86UPK3	851/8"



#### **Shelving Accessories**

MFG# DESCRIPTION Plastic Split Sleeves, 9985 Black, 4 Pairs per Bag 9995Z S-Hook




#### **Shelving Casters**

- 5" stem casters with polyurethane wheel treads
- 300 lb capacity

	MFG#	DESCRIPTION
	FOR WIF	RE SHELVING
A.	5MP	Swivel
В.	5MPB	Swivel w/Brake
	FOR PLA	ASTIC SHELVING

5PCX C. Swivel 5PCBX Swivel w/Brake



#### MetroMax iQ Shelving

- Innovative interchangeable shelving system to fit any application
- Microban antimicrobial product protection
- Easy to clean, removable solid mats
- Choose stationary posts with leveling feet or create a mobile unit with posts designed for stem casters (casters sold separately)



SHELVES		ř	
18" DEEP	24" DEEP	WIDTH	
MX1824F	MX2424F	24"	
MX1830F	MX2430F	30"	
MX1836F	MX2436F	36"	METRO
MX1842F	MX2442F	42"	MEIN
MX1848F	MX2448F	48"	
MX1854F	MX2454F	54"	
MX1860F	MX2460F	60"	(NSF.)
MX1872F	MX2472F	72"	
POSTS			
STATIONARY	MOBILE	HEIGHT	
MX33P	MX33UP	33"	
MX54P	MX54UP	54"	
MX63P	MX63UP	63"	
	MX70UP	70"	
MX74P	MX74UP	74"	
MX86P	MX86UP	86"	-
MFG#	DESCRIPTION		1
MX9985	Replacement We	edges, Bag of 4	



#### **Indoff Wire Shelving & Accessories**

- The open wire design of these carbon-steel shelves minimizes dust accumulation and allows a free circulation of air, greater visibility of stored items and greater light penetration
- A tapered split sleeve snaps together around each post
- Assembled in minutes without the use any special tools
- Shelves can be loaded/unloaded easily from all sides
- Shelves can be adjusted at 1" intervals along the entire length of the post
- Chrome finish
- Bolt levelers compensate for surface irregularities on stationary posts

SHELVES			
18" DEEP	21" DEEP	24" DEEP	WIDT
J1824C	J2124C	J2424C	24"
J1830C	J2130C	J2430C	30"
J1836C	J2136C	J2436C	36"
J1842C	J2142C	J2442C	42"
J1848C	J2148C	J2448C	48"
J1854C	J2154C	J2454C	54"
J1860C	J2160C	J2460C	60"
J1872C	J2172C	J2472C	72"

CLYIVIPIC STORAGE COMPANY Reliable space\_economically.



D	$\cap$	C.	TQ.

STATIONARY	MOBILE	HEIGH
J33C		33"
J54C	J54UC	54"
J63C	J63UC	63"
J74C	J74UC	74"
J86C	J86UC	86"



SHELVING CASTERS & ACCESSORIES

MFG # DESCRIPTION 5" RUBBER CASTERS

A. J5 SwivelB. J5B Brake

C. J5FBA-4 Kit, 4 Swivel Casters

ACCESSORIES

D. J9985 Replacement Plastic Split Sleeves, 4 per Bag

**E. J9995Z** S-Hook







#### **Wall Shelves**

- 18 gauge, type 300 stainless steel with satin finish
- Stallion safety edge front with 1½" turned up back splash
- Shipped knocked down, easy to assemble
- Shelves with pot rack bars include (1) S/S hook per foot

		SH		

STANDAND STILLVL	3
MFG #	DESCRIPTION
EWS8-1224	24"l x 12"d
EWS8-1236	36"l x 12"d
EWS8-1248	48"l x 12"d
EWS8-1260	60"l x 12"d
EWS8-1272	72"l x 12"d
EWS8-1284	84"l x 12"d
EWS8-1296	96"l x 12"d



BHS1260PR



60"l x 12"d

 SHELVES WITH S/S POT RACK BAR

 MFG #
 DESCRIPTION

 BHS1236PR
 36"I x 12"d

 BHS1248PR
 48"I x 12"d



#### **Full Size Aluminum Can Racks**

- Heavy gauge aluminum construction with the most welds in the industry
- Stationary units include adjustable feet
- Mobile units include four 6" platform type casters, two swivel with brake and two rigid
- Five-year guarantee against material defects and workmanship
- Lifetime guarantee against rust and corrosion

MFG # DESCRIPTION

HOLDS (162) #10 CANS OR (216) #5 CANS

A. 1250 Stationary, 25"w x 35"d x 71"h

B. 1250CK Mobile, 25½"w x 35"d x 78"h

HOLDS (216) #10 CANS OR (297) #5 CANS

**1256** Stationary, 25½"w x 47"d x 71"h **1256CK** Mobile, 26"w x 47"d x 77¼"h







#### **Aluminum Dunnage Racks**

- 1½" square tube frame
- 1500 lb weight capacity
- 12" high

MFG #	DESCRIPTION
ALJB362012	36"l x 20"d
ALJB362412	36"l x 24"d
ALJB482012	48"l x 20"d
ALJB482412	48"l x 24"d
ALJB602012	60"l x 20"d
ALJB602412	60"l x 24"d







#### **Half Size Aluminum Can Racks**

- Low-profile mobile design w/work top
- Sloped glides for automatic can retrieval,
- Holds (72) #10 cans or (96) #5 cans
- 5" platform casters, 2 swivel, 2 rigid
- 25"w x 35"d x 41"h
- Made in the USA





MFG # DESCRIPTION
1226 w/Aluminum Top
1225 w/Stainless Steel Top



#### **Aluminum Pan Rack**

- Six cylindrical support bars provide strength and durability
  3" shelf spacing,
- front-loading
- Plastic endcaps, 1½" ribbed angles, heavy-duty 5" stem bolted swivel casters
- Holds (20) 18" x 26" pans
- or (40) 18" x 13" pans
   Ships knocked down





CASH-WA# 805391

MFG# PR20-3K-X





#### **Bun Pan Racks**

- End loading
- 3" runner spacing
- Four 5" stem type swivel casters
- 203/8"w x 26"d
- Five-year guarantee against material defects and workmanship
- Lifetime guarantee against rust and corrosion








#### MFG# **DESCRIPTION** 1314 Undercounter, 8 Pan Capacity, 321/4"h 1361 3/4 Size, 17 Pan Capacity, 605/8"h B. 1331 Full Size, 20 Pan Capacity, 693/4"h

#### **Maple Top Work Tables**

- 13/4" thick hard rock maple top, style "SC" flat top
- Type 304 stainless steel base and adjustable undershelf
- Adjustable bullet feet
- Shipped knocked down, easy to assemble



# ADA/Ergonomic Adjustable Height Work Tables

- 16 gauge stainless steel top
- · Fixed stainless steel undershelf
- Hydraulic lift system: 32" to 40" adjustable table height
- 8" stroke lift system cylinders


· Foldable smooth hand crank





#### "E-Series" Filler Tables

- 18 gauge stainless steel top
- 1½" back splash with S/S legs and adjustable undershelf
- Adjustable undershelf
- Plastic bullet feet
- Ships knocked down







- 18 gauge adjustable undershelf
- Galvanized or stainless steel legs with adjustable bullet feet
- 1½"h rear and side risers
- 24"h OA
- 72" models have six legs

MFG #	DESCRIPTION	MFG #	DESCRIPTION
GALVANIZED L	EGS &	S/S LEGS & ADJUSTABLE	
ADJUSTABLE U	NDERSHELF	UNDERSHELF	
GS6-3015GSK	15"l x 30"w	GS6-3015SSK	15"l x 30"w
GS6-3018GSK	18"l x 30"w	GS6-3018SSK	18"l x 30"w
GS6-3024GSK	24"l x 30"w	GS6-3024SSK	24"l x 30"w
GS6-3036GSK	36"l x 30"w	GS6-3036SSK	36"l x 30"w
GS6-3048GSK	48"l x 30"w	GS6-3048SSK	48"l x 30"w
GS6-3060GSK	60"l x 30"w	GS6-3060SSK	60"l x 30"w
GS6-3072GSK	72"l x 30"w	GS6-3072SSK	72"l x 30"w



#### "E-Series" Work Tables



(NSE)

- 18 gauge, type 430 series stainless steel
- Stallion edge both faces, straight turndown on sides
- Adjustable galvanized undershelf
- · Galvanized legs & plastic bullet feet
- Available with 1½" turned up rear riser
- · Shipped knocked-down, easy-to-assemble

CASH-WA#	MFG #	DESCRIPTION
744026	FBLG4830	48"l x 30"w
744051	FBLG6030	60"l x 30"w
744078	FBLG7230	72"l x 30"w

#### **Work Table Casters**

- Makes work mobile
- 5" heavy-duty locking casters for round legs

DESCRIPTION
Set of 4
Set of 6





#### **Stainless Steel Work Tables**

- 16 gauge, type 300 series stainless steel top, base and undershelf with satin finish
- Sound deadened
- 1½" stallion edge on front, side edges with 90° turndown
- Undershelf adjustable to desired height
- Adjustable bullet feet
- Ships knocked down

MFG #	DESCRIPTION	MFG #	DESCRIPTION
FLAT TOP		WITH 5" RISER TO	)P
ST6-3030SSK	30"l x 30"w	ST6R5-3024SSK	30"l x 24"w
ST6-3036SSK	36"l x 30"w	ST6R5-3030SSK	30"l x 30"w
ST6-3048SSK	48"l x 30"w	ST6R5-3036SSK	36"l x 30"w
ST6-3060SSK	60"l x 30"w	ST6R5-3048SSK	48"l x 30"w
ST6-3072SSK	72"l x 30"w	ST6R5-3060SSK	60"l x 30"w
ST6-3084SSK	84"l x 30"w	ST6R5-3072SSK	72"l x 30"w
ST6-3096SSK	96"l x 30"w	ST6R5-3084SSK	84"l x 30"w
		ST6R5-3096SSK	96"l x 30"w



#### **Service Cart**

- Versatile, durable and affordable
- Shipped "knocked down" to minimize shipping cost
- Easy to assemble and ready to use in minutes
- Polypropylene shelves, lightly textured to reduce sliding, are durable and stain resistant
- Generous 11¾" space between shelves speeds up loading and unloading
- Aluminum uprights ensure sturdiness
- Two ergonomic handles are included
- 321/8" | x 161/4" w x 38" h
- Speckled Gray

DESCRIPTION CASH-WA# MFG# 130094 BC331KD-480 300 lb Capacity

#### **Heavy-Duty Stainless Steel Utility Carts**

- Constructed of heavy gauge stainless steel for superior strength and durability
- · Easy to clean tig-welded construction
- Non-marking soft rubber bumpers prevent scratches and scuffs on walls





CARLISLE.

#### **Bin Top Utility Cart**

- Excellent for transporting equipment and loads, the bin top reduces the potential for items to fall off during transport
- Durable and chemical-resistant polypropylene; will not rust, dent, chip or peel



#### **Bussing Cart and Accessories**

UC5031827

UC5032135

• Use for front of house serving, bussing or even room service application

27"l x 18"w x 36"h

35"l x 21"w x 36"h

- Durable construction will stand up to the toughest use
- Sturdy shelves are textured for better grip and to minimize scratches
- Convenient knockdown design is easy to assemble
- 4" heavy-duty, non-marking swivel casters
- Black

CASH-WA#

143129

143130

#### CARLISLE

CASH-WA# 130096

143169

143170

MFG# CC2036-03

CC11SH-03 CC11TH-03 **DESCRIPTION** 

300 lb Capacity, 361/4"l x 18"w x 38"h, NSF Silverware Holder, 18"w x 11"l x 11"h Trash Container, 18"w x 121/4"l x 22"h



#### **3-Tier Utility Cart**

- Easy-clean polypropylene shelves
- 32"l x 161/8"w x 363/4"h
- Ships knocked down
- 4 swivel casters, 2 with brake

Gray



**DESCRIPTION** CASH-WA# MFG# UC-2415G 330 lb Capacity 130128





#### OptiClean™ Warewashing Racks


- Polypropylene construction
- Open profile facilitates superior washing, complete rinsing and fast drying
- · Racks drain quickly to reduce spotting/drying time
- Positive stacking from either direction stacks with all major competitors
- Sturdy bottom with four-way tracking for easy dish machine loading-eliminates the need to rotate racks
- Comfort curve handles are molded into all four sides for easy handling, won't pinch fingers
- 19¾" x 19¾"
- Carlisle Blue





	CASH-WA#	MFG#	
	140599	RC16-14	1
A.	140597	RG25-14	2
В.	140602	RF-14	(
	636051	RP-14	F
C.	140600	RTP-14	Т
D.	143168	ROP-14	(

DESCRIPTION 16 Comp. Cup Rack (411/32" Comp.) 25 Comp. Glass Rack (3½" Comp.) Combination/Flatware Rack All Purpose Plate & Tray Rack, 2¼"h Pegs Tall Peg Plate & Tray Rack, 215/16"h Pegs Open End Plate & Tray Rack, 215/16"h Pegs



#### Comfort Curve™ Bus Boxes & Lids

- Unique reinforced rims reduce bending, bowing, and breaking
- Incredibly sturdy boxes; smooth interior for easy cleaning
- Comfort Curve<sup>™</sup> handles for a sure, comfortable grip
- Contour lid design allows easy box-on-box stacking



	CASH-WA#	MFG #	DESCRIPTION
A.	140612	44010-03	Bus Box, 15" x 20" x 5"d, Black
В.	140615	44011-23	Bus Box, 15" x 20" x 7"d, Gray
	140613	44012-23	Lid for Bus Box, Gray
C.	130126	44012-03	Lid for Bus Box, Black

#### CARLISLE

#### Save-All™ Silverware Tray



#### Silverware Cylinder White plastic • Fits in 4" dia openings **winco** CASH-WA# MFG# (NSF.)

141476

FC-PL

#### **Cup/Glass Rack Dolly**

 Holds 20" x 20" or smaller cup and glass racks • Wall tube construction В • Turned-up lips an all four sides help hold trays in place Lifetime Guarantee against rust and corrosion 5-year guarantee against workmanship and material defects MFG# **DESCRIPTION** Dolly, 20%"w x 22%"d x 9%"h A. 1176A B. 1179A Optional Handle (NSF.)

#### **Backsplash Faucets**

- Brass construction with lever handles
- 8" C/C backsplash mount
- Includes EZ Install adapters





CASH-WA# 143118

143119

**DESCRIPTION** 12" Swing Spout 14" Swing Spout 16" Swing Spout

#### **Service Sink Faucet** with Long Spout

- · Brass construction with lever handles
- Garden hose tip faucet
- 8" adjustable wall control valve
- Vacuum breaker
- Includes EZ Install adapters

MFG# DESCRIPTION 8253 6" Service Sink Spout



#### **Pre-Rinse Replacement Hose**

- 44" long three-ply aircraft hydraulic hose with insulated handle and adapter
- Fits all brands of pre-rinse units

CASH-WA# MFG# 143117 2918



#### Ultra Spray™ Valve

- Engineered to last no 'O' rings to leak
- Interchangeable fits all brands
- Solid bronze lever for full "ON" operation
- Guaranteed for 1,000,000 cycles
- · Low energy user: 1.15 GPM @ 60 psi

MFG# CASH-WA# 2949 143116

MANUFACTURING COMPANY

#### **Spray Valve Brush**

- Fits all Fisher spray valves with bumpers
- Black nylon

CASH-WA# MFG # 2949-9001 130127



#### **Pro-Bowl Wall Mount Hand Sinks**

- · All stainless steel construction
- 14" x 10" x 5" deep bowl
- One piece deep drawn bowl
- 17/8" drain, s/m faucet
- Includes faucet and basket drain

DESCRIPTION PBHS-W-1410-P w/o Side Splash PBHS-W-1410-P-SSLR Left & Right Side Splash

## MANUFACTURING COMPANY

#### **Pre-Rinse Units**

- · Brass construction with lever handles
- Spring style pre-rinse with wall bracket
- 36"I stainless steel hose
- Includes Ultra Spray<sup>™</sup> Valve
- 8" C/C backsplash mount



CASH-WA# MFG# 34479 34487 143115 64793





#### **Royal Series Freestanding Sink**

- 20 gauge stainless steel bowl furnished with 1" IPS rear corner drain and 71/2" overflow pipe
- 10" x 14" x 7" deep bowl
- Hot/cold water: 1/2" IPS
- 4" center wall mount faucet
- Built-in push-down soap dispenser and tri-fold paper towel dispenser

MFG#

DESCRIPTION

KR19-18ST 18"w x 19"d



#### **Royal Series One** Compartment **Bar Sink**

- 20 gauge stainless steel bowl furnished with 1" IPS rear corner drain and 7½" overflow pipe

  10" x 14" x 10" deep bowl
- Hot/cold water: ½" IPS
- Drainboard reinforced with welded braces
- 4" center wall mount faucet

MFG#

DESCRIPTION

KR19-1C 12"w x 19"d





#### **EasyInstall Pre-Rinse Assemblies**

- 18" riser
- Lever handles
- Flexible stainless steel hose
- Quarter turn ceramic cartridges with spring checks

MFG# **DESCRIPTION** 

B-0113-B Single Hole Deck Mount w/Wall Bracket,

18" Hose

B-0133-ADF10-BR 8" Center Wall Mount, 36" Hose, 10" Swing Nozzle,

Brush Attachment

B-0133-ADF12-BR 8" Center Wall Mount, 36" Hose, 12" Swing Nozzle,

**Brush Attachment** 

B-0133-B 8" Center Wall Mount w/Wall Bracket, 44" Hose





#### Wall Mounted Sorting Shelves



PB-SRW-21

#### BHS1822-TS

PB-SRW-42	42" x 18"
PB-SRW-21	21" x 18"
SOLID CONSTRU	JCTION
MFG#	DESCRIPTION

63" x 18"

MFG# **DESCRIPTION TUBULAR CONSTRUCTION** BHS1822-TS 22" x 18" BHS1842-TS 42" x 18" BHS1863-TS 63" x 18"



#### **Pre-Rinse Basket**

16 gauge 300 series stainless

PB-DTA-20-01

#### **Dishtable Rack Slide**

• 16 gauge 300 series stainless

PB-SRW-63

PB-DTS-20RS



#### **Pro-Bowl Dishtables**

- 16 gauge 300 series stainless steel
- Solid dishtables include an integrally welded bowl
- Stainless steel legs and metal bullet feet
- Straight right or left
- 30" front-to-back



	A	
MFG#		
CLEAN DISH TABLES	SOILED DISH TABLES	DESCRIPTION
JDTC-20-26L-X	JDTS-20-26L-X	26"l, R to L Operation
JDTC-20-26R-X	JDTS-20-26R-X	26"l, L to R Operation
JDTC-20-36L-X	JDTS-20-36L-X	36"l, R to L Operation
JDTC-20-36R-X	JDTS-20-36R-X	36"l, L to R Operation
JDTC-20-48L-X	JDTS-20-48L-X	48"l, R to L Operation
JDTC-20-48R-X	JDTS-20-48R-X	48"l, L to R Operation
JDTC-20-60L-X	JDTS-20-60L-X	60"l, R to L Operation
JDTC-20-60R-X	JDTS-20-60R-X	60"l, L to R Operation
JDTC-20-72L-X	JDTS-20-72L-X	72"l, R to L Operation
JDTC-20-72R-X	JDTS-20-72R-X	72"l, L to R Operation
JDTC-20-96L-X		96"l, R to L Operation
JDTC-20-96R-X		96"l, L to R Operation

#### All-In-One Prep Tables w/Sinks

- 16 gauge 300 series stainless steel top with 10" clip-down riser
- One 16" x 20" x 8"d and one 16" x 20" x 4"d bowl
- 4" deckmount faucet with 10" swing spout
- Utensil drawer with stainless steel removable liner and 18" x 22" poly cutting board included
- Stainless steel legs & adjustable undershelf
- 30" front-to-back

**DESCRIPTION** 

EPT6R10-DL2B-72L 72"l, Sinks on Left EPT6R10-DL2B-72R 72"l, Sinks on Right EPT6R10-DL2B-96L 96"l, Sinks on Left EPT6R10-DL2B-96R 96"l, Sinks on Right



BOOS"

- **B-Series Compartment Sinks** • 16 gauge 300 series stainless steel bowls and deck
- Stainless legs and bullet feet
- 14" deep bowl
- Includes front to back adjustable stainless bracing

MFG#	DESCRIPTION
3B16204-2D18	(3) 16" x 20" x 14"d Bowls, (2) 18" Drainboards, 87" x 251/2" OA
3B16204-2D24	(3) 16" x 20" x 14"d Bowls, (2) 24" Drainboards, 99" x 25½" OA
3B184-2D18	(3) 18" x 18" x 14"d Bowls, (2) 18" Drainboards, 93" x 231/2" OA
3B18244-2D18	(3) 18" x 24" x 14"d Bowls, (2) 18" Drainboards, 93" x 29½" OA
3B18244-2D24	(3) 18" x 24" x 14"d Bowls, (2) 24" Drainboards, 105" x 291/2" O
3B244-2D24	(3) 24" x 24" x 14"d Bowls, (2) 24" Drainboards, 123" x 29½" C
4B18244-2D18	(4) 18" x 24" x 14"d Bowls, (2) 18" Drainboards, 111" x 29½" OA



#### **HD Complete Disposer Packages**

- Stainless steel construction including grind chamber
- 3/4" rubber mounting above grinding chamber isolates sound and eliminates vibration
- Stationary and rotating shredding elements made from cast nickel chrome alloy
- Includes Sink Mounting Assembly, Manual Reverse Switch (MRS), Syphon Breaker, Solenoid Valve, and Standard Flow Control Valve
- 1-year parts & labor warranty from date of installation

#5 SINK FLANGE ASSEMBLIES FOR 31/2" TO 4" DIA INLET

MFG#

DESCRIPTION

SS-100-5-MRS SS-200-5-MRS

1 hp Motor 2 hp Motor #7 COLLAR ADAPTOR - PROVIDES 65%" DIA INLET AND INCLUDES SPLASH BAFFLE AND STOPPER

MFG#

**DESCRIPTION** 

SS-100-7-MRS SS-200-7-MRS 1 hp Motor 2 hp Motor







#### Super Q II Glasswasher

- Full load washing saves power, water, and chemicals
- Only 75 seconds per cycle
- Rotating spray arm provides outstanding results
- Divided carousel creates a washing chamber that cleans with a recirculating, high-volume water spray, and allows you to simultaneously load, unload, and wash
- 120°F final rinse allows rinse-aids to work providing spot free glassware
- Manual turn eliminates washing one glass at a time
- Sustainer heater maintains tank temperature
- Built-in chemical storage (one gallon containers)

DESCRIPTION MFG# ASQII 34 Loads/hr



#### **High-Temp Door-Type Dish Machine**

- Built-on J-12 70°F rise booster heater
- Approved dual sanitizer- same machine serves as either high or low temp
- Wash, rinse, and sanitize in as little as 45 seconds - fastest in the industry
- Powerful 3 hp pump scrubs away what others leave behind
- · Low water usage only 0.85 gallon
- · Versatile door design installs corner or straight
- Available with either 45 or 60 second time cycle
- Patented self cleaning spray system
- Auto fill standard
- Two stage S/S drain filter eliminates clogged pumps
- Patented captive spray arm end caps: no parts to lose
- 18" door opening
- 3-phase, 208/240V, 50A, 60 Hz

**DESCRIPTION** MFG# HT-25-J12 72 Racks/hr



#### **Chemical Sanitizing Door-Type Dish Machine**

- Convertible design
- Large door clearance, 20½" for larger wares
- Stainless steel spray arm bases, drain castings and plumbing to the scrap accumulator
- Quick release spray arms
- Stainless steel air gap eliminates the need for a check valve or vacuum breaker
- Water enters from the top of the machine eliminating most of the common service concerns due to failed check valves,
- vacuum breakers or water solenoid diaphragm failures
- Total cycle time 90 seconds
- 2.2 gallons water per cycle
- 115V, 1½ hp









Ask for leasing options at Buller Fixture!

MFG# **DESCRIPTION** AF-3D-S 37 Racks/hr

#### **Door-Type Dishwasher**

- 27" door opening accommodates up to six 18" x 26" sheet pans or one 60-quart mixing bowl
- Stainless steel drawn tank, tank shelf, chamber, trim panels, frame and feet
- Sense-A-Temp™ 70°F rise electric booster heater
- · X-shaped revolving, interchangeable upper and lower anticlogging wash arms
- Revolving, interchangeable upper and lower rinse arms
- Slanted, self-locating, one-piece scrap screen and basket system
- .67 gallons per rack pumped final rinse
- Pillarless opening
- · Digital controls with status indicators
- Pumped drain
- Timed wash cycles for 1, 2, 4 or 6 minutes
- NSF-rated pot and pan cycles
- Includes sheet pan rack

DESCRIPTION MFG# AM16T-BASX-2 60 Racks/hr













#### Rack Conveyor Dishwasher

- Convertible high temperature or chemical sanitizing
- Stainless steel self-draining pump and impeller
- Opti-Rinse<sup>™</sup> system
- Rapid return conveyor drive mechanism
- Large double door opening for ease of cleaning
- 191/2" chamber height opening to accommodate full size sheet pans
- Self-aligning wash manifold s
- Single, sloping scrap screen and deep scrap basket
- Door actuated drain closure
- Booster heater control
- Configurable "intelligent" delime notification
- NSF-rated configurable pot and pan dwell mode

CL44EN-BAS+BUILDUP

DESCRIPTION 202 Racks/hr









- 24 racks per hour
- . .84 gallons of water per rack
- Top-mounted user interface with digital temperature display
- 14.46" door opening
- Snap-in, revolving upper and
- lower anti-clogging wash and rinse arm
- Sense-a-Temp™ Booster Heater ensures 180°F final rinse
- Automatic pumped drain
- Delime notification and cycle

MFG# DESCRIPTION

CUH-1 High Temperature Sanitizing

Chemical Sanitizing CUL-1







#### Flight-Type Dishwasher

- Pumped dual rinse system
- Digital controls with machine diagnostics
- Low temperature alert
- Hinged insulated cabinet-style doors
- 20" access on dual rinse and ASR chambers
- 31" access on prewash, power wash and power rinse chambers
- Recessed start and stop switches at both ends
- Capless wash arms with anti-clogging nozzles
- 30" wide variable-speed conveyor

MFG# **DESCRIPTION** 58 gallons/hr FT1000E+BASE



#### **EnergyMizer® Conveyor-Type Dishwashers**

- Low temperature chemical sanitizing
- Washes 243 racks per hour
- Uses only .49 gallons of water per rack
- Left to right or right to left operation available
- Stainless steel construction
- Dual tank design and unique 3-stage washing process provides two wash stations, power heated rinse and final rinse
- Stainless steel chemical injection chamber
- Flectric tank heat
- · Auto fill and table limit switch
- Includes 1 open & 1 peg rack
- · Available as high temp with built-in booster heater

MFG# DESCRIPTION

EST-44/L-R 16 Gallon Wash Tank, 44"w x 251/8"d x 551/2"h EST-66/L-R 18½ Gallon Wash Tank, 66"w x 25½"d x 56½"h



#### **High Temp Undercounter Dishwasher**

- Hot water sanitizing with built-in booster heater
- Chemical dispenser
- External scrap accumulator
- Pumped drain
- Upper and lower stainless steel rotating wash and rinse arms
- Safe-T-Temp feature guarantees 180° final rinse
- Uses only .86 gallons of water per cycle
- Includes 1 combination rack and 1 peg rack
- 14½" door opening
- 24"w x 25"d x 331/4"h

MFG#

CMA-180UC W/CD 30 Racks or 120 Covers/hr











#### **EnergyMizer® Chemical Sanitizing Undercounter** Dishwasher





- Pumped drain and purging system
- Upper and lower stainless steel wash arms with reinforced end caps
- Built-in chemical pumps and deliming system
- Uses only 1.7 gallons of water per cycle
- Includes 1 combination rack and 1 peg rack
- 16" door opening

MFG#

L-1X16

• 24"w x 23½"d x 34½"h





DESCRIPTION 30 Racks or 120 Covers/hr

#### **High Temp Door-Type Dishwashers**

- High temperature sanitizing with built-in booster heater
- Ventless model replaces need for independent vent hood

DESCRIPTION

- 60 racks/hour (Ventless unit 40 racks/hr)External Poly Pro scrap accumulator
- Stainless steel construction
- Electric tank heat and auto fill
- Includes 1 open & 1 peg rack
- Safe-T-Temp feature assures 180° sanitizing rinse
- Corner models available upon request

STANDARD UNITS **DESCRIPTION** 

CMA-180SB Straight-Thru, 17½" Door Opening

CMA-180TSB Tall Straight Thru Design, 27" Door Opening

**VENTLESS UNIT** 

CMA-180VL Straight or Corner, 171/2" Door Opening









#### **Wire Brush**

- Steel wire bristles in 3 rows of 19
- Wood handle with scraper end



CASH-WA# 141475

MFG# BR-319 DESCRIPTION 14" long

#### **Fryer Filter Stand**



CASH-WA# 82710

MFG# FF-10

DESCRIPTION 10" dia

#### **Fryer Filter Cone**

 Cone made of standard flow synthetic non-woven material



#### **Grill Tender® Grill Scraper**

- Now 30% stronger—increased thickness for tough kitchen environments
- Quickly and easily removes carbonized food from grill surface
- Splashguard and extra-long handle protect from burns and kickback of debris
- Durable steel point blade
- 2-year warranty



#### **Broiler Brush**

- · High-strength stainless steel bristles remove carbon deposits, rust and burnedon food buildup from high-temperature ovens and grills
- · Stainless steel scraper loosens debris for a deeper clean
- · Wood handle is built to last even in busy restaurant kitchens



CASH-WA# 143101

40290

DESCRIPTION 30" Wood Handle

#### **Oven/Grill Scraper & Brush**

- High-strength metal bristles remove carbon deposits, rust and burned-on food buildup from high-temperature ovens and grills



LOW TEMPERATURE

40152-00

C. 140557

23" L-Tipped





#### Window Squeegee

- Quick release channel style frame
- Black rubber blade



CASH-WA# 140791

MFG# 40071-00 DESCRIPTION 16" Single Blade

#### Sparta® Vegetable Cutter Brush

 ${ullet}$  2½" long extra stiff nylon bristles reach through the grid on stainless steel cutters to provide excellent cleaning and long life

CASH-WA# 914437

MFG#

40529-00

DESCRIPTION 6" Handle

#### **Kitchen Brush**

- · Medium stiff nylon bristles resist acid, heat, oil and many solvents
- Textured grip prevents slipping
- Unique contoured handle provides a perfect angle for scrubbing



CASH-WA# 143149

40500

**DESCRIPTION** 3"w x 20"l

#### **Sparta® Cutting Board Brush**

- Polyester bristles are non absorbent and keep their shape for better scrubbing and longer bristle life
- Foam injected plastic block for extra strength
- Erogonomic grip makes it easy to hold
- FDA compliant block and bristles

CASH-WA# 143151

40521EC02

DESCRIPTION 6" Handle, White

#### **Window Squeegee**

- Nylon net, heavy-duty sponge
- 20" long plastic handle



WARREN **DISTRIBUTION** 

CASH-WA# MFG #

142063

WS2024A

DESCRIPTION 8" Head

#### **Floor Squeegees**

- · Heavy-duty straight steel frame
- Extremely flexible black vinyl backed closed-cell double-foam rubber provides the most removal of fluids over polished floors



CASH-WA# MFG#

140818 140469 40082-00 40083-00 DESCRIPTION

24" Straight Steel, Black 30" Straight Steel, Black

#### Sparta® Color-Coded Tile and Grout Brush

- Features a molded-in scraper
- · Can be hand held or used with a threaded handle



CASH-WA# 143150

MFG# 41323EC14 DESCRIPTION 9"w, Blue



the glass





CASH-WA# 140559

40673-00

DESCRIPTION

#### **Curved Coffee Decanter Brush**

- Soft polyester bristles
- · Contoured to fit inside coffee pots



CASH-WA# 111500

MFG# 40153-00 DESCRIPTION 10" Handle

#### **Ergonomic Power Plunger**

Overmolded rubber handle for easy grip

• 21" plastic handle is non-absorbent and more sanitary than wood handles

Black

CASH-WA# 143155

MFG # 3643903

#### Hand & Nail Brush

- Two trim lengths for more thorough cleaning
- Promotes cleansing of hands for foodservice personnel
- 3½" plastic block
- White

CASH-WA# 143148

MFG# 3623900





#### Kleen-Pail® Cleaning & Sanitizing Pails

- Reduces risk of serious cross-contamination
- Available in Red for sanitizing solutions, Green for soap solutions
- Durable, impact-resistant plastic with robust handle design
- Made of durable, impact-resistant plastic
- Meets board of health and HACCP mandates for dedicated
- · Trilingual labeling aids in training





CASH-WA# MFG# DESCRIPTION KP97GN 140330 3 qt, Green 140331 KP97RD 3 qt, Red 143059 KP256RD 8 qt, Red

#### Sertun™ Rechargeable Sanitizer **Indicator Towels**

- Have confidence you're sanitizing with just a quick glance into your sanitizer bucket!
- As the towel deploys Quat, the color changes from blue to yellow, indicating there is not sufficient sanitizer in the towel
- By placing the towel back into your sanitizer solution, the towel recharges, and turns blue again-when the towel does not turn blue, it's time to change the sanitizer solution
- · Works with quaternary ammonia (Quat) only
- Use with your red bucket system
- 13½" x 18"
- Yellow/White checkerboard pattern

CASH-WA# MFG# DESCRIPTION 83042 9650 50 Towels per Box





#### **Griddle Screen Holder**

· Helps to protect hands from burns and provides better leverage for cleaning



CASH-WA# 93223

MFG# GSH-1

DESCRIPTION 5" x 23/4"

#### SafetyApplied® Large First Aid Kit

- Includes items appropriate for minor accidents that typically occur in the foodservice industry Features an innovative
- 'door-in-door' compartment to basic supplies for common cuts, abrasions and burns
- Theft-deterring locking tabs
- Mounts to wallOSHA and ANSI/ISEA Z308.1-2015 compliant

CASH-WA#

MFG#

For up to 50 People

APPLIED









#### Wet Floor Sign

- Made of durable polypropylene
- 25" tall x 11" wide
- English/Spanish/German

CASH-WA# 140878

MFG# 36909-04



#### **Pop-Up Cone**

- 360° visibility for increased safety
- Portable and lightweight
- 20" high with 221/4" base length
- English/Spanish/French

MFG# 3694204





#### Sparta® Roll 'N Grip™ Mop/Broom Rack

- Keeps brooms and brushes handy and secure
- Helps prevent damage to walls or counters
- Adjustable for a variety of brooms and brushes
- 18" long

CASH-WA# 143156

MFG# 4073100





#### **Handles**

CASH-WA # MFG # TAPERED


A. 130061 40261-00

THREADED B. 143175

C. 130121 3620275-03 **DESCRIPTION** 

54" x 11/8" dia, Wood, Natural

40225EC-02 60"l x 3/4" dia, Fiberglass, White 60"l x 1" dia, Metal, Black





#### **Wet Mop Handles**

	CASH-WA#	MFG#	DESCRIPTI
Α.	95780	41664-14	Sparta® Spe
			60" x 1", Blu
В.	140835	4034000	Quick Chan
			Metal Head

C. 140855 40345-00 ION

ectrum Quik-Release™, ue Fiberglass nge, 63"l x 11/4", al Head w/Wood Handle Flo-Pac® Kwik-On™, 60" x 11/8", Wood w/Screw On Tip

#### Flo-Pac® Dust **Mop Handle**

• 60" long



CASH-WA# MFG# 94840 45850-00



#### Flo-Pac® Professional **Roller Sponge Mop & Refill**

- Automatic roller mop with built-in wringer to remove water and dirt
- Fine cell polyester foam sponge

CASH-WA# MFG# DESCRIPTION 143172 4030100 12" x 51" Sponge Mop 143173 4030600 12" Mop Head Refill

#### **OmniFit™ Mop Bucket** & Wringer Combo

 Sturdy design for up to 200k wringer cycles

 Down press wringer with an ergonomic handle

Yellow



CASH-WA# MFG# 141551 4690404

35 qt





#### Flo-Pac® Wet Mon Heads

			prioado
	CASH-WA#	MFG#	DESCRIPTION
A.	140860	369024C	#24 Cotton, Kwik-On™ Screw Top
В.	140845	369816B	#16 Cotton, 4-Ply Cut End, Narrowband
	140840	369824B	#24 Cotton, 4-Ply Cut End, Narrowband
	140850	369832	#32 Cotton, 4-Ply Cut End, Narrowband
C.	94722	369424B	Cotton Blend, 4-Ply, Loop End, Natural w/Red Band
D.	94725	369478B	Cotton Blend, 4-Ply, Loop End, Green w/Green Band
	141250	369460	Cotton Blend, 4-Ply, Loop End, Blue w/Blue Band
	94720	369484B	Cotton Blend, 4-Ply, Loop End, Green w/Red Band
E.	143171	369670B	Synthetic Blend, 4-Ply, Loop End, Blue w/White

#### **Duo Sweep® Angle Broom**

- Heavy-duty construction
- 12"w unflagged polypropylene angled brush head accesses corners, floor crevices and small areas between appliances
- Threaded 48" black metal handle

CASH-WA# 140816

MFG# 4688500





#### Sparta® Duo-Sweep® **Lobby Broom**

- Heavy-duty construction
- 6"w flagged blue synthetic filament picks up fine debris
- Angled brush head can access corners, floor crevices and small areas between appliances
- Threaded 30" handle

CASH-WA# MFG# 4685914 143152

#### **Bi-Level Scrub Brush**

- Crimped bristles resist absorbing oils and moisture and wash easily
- Foam-injected block provides additional durability
- Threads are ¾-5 ACME
- BPA-free



CASH-WA#

MFG#

DESCRIPTION 10"w, Yellow Bristles

140829 40423EC-04

#### Omni Sweep® Floor Sweeps

- Synthetic bristles have pitched angle for fast, effective sweeping on all types of floor surfaces
- Short, heavy bristles in front easily sweeps up heavy debris
- Long, fine/medium bristles in back sweep fine dust and particles; can be used with sweeping compounds
- Hygienic plastic block
- Anchor clamp included
- · Handles sold separately
- Use with threaded handle (sold separately)



DESCRIPTION CASH-WA# MFG # 143176 41880 18" wide 143174 24" wide 41881

#### Sweep Complete™

- Indoor and outdoor sweeping of all floor types
- Plastic block and fill with integrated squeegee
- 60"l, 3-piece aluminum handle with brace
- Blue

CASH-WA # MFG # 130125 36219618



#### **Duo-Sweeper™ Multi-Surface** Floor Sweeper

• Non-marking rubber blades grab fine particles and heavy debris from various types of floor surfaces

Constructed of durable ABS plastic

· Ergonomic soft swivel handle grip with galvanized steel handle and two debris canisters

· Soft non-marking wheels glide on carpet, hardwood, vinyl or tile floors



CASH-WA# MFG# 143145

3640014

DESCRIPTION

12" wide

#### **Lobby Dust Pan**

- 12" wide, black plastic pan
- Pivoting bucket design
- Black powder coated metal handle with hanging hole

CASH-WA# 130049

MFG# 361410



#### Flo-Pac® Dust Pan

■ 12" wide



CASH-WA# 143167

MFG# 36143703

#### **Warehouse Corn Broom**

- Corn/yucca blend
- Triple lift, 3 sewn, red twine
- Metal band
- 42" long x 11/8" dia black pine handle
- 12" sweeping surface



CASH-WA#

MFG# 6120-6



140815

#### **TrimLine™ Containers & Lids**

- Features heavy-duty plastic construction for easy cleaning
- Fits neatly beside work tables or in narrow spaces
- Corner tabs help keep trash bags secure
- Helper handle on bottom for easy lifting and dumping

 CASH-WA #
 MFG #
 DESCRIPTION

 143161
 342023-03
 23 Gallon, Black

 141169
 342023-06
 23 Gallon, Beige

 143162
 342024-03
 Swing Top Lid, Black

 141170
 342024-69
 Swing Top Lid, Brown



#### Sparta® Bronco™ Containers & Lids

- Heavy-duty plastic and reinforced drag skids for maximum longevity
- Comfort Curve Handles allow for easy lifting and prevent vacuum sealing when stacking
- Snap down and press-pull lids stay on and remove with ease

CASH-WA#	MFG #	DESCRIPTION
143157	841010-23	10 gal, Gray
143159	841010-02	10 gal, White
143163	841020-23	20 gal, Gray
140890	841032-23	32 gal, Gray
765001	841044-23	44 gal, Gray
143165	841055-23	55 gal, Gray
143158	841011-23	Lid for 10 gal, Gray
143160	841011-02	Lid for 10 gal, White
143164	841021-23	Lid for 20 gal, Gray
141182	841033-23	Lid for 32 gal, Gray
765002	841045-23	Lid for 44 gal, Gray
143166	841056-23	Lid for 55 gal, Gray




- Simple twist-to-lock feature securely attaches dolly; containers can be pushed or lifted without accidentally coming off
- Non-marking 3" swivel casters
- Black

CASH-WA# M

MFG # DESCRIPTION

**765350 36911-03** Fits 20, 32, 44 & 55 gal Containers



**4RLISLE** 

#### VIP Black Cloud Anti-Fatigue Mat


- Ideal for areas exposed to public view
- Lightweight and easy to clean
- Extremely comfortable with anti-slip textured surface and tapered edge
- Non-absorbent "closed-cell" nitrile rubber with or without drainage holes
- Grease proof

MFG # DESCRIPTION
2200-23 Solid Top, 2' x 3', Black
2200-35 Solid Top, 3' x 5', Black
2200-35H Drainage Holes, 3' x 5', Black

#### VIP Red Cloud Anti-Fatigue Mat

- · Lightweight and easy to clean
- Extremely comfortable with anti-slip textured surface and tapered edge
- Non-absorbent "closed-cell" nitrile rubber with drainage holes
- Grease proof

CASH-WA # MFG # DESCRIPTION **D5000 5000R-35** 3' x 5', Red



#### **VIP Topdek Junior Mat**

- Lightweight for ease of handling
- 1/2" overall thick rubber

841056-23

- Molded, beveled edge on all sides
- Anti-slip and anti-fatigue
- Excellent drainage
- General purpose for use in non-grease areas

MFG # DESCRIPTION 2530-C5 3' x 5', Black



765350

841055-23



#### **Portable Mat Rack**

- Speeds up handling, cleaning, and drying
- 500 lb capacity holds up to 10 large mats (with holes)
- Zinc plated, 16 gauge, cold rolled 1" tubular steel
- 5" swivel casters
- Shipped knocked down

MFG # DESCRIPTION 6477-KD 42"l x 28"w x 40"h



#### Insect Inn Ultra™ II

- Ultimate decorative wall mounted fly trap that is also an attractive decorative light fixture for public areas
- 60 day cartridge system
- 18½" x 15¼" x 6¾"
- · Available in Black and White

**DESCRIPTION** 

**ULTRA II** Double Lamp, Up to 4000 sq ft Replacement Cartridges, Pack of 4 73820 72651 Replacement Lamp (Requires 2)





#### Fly Patrol™

- Decorative light commercial fly control system
- Wall or table mount
- 30 day cartridge system
- 12½" x 12" x 6¼1
- · Available in Black, White and Stainless Steel

MFG# **DESCRIPTION** 

**FLY PATROL** Up to 1000 sq ft 72315 Replacement Cartridges,

Pack of 2

72489 Replacement Lamp

#### Fruit Fly Patrol™

- Highly effective fruit fly specific attractants added to the glue surface
- · Decorative light commercial fly control system
- Wall or table mount
- 30 day cartridge system
- 121/4" x 12" x 61/4"
- · Available in Black, White and Stainless Steel

MFG# **DESCRIPTION** 

205708 Up to 1000 sq ft, White 305708 Up to 1000 sq ft, Black

78320 Replacement Cartridges, Pack of 12



#### **Mosquito Eliminator**

- Highly effective decorative outdoor control for mosquitoes and other flying insects
- Free standing
- 30 day cartridge system
- 21" x 7¾" x 7"



MFG# **ELIMINATOR** 63820

62651

DESCRIPTION Up to 5000 sq ft

Replacement Cartridges,

Pack of 4

Replacement Lamp

#### **Terminator™ Fly Control**

- Ideal for fly management and insect control in food handling and manufacturing areas
- · Can be a free-standing portable unit, ceiling hung, or wall mounted
- 60 day cartridge system 23" x 10" x 8½"
- Available in White Aluminum and Stainless Steel



MFG#

DESCRIPTION **TERMINATOR** Up to 5000 sq ft

73891 Replacement Cartridges, Pack of 4 72917 Replacement Lamps, Pack of 2

#### Save-T® Smoker

- An attractive, decorative cigarette butt receptacle
- Eliminates odors
- Rain and flame retardant
- Easily remove top to empty galvanized steel bucket (included)
- Hold-down tabs for security and wind protection
- 16" dia base x 21"h
- Black

CASH-WA# MFG# 110161 T1206-BLACK DESCRIPTION 5 Quart







Adapter Bar46	Compartment Sink92	Freezer74, 76
Air Curtain Merchandiser75	Concession Equipment Cleaner 57	Frozen Drink Machine23
Airpot19	Condiment Holder24	Fry Pan44, 45
Apron50	Condiment Organizer18	Fry Pan Server5
Ash Tray11	Convection Oven 60, 71, 72	Fryer57, 73
•	Conveyor Oven60	Fryer Brush96
В	Cook & Hold Oven69	Fryer Filter Cone & Stand96
_	Cook's Fork29	,
Back Bar Cooler79	Cookware44, 45	
Bake Pan	Cooling Rack33	G
Bar Caddy24	Corkscrew22	Gas Hose Connector73
Bar Mat25		Glass Chiller79
Bar Mop Towel25	Cotton Candy Supplies56	Glass Dinnerware11
Bar Shelf Liner25	Crème Brûlée5	Glass Door Merchandiser 75
Bar Spoon22	Crock38	Glass Rimmer23
Bar Stool28	Cruet11	Glass Storage Cabinet26
Basting Brush33	Cruet Rack11	Glass Washer, Manual25
Basting Spoon16	Cup Dispenser18	Glassware7-10
Batter Dispenser39	Cut-Resistant Gloves31	Glasswasher93
Beer Mug9	Cutlery29, 30	Griddle63-66
Blender23	Cutting Board30	Griddle Screen Holder98
Blender Dump Sink26	Cutting Board Brush 97	Grill Scraper96
Booster Seat15	Cutting Board Refinisher31	Grout Brush97
Booth27	-	Guest Check44
Bottle Cooler79	D	Guest Check Presenter15
Bottle Opener22, 39	Decorating Tip33	duest check i rescriter
Broiler	Deliming Spring20	H
Broiler Brush96	Dicer51	Hand & Nail Brush98
Broom100	Dish Machine93-95	Handle99
Buffetware16	Disher36	High Chair15
Due Dov 00	Lichtable 02	
Bus Box89	Dishtable92	High Speed Oven61, 62
DUS DOX09	Dishwasher Temperature Plate43	High Speed Oven61, 62 Hot Beverage Dispenser21
C	Dishwasher Temperature Plate43 Disposer93	Hot Beverage Dispenser21
С	Dishwasher Temperature Plate43	Hot Beverage Dispenser21 Hot Dog Roller Grill57
C Cafeteria Tray14	Dishwasher Temperature Plate93 Disposer93 Dough Cutter29, 33 Dough Roller Docker33	Hot Beverage Dispenser51 Hot Dog Roller Grill57 Hot Food Merchandiser57, 58
C Cafeteria Tray14 Call Bell43	Dishwasher Temperature Plate93 Disposer93 Dough Cutter29, 33	Hot Beverage Dispenser51 Hot Dog Roller Grill57 Hot Food Merchandiser57, 58 Hot Food Table71
C Cafeteria Tray14 Call Bell43 Can Opener40	Dishwasher Temperature Plate93 Disposer93 Dough Cutter29, 33 Dough Roller Docker33	Hot Beverage Dispenser51 Hot Dog Roller Grill57 Hot Food Merchandiser57, 58 Hot Food Table71 Hot Plate63
C Cafeteria Tray	Dishwasher Temperature Plate43 Disposer	Hot Beverage Dispenser51 Hot Dog Roller Grill57 Hot Food Merchandiser57, 58 Hot Food Table71
C Cafeteria Tray	Dishwasher Temperature Plate43 Disposer	Hot Beverage Dispenser
C Cafeteria Tray	Dishwasher Temperature Plate43 Disposer	Hot Beverage Dispenser
C       Cafeteria Tray	Dishwasher Temperature Plate43 Disposer	Hot Beverage Dispenser
C       Cafeteria Tray	Dishwasher Temperature Plate43 Disposer	Hot Beverage Dispenser
C         Cafeteria Tray       14         Call Bell       43         Can Opener       40         Can Punch       22         Can Rack       85         Can Tapper       39         Carafe       11         Cart       87, 88         Casters       73, 83, 87	Dishwasher Temperature Plate43 Disposer	Hot Beverage Dispenser
C         Calfeteria Tray       14         Call Bell       43         Can Opener       40         Can Punch       22         Can Rack       85         Can Tapper       39         Carafe       11         Cart       87, 88         Casters       73, 83, 87         Chafer & Cover       17	Dishwasher Temperature Plate43 Disposer	Hot Beverage Dispenser
C         Call Bell	Dishwasher Temperature Plate43 Disposer	Hot Beverage Dispenser
C         Call Bell	Dishwasher Temperature Plate43 Disposer	Hot Beverage Dispenser
C         Call Bell	Dishwasher Temperature Plate43 Disposer	Hot Beverage Dispenser
C Cafeteria Tray	Dishwasher Temperature Plate43 Disposer	Hot Beverage Dispenser
C         Call Bell       43         Can Opener       40         Can Punch       22         Can Rack       85         Can Tapper       39         Carafe       11         Cart       87, 88         Casters       73, 83, 87         Chafer & Cover       17         Chafing Fuel       17         Charbroiler       63-66         Check Rack       44         Cheese Shaker       12, 32         Chef Base       77	Dishwasher Temperature Plate43         Disposer	Hot Beverage Dispenser
C         Call Bell       43         Can Opener       40         Can Punch       22         Can Rack       85         Can Tapper       11         Cart       87, 88         Casters       73, 83, 87         Chafer & Cover       17         Chafing Fuel       17         Check Rack       44         Cheese Shaker       12, 32         Chef Base       77         China       3-5	Dishwasher Temperature Plate43         Disposer	Hot Beverage Dispenser
C         Call Bell       43         Can Opener       40         Can Punch       22         Can Rack       85         Can Tapper       39         Carafe       11         Cart       87, 88         Casters       73, 83, 87         Chafer & Cover       17         Chafing Fuel       17         Charbroiler       63-66         Check Rack       44         Cheese Shaker       12, 32         Chef Base       77	Dishwasher Temperature Plate43         Disposer	Hot Beverage Dispenser
C         Call Bell       43         Can Opener       40         Can Punch       22         Can Rack       85         Can Tapper       11         Cart       87, 88         Casters       73, 83, 87         Chafer & Cover       17         Chafing Fuel       17         Check Rack       44         Cheese Shaker       12, 32         Chef Base       77         China       3-5	Dishwasher Temperature Plate43         Disposer	Hot Beverage Dispenser
C         Call Bell	Dishwasher Temperature Plate43         Disposer	Hot Beverage Dispenser
C         Call Bell	Dishwasher Temperature Plate	Hot Beverage Dispenser
C         Call Bell	Dishwasher Temperature Plate	Hot Beverage Dispenser
C         Call Bell	Dishwasher Temperature Plate43         Disposer	Hot Beverage Dispenser
C         Call Bell	Dishwasher Temperature Plate43         Disposer	Hot Beverage Dispenser
C         Call Bell	Dishwasher Temperature Plate43         Disposer	Hot Beverage Dispenser
C         Call Bell	Dishwasher Temperature Plate43         Disposer	Hot Beverage Dispenser
C         Call Bell	Dishwasher Temperature Plate43         Disposer	Hot Beverage Dispenser
C         Call Bell	Dishwasher Temperature Plate43         Disposer	Hot Beverage Dispenser

Combi Oven.......58, 59

Kitchen Shears		Pizza Tray45	Spillage Pan46
Knife Holder	30	Plastic Basket13	Spreader29
Knife Sharpener	29, 30	Plate Chiller79	Squeegee97
		Plunger98	Squeeze Dispenser38
L		Popcorn Popper56	Steak Knife6
Label	49	Popcorn Supplies56	Steak Weight39
Ladle		Portioning Spoon35	Steam Table Pan46
Lid Dispenser	-	Pot Fork16	Steamer66, 67
Liquid Candle		Pot Holder50	Stock Pot44, 45
Liquor Pourer		Potato Brush31	Strainer 34
Liquoi i Gui Gi illillillillillillillillillillillillil		Potato Masher34	Straw Dispenser14
8.4		Pre-Rinse Unit & Accessories90, 91	Straw Organizer18
M Managerina Com	20	Prep Table92	Sugar Caddy13
Measuring Cup		Probe Wipes42	Sugar Pourer12
Measuring Spoon		Proofing & Holding Cabinet69	Sweeper100
Meat Chopper		Pump Kit38	Swirl Beverage Server19
Meat Tenderizer			Syrup Dispenser12, 38
Menu Cover		R	
Merchandiser		Ramekin13	Т
Microwave Oven		Range66, 70, 71	Tabletop28
Microwave Shelf		Reach-In74	Teapot20
Mixer		Refrigerated Display Case	Thermometer41, 42
Mixing Bowl		Refrigerator74, 76, 77	Tilting Skillet68
Mop		Rice Cooker59	Timer42, 43
Mop & Broom Rack		THOO COOKER IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII	Toaster60
Mop Bucket & Wringer		•	Tomato Scooper31
Muddler		S Colomorador	Tongs16, 34
Muffin Pan		Salamander	Toothpick Dispenser24
Mug	3-5, 10	Salt & Pepper Refiller39	Towel50
		Salt Shaker12	Tray Stand15
N		Sandwich Grill59	Tulip Dish14
Nacho Chip Warmer	57	Sandwich/Salad Prep Table 78	Tumbler, Plastic14
Number Stand		Sanitizer Towels98	Turner16, 29, 30
		Sauce Cup13	
0		Sauce Pan44, 45	U
Oven Mitt	50	Sauce Pot45	Underbar Sink26
Overflow Pipe		Scale43	Undercounter Unit76
overnew i ipe illillillillillillillillillillillillill		Scoop	
P		Scrub Brush100	V
•	00	Seating28	Vacuum Packaging Machine59
Pail		Serving Bowl14	Vacuum Server19
Pail Opener		Serving Paddle9	Vegetable Brush31
Pan Grabber		Serving Spoon16, 35	Vegetable Cutter51
Pan Rack		Serving Tray15	Vegetable Cutter Brush
Panini Grill		Shart Page 47	vegetable eatter brasilimin 37
Paper Towel Dispenser		Sheet Pan47 Sheet Pan Cover47	147
Pastry Bag			W
Pastry Brush		Shelving83-85	Wall Shelf85, 92
Patty Press		Sherbet Dish9	Warewashing Rack & Dolly89
Peeler			Waste Container101
Pepper Mill		Silverware Cylinder89	Water Filter 80, 82
Pepper Shaker		Silverware Tray89	Wedger51
Pest Control		Sink	Welsh Rarebit5
Pie Marker		Skimmer34	Wet Floor Sign98
Pie Server		Slicer 53, 54	Whip34
Pitcher		Smoker's Receptacle102	Wire Brush
Pizza Cutter		Snow Cone Syrup56	Wire Brush96
Pizza Merchandiser		Soda Glass11	Wire Grate
Pizza Oven		Sorting Shelf92	Work Table86, 87
Pizza Peel		Soup Kettle59	Worktop Refrigerator77
Pizza Prep Table		Spatula36	
Dizza Scroon	15	Speed Rail25	Published by CFI Marketing 2023

#### **OUR FRIENDLY & EXPERIENCED STAFF IS DEDICATED TO EXCEEDING EXPECTATIONS!**





**BULLER FIXTURE • OMAHA, NE** 

SUNFLOWER RESTAURANT SUPPLY • SALINA, KS





CASH-WA DISTRIBUTING • KEARNEY, NE

CASH-WA DISTRIBUTING • FARGO, ND

ND







ΜO

CO



partner

# **Locations:**

# BULLER FIXTURE COMPANY

6828 L Street Omaha, NE 68117 P: 402-592-2601

# SUNFLOWER RESTAURANT SUPPLY

1647 Sunflower Road Salina, KS 67401

P: 785-823-6394

6803 West Taft Street #307 Wichita, KS 67209

P: 316-267-9881

#### **CWD-MAIN KEARNEY**

401 West 4<sup>th</sup> Street Kearney, NE 68845

P: 308-237-3151

#### **CWD-FARGO**

4101 15<sup>th</sup> Avenue North Fargo, ND 58102

P: 701-282-8200



