Safety Data Sheet

Section 1 - Product Information									
Product Name: l	big boy	Supplier:	Intercon Chemical Company						
Product Code No	umber: 7883	Address:	1100 Central Industrial Drive						
Product use:	Liquid Laundry Detergent			St. Louis, MO 63110					
Section 2 - Hazard Identification									

GHS Classification: Skin Corrosive Category 1B, Eye Corrosive Category 1, Oral Toxicity Category 4

Section 2.1 - Label Elements Hazard Pictograms Precautionary Statements: Wear protective gloves and eye protection. Wash thoroughly after handling. Do not breathe mist or dust. IF ON SKIN(or hair): Remove immediately all contaminated clothing. Rinse skin with water. Wash contaminated clothing before reuse. IF IN EYES: Rinse cautiously with water for several minutes. Remove contacts if present and easy to do. Continue rinsing. IF SWALLOWED: Rinse mouth, Do NOT induce vomiting. IF INHALED: Remove to fresh air and keep at rest position comfortable for breathing. Immediately call a POISON CENTER or physician.

Section 3 - Composition							
Chemical Name	CAS#	Percent w/w					
Sodium Hydroxide	1310-73-2	< 10					
Potassium Hydroxide	1310-58-3	< 10					
Sodium Metasilicate	6834-92-0	< 5					

Section 4 - First Aid Measures

Skin: Flush with flowing water for at least 15 minutes or until slippery feeling disappears. Get medical attention for any burns that may occur.

Eyes: Flush with flowing water for 15 min & see physician

Ingestion: IF SWALLOWED, rinse mouth, do not induce vomiting, immediately call a POISON CENTER or doctor/physician.

Inhalation: Move to fresh air and keep at rest in a position comfortable for breathing.

	Section 5 - Fire and Explosion Hazard Data											
Flash Point:	Limits	Ex	tinguisting Media.	Special Fire Fighting Procedures: Avoid exposure to fumes or vapors.								
none	LEL	INA	water spray or log, loam, dry chemical,	Wear self-contained positive pressurized breathing apparatus MSHA/NIOSH Approved or equivalent to maintain TLV. UNUSUAL FIRE &								
	UEL		carbon dioxide of alconol loam, il product	EXPLOSION HAZARD: Product will not burn.								

Section 6 - Accidental Release Measures

Neutralize with dilute acid, or sodium bicarbonate. Mop up and flush to sewer with plenty of water. Floors may be slippery. Use care to avoid falls.

Section 7 - Handling and Storage

Store locked up. Store upright in original closed container.

	Section 8 - Exposure Controls/PPE										
Ingredient	OSHA PEL:	ACGIH TLV		PPE	General Hygiene Considerations:						
Sodium Hydroxide	2mg/m ³	2mg/m ³	Respiratory:	not normally required	Handle in accordance with good industrial hygiene and						
Potassium Hydroxide	2mg/m ³	2mg/m ³	Eye:	safety glasses, face shield	safety practices. Provide suitable facilities for quick drenching or flushing of the eyes and body in case of						
Sodium Metasilicate	NE	NE	Skin:	Apron, alkali proof gloves	contact or splash hazard.						
			Ventilation	Normal room ventilation							

	Section 9 - Physical and Chemical Properties									
	Evaporation Upper/lower Vapor									
Appearance	odor	odor threshold	рН	Melting Point	Boiling point	rate	Flammability	flammability limits	pressure	
violet liquid	lemon	NE	13.1	NE	212ºF	NE	NA	NA	NE	
Vapor Density	Density (lbs/gal)	Specific Gravity	pH(1% dil)	Solubility (in water)	Partition coefficient	Auto Ignition temp	Decompositio n Temp	Viscosity		
NE	9.3	1.12	11.8	100%	NE	NA	NA	water like		
	Section 10 - Stability and Reactivity									

Product is stable, hazardous polymerization will not occur. Incompatible with strong acids. If burned, normal combustion products: Carbon Dioxide, Carbon Monoxide, Nitrous

Product is stable, hazardous polymerization will not occur. Incompatible with strong acids. If burned, normal combustion products: Carbon Dioxide, Carbon Monoxide, Nitrous Oxides.

Section 11- Toxicological Information									
ingredient	Acute toxicity(oral LD50) rat	Acute toxicity(derm. LD50)rabbit	Skin and Eye	Carcinogen	Mutagen	Reproduct. Toxicity	STOST -single Exposure	STOST Repeated exposure	
Sodium Hydroxide	200mg/kg	1350mg/kg	corrosive	Not listed	No Info	No info	No info	No info	
Potassium Hydroxide	214mg/kg	not listed	corrosive	Not listed	No info	No info	No info	No info	
Sodium Metasilicate	NE	NE	corrosive	Not listed	No info	no info	no info	no info	

Other:

Section 12 - Ecological Information

Section 13 - Disposal Considerations

No information available

Products covered by this SDS, in their original form, are considered corrosive hazardous waste according to RCRA(40 CFR 261). Dispose of in accordance with applicable Federal, State and Local regulations.

Section 14 - Transport Information

UN number	Basic Description(DOT)	Class	Packing Group	LTD QTY
UN1719	Caustic Alkali Liquids, n.o.s(Contains potassium hydroxide, sodium hydroxide)	8	=	< 1Liter

Section 15 - Regulatory Information

SARA Title 3: Does not contain reportable chemicals under sections 302, 304, or 313 of Title III of the Superfund amendments and Reauthorization Act of 1986. CERCLA: Sodium Hydroxide, Potassium Hydroxide. For more information consult 40 CFR parts 302, 355, 370, 372, and 40 CFR part 68

Section 16 - Other Information

WHMIS: E

Date Prepared: 01-21-2015



HMIS: Health - 3 Flam. - 0 R - 0 PPE- C

Prepared by: Environmental, Health and Safety Administrator.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with materials or in any process, unless specified in the

Legend for Abbreviations: NA - not applicable NE - Not Established